

December 18, 2021

Huayuan Medical Technology(Shangqiu) Co., Ltd. % Boyle Wang Official Correspondent Shanghai Truthful Information Technology Co., Ltd. RM.1801,No.161 Lujiazui East Rd.,Pudong Shanghai, Shanghai 200120 China

Re: K213048

Trade/Device Name: Nitrile Patient Examination Gloves (Tested for Use with Chemotherapy Drugs)

Regulation Number: 21 CFR 880.6250

Regulation Name: Non-Powdered Patient Examination Glove

Regulatory Class: Class I, reserved

Product Code: LZA, LZC Dated: September 16, 2021 Received: September 22, 2021

Dear Boyle Wang:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. Although this letter refers to your product as a device, please be aware that some cleared products may instead be combination products. The 510(k) Premarket Notification Database located at https://www.accessdata.fda.gov/scripts/cdrh/efdocs/efpmn/pmn.cfm identifies combination product submissions. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal

statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803) for devices or postmarketing safety reporting (21 CFR 4, Subpart B) for combination products (see https://www.fda.gov/combination-products/guidance-regulatory-information/postmarketing-safety-reporting-combination-products); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820) for devices or current good manufacturing practices (21 CFR 4, Subpart A) for combination products; and, if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to https://www.fda.gov/medical-device-problems.

For comprehensive regulatory information about medical devices and radiation-emitting products, including information about labeling regulations, please see Device Advice (https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance) and CDRH Learn (https://www.fda.gov/training-and-continuing-education/cdrh-learn). Additionally, you may contact the Division of Industry and Consumer Education (DICE) to ask a question about a specific regulatory topic. See the DICE website (https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/contact-us-division-industry-and-consumer-education-dice">https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/contact-us-division-industry-and-consumer-education-dice) for more information or contact DICE by email (DICE@fda.hhs.gov) or phone (1-800-638-2041 or 301-796-7100).

Sincerely,

Clarence W. Murray, III, Ph.D.
Assistant Director
DHT4B: Division of Infection Control
and Plastic Surgery Devices
OHT4: Office of Surgical
and Infection Control Devices
Office of Product Evaluation and Quality
Center for Devices and Radiological Health

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES Food and Drug Administration

Indications for Use

Form Approved: OMB No. 0910-0120

Expiration Date: 06/30/2023 See PRA Statement below.

510(k) Number (if known) K213048		·		
Device Name Nitrile Patient Examination Gloves (Te	ested for Use with Chemotherapy D	rugs)		
fingers to prevent contamination be	etween patient and examiner. In a with ASTM D6978-05 Standard	edical purpose that is worn on the examiner's hand or addition, these gloves were tested for use with Practice for Assessment of Medical gloves to		
Chemotherapy Drug	Concentration	Breakthrough Detection Time in Minutes		
Carboplatin	10.0 mg/ml(10,000 ppm)	> 240 Minutes		
Carmustine (BCNU)	3.3 mg/ml (3,300 ppm)	26.5 Minutes		
Cyclophosphamide (Cytoxan)	20.0 mg/ml(20,000 ppm)	> 240 Minutes		
Doxorubicin	2.0 mg/ml(2,000 ppm)	> 240 Minutes		
Etoposide	20.0 mg/ml(20,000 ppm)	> 240 Minutes		
Fluorouracil	50.0 mg/ml(50,000 ppm)	> 240 Minutes		
Methotrexate	25.0 mg/ml(25,000 ppm)	> 240 Minutes		
Paclitaxel	6.0 mg/ml(6,000 ppm)	> 240 Minutes		
ThioTepa	10.0 mg/ml(10,000 ppm) 48.4 Minutes			
Please note that the following drug: Carmustine (BCNU) 3.3 mg/ml 26. ThioTepa 10.0 mg/ml 48.4 Minutes	5 Minutes			
Warning: Please do not use with Ca	armustine (BCNU) and ThioTep	a.		
Type of Use (Select one or both, as ap	plicable)			
Prescription Use (Pa	nrt 21 CFR 801 Subpart D)	Over-The-Counter Use (21 CFR 801 Subpart C)		
	CONTINUE ON A SERADATE	DAGE IS NEEDED		

CONTINUE ON A SEPARATE PAGE IF NEEDED.

This section applies only to requirements of the Paperwork Reduction Act of 1995.

DO NOT SEND YOUR COMPLETED FORM TO THE PRA STAFF EMAIL ADDRESS BELOW.

The burden time for this collection of information is estimated to average 79 hours per response, including the time to review instructions, search existing data sources, gather and maintain the data needed and complete and review the collection of information. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, to:

> Department of Health and Human Services Food and Drug Administration Office of Chief Information Officer Paperwork Reduction Act (PRA) Staff PRAStaff@fda.hhs.gov

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB number."

510(k) Summary K213048

This summary of 510(k) is being submitted in accordance with 21 CFR 807.92.

1.0 Submitter's Information

Name: Huayuan Medical Technology (Shangqiu) Co., Ltd.

Address: In The North Yard of West 1000m Road At The Intersection of

Zhuangzhou Avenue and Pingyuan Road, Liangyuan District,

Shangqiu City, Henan Province, China

Contact: Huamei Wang

Date of Preparation: Sept 16, 2021

Designated Submission Correspondent

Mr. Boyle Wang

Shanghai Truthful Information Technology Co., Ltd.

Room 1801, No. 161 Lujiazui East Rd., Pudong Shanghai, 200120 China

Tel: +86-21-50313932

Email: Info@truthful.com.cn

2.0 Device Information

Trade name: Nitrile Patient Examination Gloves (Tested for Use with

Chemotherapy Drugs)

Common name: Patient Examination Gloves

Classification name: Non-powdered patient examination glove

Model(s): XS, S, M, L, XL, XXL

3.0 Classification

Production code: LZA,LZC

Regulation number: 21CFR880.6250

Classification: Class I

Panel: General Hospital

4.0 Predicate Device Information

Manufacturer: Ever Growth (Vietnam) Co., Ltd.

Device: Disposable Powder Free Nitrile Examination Glove, Tested For

Use With Chemotherapy Drugs, Disposable Powder Free

Nitrile Examination Glove, Tested For Use With Chemotherapy

Drugs, Orange Color

510(k) number: K190860

5.0 Device Description

The subject device is single use, disposable gloves intended for medical purposes to be worn on the examiner's hands to prevent contamination between patient and examiner. The gloves are powder-free, ambidextrous with beaded cuff, blue colored, nitrile, and tested for use with chemotherapy drugs. The gloves are offered in six sizes: XS, S, M, L, XXL.

The subject device is non-sterile.

6.0 Indication for Use

A patient examination gloves is a disposable device intended for medical purpose that is worn on the examiner's hand or fingers to prevent contamination between patient and examiner. In addition, these gloves were tested for use with chemotherapy drugs in accordance with ASTM D6978-05 Standard Practice for Assessment of Medical gloves to Permeation by Chemotherapy Drugs

Chemotherapy Drug	Concentration	Breakthrough Detection Time in Minutes
Carboplatin	10.0 mg/ml(10,000 ppm)	> 240
Carmustine (BCNU)	3.3 mg/ml (3,300 ppm)	26.5
Cyclophosphamide	20.0 mg/ml(20,000 ppm)	> 240
(Cytoxan)		
Doxorubicin	2.0 mg/ml(2,000 ppm)	> 240
Etoposide	20.0 mg/ml(20,000 ppm)	> 240
Fluorouracil	50.0 mg/ml(50,000 ppm)	> 240
Methotrexate	25.0 mg/ml(25,000 ppm)	> 240
Paclitaxel	6.0 mg/ml(6,000 ppm)	> 240
ThioTepa	10.0 mg/ml(10,000 ppm)	48.4

Please note that the following drugs have low permeation times: Carmustine (BCNU) 3.3 mg/ml 26.5 Minutes; Thio Tepa 10.0 mg/ml 48.4 Minutes.

Warning: Please do not use with Carmustine (BCNU) and ThioTepa.

7.0 Technological Characteristic Comparison Table

Table1-General Comparison

Table1-General Comparison						
Item	Subject Device	Predicate Device	Remark			
	(K213048)	(K190860)				
Product Code	LZA,LZC	LZA,LZC	Same			
Regulation No.	21CFR880.6250	21CFR880.6250	Same			
Class	I	I	Same			
	A patient examination gloves is a disposable device intended for medical purpose that is worn on the examiner's hand or fingers to prevent	A patient examination gloves is a disposable device intended for medical purpose that is worn on the examiner's hand or fingers to prevent				
Intended Use	contamination between patient and examiner. In addition, these gloves were tested for use with chemotherapy drugs in accordance with ASTM D6978-05 Standard Practice for Assessment of Medical gloves to Permeation by Chemotherapy Drugs.	contamination between patient and examiner. In addition, these gloves were tested for use with chemotherapy drugs in accordance with ASTM D6978-05 Standard Practice for Assessment of Medical gloves to Permeation by Chemotherapy Drugs.	Same			
Powdered or Powered free	Powdered free	Powdered free	Same			
Design Feature	Ambidextrous	Ambidextrous	Same			
Sterility	Non-Sterile	Non-Sterile	Same			
Labeling Information	Single-use indication, powder free, device color, device name, glove size and quantity,Non-Sterile, a statement of standard ASTM D6978-05 compliance and a summary of the testing results.	Single-use indication, powder free, device color, device name, glove size and quantity, Non-Sterile, a statement of standard ASTM D6978-05 compliance and a summary of the testing results.	Same			
Dimensions(mm)	Length: XS: ≥220; S/M/L/XL/XXL: ≥230; Width: XS: 70±10; S: 80±10; M: 95±10; L: 110±10;	Length: XS/S/M/L/XL: ≥230; Width: XS:70±10; S: 80±10; M: 95±10; L: 110±10; XL: 120±10	Similar			

		VI · 120-	L10·			
		XL: 120±10; XXL: 130±10				
			Finger: ≥0.05;		05:	
Thickness(mm)		1		Finger: ≥0		Same
Colorant		Blue	Palm: ≥0.05		Palm: ≥0.05 White, Orange	
Colorant			Tensile			
Physical		Strengt	14MPa, min	Tensile	14MPa, min	Same
Properties			h Ultimat	Strength		Janie
	Before					
	Aging	e		Ultimate	Ultimate	
		Elonga	500% min	Elongatio 5	500% min	Same
		tion		n		
		Tensile				
		Strengt	14MPa, min	Tensile	14MPa, min	Same
		h	, a,	Strength	, , , , , , , , , , , , , , , , , , , ,	Camo
	After	Ultimat				
	Aging	e		Ultimate		
		Elonga	400%min	Elongatio	400%min	Same
		tion		n		
			Be free from holes when		Be free from holes when tested in accordance with ASTMD5151	
Freedom 1	from Holes	tested in accordance with ASTMD5151 AQL=2.5		with		
				AQL=2.5		
		0.03 mg per glove, Meet the requirements of		Meet the requirements of ASTM D6124		Similar
Powder	Content					
		ASTM D6124		ASTWI D0124		
		ISO 10993-10;		ISO 10993-10;		
		Under t	Under the conditions of		Under the conditions of	
		the study, not an irritant		the study, not an irritant		Same
Piecem	patibility	or a sen	or a sensitizer		or a sensitizer	
DIOCOITI	patibility	ISO 10993-5		ISO 10993-5		
		Under conditions of the study, device extract is		Under conditions of the		Same
				study, device extract is		
		not cytot	not cytotoxic		not cytotoxic	
		Carbopla	Carboplatin 10.0 mg/ml: >			
		240 Minu	tes			Different
				Carmustine (BCNU) 3.3		
		Carmusti	ne (BCNU) 3.3	mg/ml:		Similar
		mg/ml: 26.5 Minutes		White:11.8 Minutes;		Similar
			1		Orange:31.6Minutes	
		,			Cisplatin 1.0 mg/ml: >240	
		,			Minutes	
		Cyclophosphamide		Cyclophosphamide		Same
		(Cytoxan) 20.0 mg/ml: >		(Cytoxan)		Janie

	240 Minutes	20.0 mg/ml: >240 Minutes		
	/	Dacarbazine (DTIC) 10.0		
		mg/ml:	Different	
		>240 Minutes		
	Doxorubicin 2.0 mg/ml: > 240 Minutes	Doxorubicin Hydrochloride		
		2.0	Same	
	240 Milliules	mg/ml: >240 Minutes		
	Etoposide 20.0 mg/ml: >	Etoposide (Toposar) 20.0	Same	
	240 Minutes	mg/ml: >240 Minutes	Same	
	Fluorouracil 50.0 mg/ml: > 240 Minutes	Fluorouracil 50.0 mg/ml: >		
Chemotherapy Drugs Tested with Minimum		240	Same	
		Minutes		
Breakthrough	Methotrexate 25.0			
Detection Time as Tested per ASTM D 6978	mg/ml(25,000 ppm): > 240	1	Different	
	Minutes			
	Paclitaxel 6.0 mg/ml: >240 Minutes	Paclitaxel (Taxol) 6.0		
		mg/ml:	Same	
		>240 Minutes		
	ThioTepa 10.0 mg/ml: 48.4 Minutes	Thio-Tepa 10.0 mg/ml:		
		White:16.9 Minutes;	Similar	
	IVIII IULGO	Orange: 72.5 Minutes		

8.0 Summary of Non-Clinical Testing

Biocompatibility Testing

The biocompatibility evaluation for Nitrile Patient Examination Gloves (Tested for Use with Chemotherapy Drugs) was conducted in accordance with the following standards:

ISO 10993-10:2010 Biological Evaluation of Medical Devices - Part 10: Tests for Irritation And Skin Sensitization.

ISO 10993-5:2009 Biological Evaluation of Medical Devices - Part 5: Tests For In Vitro Cytotoxicity

Performance Testing (Bench)

Physical performance qualities of the proposed device were evaluated per ASTM D6319-10, Standard Specification for Nitrile Examination Gloves for Medical Application.

Permeation testing was conducted to support the addition of the labeling claim:

Tested for use with chemotherapy drugs. In addition, the proposed device was tested according to ASTM D6978-05 (Reapproved 2019), Standard Practice for Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs, in which minimum breakthrough times were determined for a wide range of chemotherapy drugs.

In summary, the performance testing of the subject device was conducted to adequately demonstrate the effectiveness of the device in accordance with the relevant test methods cited below:

- ASTM D6124-06 (Reapproved 2017), Standard Test Method for Residual Powder on Medical Gloves
- ASTM D5151-19, Standard Test Method for Detection of Holes in Medical Gloves.
- ASTM D6319-19, Standard Specification for Nitrile Examination Gloves for Medical Application.
- ASTM D6978-05 (Reapproved 2019), Standard Practice for Assessment of Resistance of Medical Gloves to Permeation by Chemotherapy Drugs.

Table 2 - Summary of non-clinical performance testing

Test	Purpose	Acceptance Criteria	Results
Method			
		Length(mm):	Length(mm):
		XS:≥220;	> 240/Pass;
		S/M/L/XXL: ≥230;	Width(mm):
		Width(mm):	XS: 80-83/Pass
		XS: 70±10;	S: 86-90/Pass
ACTNA	Physical	S: 80±10;	M: 97-98/ Pass
ASTM D6319	Dimensions	M: 95±10;	L: 108-112/ Pass
	Test	L: 110±10;	XL:115-120/ Pass
		XL: 120±10;	XXL: 128-130/ Pass
		XXL: 130±10	
		Finger: ≥0.05;	Thickness (mm):
		Palm: ≥0.05	Finger: 0.08-0.10/Pass
		1 aiii. >0.00	Palm: 0.08-0.11/Pass
ASTM	Watertightness	Meet the requirements of ASTM D5151	0/125/Pass
D5151	Test for	AQL 2.5	
	Detection of		

	Holes					
ASTM	Powder	Meet the requirements of ASTM D6124 <			0.03mg/Pass;	
D6124	Content	2.0mg				
		Before	Tensile	≥14MPa	15.1-16.9MPa/Pass;	
		Aging	Strength			
			Ultimate	≥500%	536-559%/Pass;	
ASTM	Physical		Elongation			
D412	properties	After	Tensile	≥14MPa	16.0-18.0MPa/Pass;	
		Aging	Strength			
			Ultimate	≥400%	540-553%/Pass;	
			Elongation			
ISO	Cytotoxicity	Non- In Vitro Cytotoxicity			Under conditions of	
10993-5				the study, device		
					extract is not	
					cytotoxic. /Pass	
ISO	Irritation	Non-irritating			Under the conditions	
10993-10					of the study, not an	
					irritant. / Pass	
ISO	Sensitization	Non-sensitizing			Under conditions of	
10993-10					the study, not a	
					sensitizer. / Pass	

9.0 **Summary of Clinical Testing**

Clinical testing is not needed for this device.

10.0 Conclusion

The conclusions drawn from the nonclinical tests demonstrate that the subject device, Nitrile Patient Examination Gloves (Tested for Use with Chemotherapy Drugs) is as safe, as effective, and performs as well as or better than the legally marketed predicated device under K190860.