

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

BPD CODES	Licensed Blood Establishments	Unlicensed Blood Establishments	Transfusion Services	Source Plasma Establishments	TOTAL	
<b>Post Donation Information</b>					<b>35,618</b>	<b>70.8%</b>
PD1103	18	1	0	1	20	<0.1%
PD1105	17	1	0	0	18	<0.1%
PD1107	45	0	0	4	49	0.1%
PD1109	8	0	0	0	8	<0.1%
PD1111	1	0	0	2	3	<0.1%
PD1113	6	0	0	1	7	<0.1%
PD1114	2	1	0	1,681	1,684	3.3%
PD1116	5	0	0	1	6	<0.1%
PD1201	107	4	0	373	484	1.0%
PD1202	218	5	0	6	229	0.5%
PD1203	13	0	0	1	14	<0.1%
PD1204	20	2	0	3	25	<0.1%
PD1205	12	0	0	2	14	<0.1%
PD1206	32	2	0	12	46	0.1%
PD1207	21	0	0	3	24	<0.1%
PD1213	1	0	0	62	63	0.1%
PD1214	923	19	0	200	1,142	2.3%
PD1215	106	1	0	12	119	0.2%
PD1216	317	10	0	497	824	1.6%
PD1217	100	2	0	29	131	0.3%
PD1218	2	0	0	117	119	0.2%
PD1221	1	0	0	0	1	<0.1%
PD1222	44	1	0	35	80	0.2%
PD1223	16	0	0	5	21	<0.1%
PD1228	58	2	0	3	63	0.1%
PD1229	452	7	0	98	557	1.1%
PD1236	4,079	105	0	0	4,184	8.3%
PD1237	3	1	0	1	5	<0.1%
PD1237A	18	0	0	0	18	<0.1%
PD1237B	1	0	0	0	1	<0.1%
PD1237C	2	0	0	0	2	<0.1%
PD1237E	1	0	0	3	4	<0.1%
PD1237F	16	4	0	13	33	0.1%
PD1237G	8	0	0	2	10	<0.1%
PD1237H	4	0	0	0	4	<0.1%
PD1237I	76	2	0	5	83	0.2%
PD1237J	14	0	0	0	14	<0.1%
PD1237K	19	0	0	0	19	<0.1%
PD1237L	2	0	0	7	9	<0.1%

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

PD1240	53	0	0	24	77	0.2%
PD1241	216	5	0	9	230	0.5%
PD1242	2,030	72	0	237	2,339	4.6%
PD1243	28	0	0	7	35	0.1%
PD1244	30	4	0	9	43	0.1%
PD1245	858	22	0	5	885	1.8%
PD1246	294	9	0	121	424	0.8%
PD1247	52	3	0	17	72	0.1%
PD1248	3	0	0	0	3	<0.1%
PD1249	92	2	0	1,187	1,281	2.5%
PD1250	1	0	0	4	5	<0.1%
PD1251	38	0	0	7	45	0.1%
PD1252	25	0	0	3	28	0.1%
PD1253	49	0	0	89	138	0.3%
PD1254	0	0	0	1,581	1,581	3.1%
PD1255	3	0	0	337	340	0.7%
PD1256	1	0	0	0	1	<0.1%
PD1257	2	0	0	0	2	<0.1%
PD1258	2	0	0	0	2	<0.1%
PD1259	829	16	0	14,115	14,960	29.7%
PD1260	218	3	0	69	290	0.6%
PD1261	21	0	0	118	139	0.3%
PD1263	148	1	0	407	556	1.1%
PD1264	157	4	0	668	829	1.6%
PD1265	72	4	0	9	85	0.2%
PD1301	4	0	0	1	5	<0.1%
PD1301A	26	0	0	0	26	0.1%
PD1301B	6	1	0	0	7	<0.1%
PD1301D	16	0	0	0	16	<0.1%
PD1301E	1	0	0	0	1	<0.1%
PD1301F	459	0	0	1	460	0.9%
PD1301G	242	4	0	23	269	0.5%
PD1301H	43	2	0	0	45	0.1%
PD1301I	19	1	0	0	20	<0.1%
PD1301J	14	0	0	0	14	<0.1%
PD1301K	1	0	0	0	1	<0.1%
PD1301L	6	0	0	2	8	<0.1%
PD1302	9	0	0	3	12	<0.1%
PD1303	25	0	0	36	61	0.1%
PD1304	32	1	0	29	62	0.1%
PD1306	5	0	0	2	7	<0.1%
PD1307	12	0	0	2	14	<0.1%

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

PD1308	6	0	0	0	6	<0.1%
PD1310	6	2	0	0	8	<0.1%
PD1401	1	0	0	0	1	<0.1%
PD1402	16	0	0	13	29	0.1%
PD1403	19	0	0	0	19	<0.1%
<b>Donor Screening</b>					<b>1,628</b>	<b>3.2%</b>
DS2101	2	0	0	4	6	<0.1%
DS2102	7	9	0	1	17	<0.1%
DS2103	3	1	0	3	7	<0.1%
DS2104	7	1	0	15	23	<0.1%
DS2106	0	0	0	1	1	<0.1%
DS2201	1	0	0	0	1	<0.1%
DS2202	12	2	0	45	59	0.1%
DS2203	79	8	0	9	96	0.2%
DS2203A	1	0	0	18	19	<0.1%
DS2203B	15	1	0	1	17	<0.1%
DS2203C	11	5	0	2	18	<0.1%
DS2203D	150	4	0	14	168	0.3%
DS2204	1	0	0	6	7	<0.1%
DS2205	6	3	0	2	11	<0.1%
DS2207	2	0	0	0	2	<0.1%
DS2601	818	1	0	7	826	1.6%
DS2701	3	0	0	4	7	<0.1%
DS2702	8	0	0	0	8	<0.1%
DS2703	6	0	0	0	6	<0.1%
DS2704	9	1	0	0	10	<0.1%
DS2705	8	1	0	0	9	<0.1%
DS2706	3	0	0	0	3	<0.1%
DS2708	1	0	0	0	1	<0.1%
DS2801	1	0	0	4	5	<0.1%
DS2802	7	0	0	0	7	<0.1%
DS2804	2	0	0	0	2	<0.1%
DS2814	1	0	0	0	1	<0.1%
DS2816	2	0	0	1	3	<0.1%
DS2829	2	0	0	0	2	<0.1%
DS2836	5	0	0	0	5	<0.1%
DS2837E	1	0	0	0	1	<0.1%
DS2837I	2	2	0	0	4	<0.1%
DS2837L	0	0	0	1	1	<0.1%
DS2842	13	0	0	0	13	<0.1%
DS2845	1	0	0	0	1	<0.1%
DS2849	2	0	0	0	2	<0.1%

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

DS2850	1	0	0	0	1	<0.1%
DS2851	1	0	0	0	1	<0.1%
DS2855	0	0	0	3	3	<0.1%
DS2859	8	0	0	1	9	<0.1%
DS2860	0	0	0	2	2	<0.1%
DS2861	1	0	0	0	1	<0.1%
DS2901	10	1	0	2	13	<0.1%
DS2902	2	0	0	0	2	<0.1%
DS2904	1	0	0	0	1	<0.1%
DS2906	1	0	0	0	1	<0.1%
DS2907	1	0	0	0	1	<0.1%
DS2914	1	0	0	0	1	<0.1%
DS2928	1	0	0	0	1	<0.1%
DS2929	1	1	0	3	5	<0.1%
DS2936	96	10	0	0	106	0.2%
DS2937F	0	0	0	1	1	<0.1%
DS2937H	1	0	0	0	1	<0.1%
DS2937I	3	0	0	0	3	<0.1%
DS2940	0	0	0	1	1	<0.1%
DS2942	41	2	0	9	52	0.1%
DS2943	2	0	0	0	2	<0.1%
DS2945	2	1	0	1	4	<0.1%
DS2946	13	1	0	6	20	<0.1%
DS2947	2	0	0	0	2	<0.1%
DS2949	1	0	0	1	2	<0.1%
DS2951	1	0	0	0	1	<0.1%
DS2959	3	0	0	15	18	<0.1%
DS2963	2	0	0	0	2	<0.1%
DS2964	1	0	0	0	1	<0.1%
DS2965	1	0	0	0	1	<0.1%
<b>Donor Deferral</b>					<b>49</b>	<b>0.1%</b>
DD3101	1	0	0	0	1	<0.1%
DD3104	0	1	0	0	1	<0.1%
DD3106	2	0	0	0	2	<0.1%
DD3107	0	0	0	2	2	<0.1%
DD3201	0	0	0	2	2	<0.1%
DD3202	1	0	0	0	1	<0.1%
DD3214	1	0	0	0	1	<0.1%
DD3216	0	0	0	1	1	<0.1%
DD3229	1	0	0	0	1	<0.1%
DD3236	2	0	0	0	2	<0.1%
DD3237E	0	0	0	1	1	<0.1%

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

DD3237I	4	0	0	0	4	<0.1%
DD3237J	0	0	0	1	1	<0.1%
DD3237L	0	0	0	1	1	<0.1%
DD3242	3	0	0	0	3	<0.1%
DD3246	0	2	0	0	2	<0.1%
DD3247	0	0	0	1	1	<0.1%
DD3251	1	0	0	0	1	<0.1%
DD3259	1	0	0	5	6	<0.1%
DD3264	0	0	0	1	1	<0.1%
DD3402	1	1	0	0	2	<0.1%
DD3403	0	1	0	0	1	<0.1%
DD3404	1	0	0	0	1	<0.1%
DD3405	1	2	0	0	3	<0.1%
DD3408	1	0	0	0	1	<0.1%
DD3502	1	0	0	0	1	<0.1%
DD3537I	1	0	0	0	1	<0.1%
DD3542	1	0	0	0	1	<0.1%
DD3559	0	0	0	2	2	<0.1%
DD3564	0	0	0	1	1	<0.1%
<b>Blood Collection</b>					<b>903</b>	<b>1.8%</b>
BC4101	1	0	0	0	1	<0.1%
BC4102	38	0	0	0	38	0.1%
BC4102A	15	0	0	0	15	<0.1%
BC4102B	4	0	0	0	4	<0.1%
BC4102C	12	0	0	0	12	<0.1%
BC4102D	4	0	0	0	4	<0.1%
BC4102E	5	1	0	0	6	<0.1%
BC4102F	2	0	0	0	2	<0.1%
BC4103	11	0	0	2	13	<0.1%
BC4104	15	1	0	2	18	<0.1%
BC4201	3	0	0	0	3	<0.1%
BC4202	2	0	0	0	2	<0.1%
BC4205	1	0	0	0	1	<0.1%
BC4206	1	0	0	0	1	<0.1%
BC4301	4	1	0	0	5	<0.1%
BC4302	4	0	0	0	4	<0.1%
BC4305	726	17	0	0	743	1.5%
BC4306	16	0	0	0	16	<0.1%
BC4308	9	0	0	0	9	<0.1%
BC4309	1	1	0	0	2	<0.1%
BC4401	2	0	0	1	3	<0.1%
BC4403	1	0	0	0	1	<0.1%
<b>Component Preparation</b>					<b>244</b>	<b>0.5%</b>

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

CP5101	2	0	0	0	2	<0.1%
CP5104	3	1	0	0	4	<0.1%
CP5201	6	3	0	0	9	<0.1%
CP5203	1	0	0	0	1	<0.1%
CP5204	1	0	0	0	1	<0.1%
CP5205	5	3	0	0	8	<0.1%
CP5206	1	1	0	0	2	<0.1%
CP5207	3	1	0	1	5	<0.1%
CP5208	3	5	0	0	8	<0.1%
CP5209	3	2	0	0	5	<0.1%
CP5210	46	1	0	0	47	0.1%
CP5211	36	19	0	0	55	0.1%
CP5212	2	1	0	0	3	<0.1%
CP5213	8	0	0	0	8	<0.1%
CP5214	0	1	3	0	4	<0.1%
CP5215	3	3	0	0	6	<0.1%
CP5216	1	2	1	0	4	<0.1%
CP5217	25	24	1	0	50	0.1%
CP5301	1	1	0	0	2	<0.1%
CP5302	2	0	0	0	2	<0.1%
CP5303	1	0	0	0	1	<0.1%
CP5304	3	1	0	0	4	<0.1%
CP5305	1	0	0	0	1	<0.1%
CP5401	2	0	0	0	2	<0.1%
CP5403	1	0	0	0	1	<0.1%
CP5404	3	0	0	0	3	<0.1%
CP5405	6	0	0	0	6	<0.1%
<b>Viral Testing</b>					<b>14</b>	<b>&lt;0.1%</b>
VT7001	2	0	0	0	2	<0.1%
VT7107	2	0	0	0	2	<0.1%
VT7108	0	1	0	0	1	<0.1%
VT7110	1	0	0	0	1	<0.1%
VT7111	1	0	0	0	1	<0.1%
VT7203	1	0	0	0	1	<0.1%
VT7204	6	0	0	0	6	<0.1%
<b>Routine Testing</b>					<b>827</b>	<b>1.6%</b>
RT6101	8	3	4	0	15	<0.1%
RT6104	51	13	27	0	91	0.2%
RT6105	11	47	53	0	111	0.2%
RT6106	76	21	19	0	116	0.2%
RT6108	5	68	100	0	173	0.3%
RT6109	1	1	1	0	3	<0.1%
RT6110	0	2	2	0	4	<0.1%

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

RT6111	1	4	11	0	16	<0.1%
RT6202	1	9	5	0	15	<0.1%
RT6203	6	30	43	0	79	0.2%
RT6204	3	10	13	0	26	0.1%
RT6301	2	3	3	0	8	<0.1%
RT6304	2	11	25	0	38	0.1%
RT6305	2	13	24	0	39	0.1%
RT6306	19	18	14	0	51	0.1%
RT6307	3	13	18	0	34	0.1%
RT6308	2	4	2	0	8	<0.1%
<b>Labeling</b>					<b>1,717</b>	<b>3.4%</b>
LA8001	0	0	1	0	1	<0.1%
LA8101	6	1	0	0	7	<0.1%
LA8102	12	7	1	0	20	<0.1%
LA8104	35	41	12	2	90	0.2%
LA8106	19	110	34	6	169	0.3%
LA8108	6	8	1	0	15	<0.1%
LA8109	23	12	2	16	53	0.1%
LA8110	17	15	7	0	39	0.1%
LA8111	74	20	4	11	109	0.2%
LA8112	38	34	1	0	73	0.1%
LA8113	5	5	0	0	10	<0.1%
LA8114	2	0	0	0	2	<0.1%
LA8115	2	2	3	0	7	<0.1%
LA8116	8	2	2	0	12	<0.1%
LA8117	1	0	0	0	1	<0.1%
LA8201	1	5	1	0	7	<0.1%
LA8202	4	6	4	0	14	<0.1%
LA8203	3	6	7	0	16	<0.1%
LA8204	1	37	25	0	63	0.1%
LA8205	1	38	18	0	57	0.1%
LA8206	16	39	23	0	78	0.2%
LA8207	73	133	96	0	302	0.6%
LA8208	11	16	7	0	34	0.1%
LA8209	22	1	2	0	25	<0.1%
LA8210	4	1	0	0	5	<0.1%
LA8211	1	6	1	0	8	<0.1%
LA8212	2	12	8	0	22	<0.1%
LA8213	1	8	5	0	14	<0.1%
LA8214	3	16	4	0	23	<0.1%
LA8216	17	163	110	0	290	0.6%
LA8217	15	8	12	0	35	0.1%

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

LA8219	3	7	15	0	25	<0.1%
LA8220	10	48	34	0	92	0.2%
<b>Quality Control &amp; Distribution</b>					<b>5,140</b>	<b>10.2%</b>
QC9101	2	0	0	0	2	<0.1%
QC9114	0	0	0	1	1	<0.1%
QC9118	0	0	0	2	2	<0.1%
QC9137F	0	0	0	2	2	<0.1%
QC9137L	0	0	0	1	1	<0.1%
QC9146	0	1		2	3	<0.1%
QC9147	0	0	0	1	1	<0.1%
QC9149	0	0	0	3	3	<0.1%
QC9153	0	0	0	1	1	<0.1%
QC9154	0	0	0	10	10	<0.1%
QC9155	0	0	0	2	2	<0.1%
QC9156	8	2	0	5	15	<0.1%
QC9160	0	0	0	11	11	<0.1%
QC9161	1	0	0	2	3	<0.1%
QC9164	0	0	0	2	2	<0.1%
QC9165	0	0	0	6	6	<0.1%
QC9201	5	0	0	0	5	<0.1%
QC9201F	20	0	0	0	20	<0.1%
QC9201H	2	0	0	0	2	<0.1%
QC9201J	3	0	0	0	3	<0.1%
QC9206	1	0	0	0	1	<0.1%
QC9210	3	1	3	645	652	1.3%
QC9211	3	1	2	0	6	<0.1%
QC9212	0	0	0	39	39	0.1%
QC9214	0	1	0	0	1	<0.1%
QC9301	1	3	0	0	4	<0.1%
QC9301A	4	11	9	0	24	<0.1%
QC9301G	8	4	0	0	12	<0.1%
QC9301H	0	3	4	0	7	<0.1%
QC9301J	9	2	1	0	12	<0.1%
QC9310	7	39	47	0	93	0.2%
QC9311	19	38	51	0	108	0.2%
QC9312	1	0	0	9	10	<0.1%
QC9313	0	0	0	2	2	<0.1%
QC9314	2	25	31	0	58	0.1%
QC9315	0	0	0	3	3	<0.1%
QC9316	12	37	55	0	104	0.2%
QC9317	1	7	14	0	22	<0.1%
QC9401	3	1	1	0	5	<0.1%



Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

QC9402	24	30	23	0	77	0.2%
QC9404	15	1	0	0	16	<0.1%
QC9404A	25	11	0	0	36	0.1%
QC9404B	11	0	0	0	11	<0.1%
QC9404C	20	0	0	0	20	<0.1%
QC9404D	6	1	0	0	7	<0.1%
QC9404E	102	2	0	0	104	0.2%
QC9404F	18	5	0	0	23	<0.1%
QC9404G	305	18	1	0	324	0.6%
QC9404I	17	1	0	0	18	<0.1%
QC9404J	38	0	0	0	38	0.1%
QC9405	25	8	0	0	33	0.1%
QC9406	1	6	2	0	9	<0.1%
QC9406A	4	2	0	0	6	<0.1%
QC9406C	1	1	0	0	2	<0.1%
QC9406D	15	1	0	0	16	<0.1%
QC9406E	1	3	1	0	5	<0.1%
QC9406F	3	1	3	0	7	<0.1%
QC9406G	5	3	0	0	8	<0.1%
QC9406H	0	3	11	0	14	<0.1%
QC9406I	9	2	0	0	11	<0.1%
QC9406J	5	0	0	0	5	<0.1%
QC9406K	3	0	0	0	3	<0.1%
QC9406L	2	1	0	0	3	<0.1%
QC9406M	0	2	2	0	4	<0.1%
QC9406N	2	1	0	0	3	<0.1%
QC9406O	2	2	2	0	6	<0.1%
QC9408	1	1	0	0	2	<0.1%
QC9408A	4	1	1	1	7	<0.1%
QC9408B	1	1	0	0	2	<0.1%
QC9408C	0	0	1	0	1	<0.1%
QC9408D	1	0	0	0	1	<0.1%
QC9409	9	0	0	0	9	<0.1%
QC9412	6	0	0	1	7	<0.1%
QC9412A	4	0	0	0	4	<0.1%
QC9412B	2	1	0	4	7	<0.1%
QC9412C	3	0	0	0	3	<0.1%
QC9412D	1	0	0	0	1	<0.1%
QC9412E	16	0	0	0	16	<0.1%
QC9413	20	6	1	0	27	0.1%
QC9413A	5	1	0	0	6	<0.1%
QC9413B	0	1	0	0	1	<0.1%

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

QC9413D	4	0	0	0	4	<0.1%
QC9414	1	1	1	1	4	<0.1%
QC9415	9	2	1	1	13	<0.1%
QC9415A	18	1	0	8	27	0.1%
QC9415E	6	0	0	0	6	<0.1%
QC9417	4	0	1	0	5	<0.1%
QC9417A	7	1	1	1	10	<0.1%
QC9417B	2	0	1	0	3	<0.1%
QC9418	4	1	0	5	10	<0.1%
QC9601	0	1	0	0	1	<0.1%
QC9602	26	0	0	0	26	0.1%
QC9603	11	9	13	1	34	0.1%
QC9604	39	18	12	1	70	0.1%
QC9605	15	18	19	0	52	0.1%
QC9606	9	2	0	0	11	<0.1%
QC9607	48	3	2	0	53	0.1%
QC9608	6	0	0	0	6	<0.1%
QC9609	16	0	1	0	17	<0.1%
QC9702	20	196	110	0	326	0.6%
QC9703	8	60	30	0	98	0.2%
QC9704	29	195	67	0	291	0.6%
QC9705	20	104	52	0	176	0.3%
QC9706	3	0	10	0	13	<0.1%
QC9707	7	47	21	0	75	0.1%
QC9708	2	31	12	0	45	0.1%
QC9710	2	7	2	0	11	<0.1%
QC9711	3	4	3	0	10	<0.1%
QC9712	2	17	24	0	43	0.1%
QC9713	3	94	101	0	198	0.4%
QC9714	0	8	5	0	13	<0.1%
QC9715	3	12	5	0	20	<0.1%
QC9717	1	13	1	0	15	<0.1%
QC9718	5	30	11	0	46	0.1%
QC9719	26	803	364	0	1,193	2.4%
QC9720	9	28	0	0	37	0.1%
QC9721	0	6	11	0	17	<0.1%
<b>Miscellaneous</b>					<b>4,179</b>	<b>8.3%</b>
MI0103A	2	0	0	0	2	<0.1%
MI0103B	2	0	0	0	2	<0.1%
MI0104	1	0	0	0	1	<0.1%
MI0105	18	1	0	0	19	<0.1%
MI0201	2	0	0	1	3	<0.1%

Attachment 1 – FY16: Number of BPD Reports by Type of Blood and Source Plasma Establishment

MI0201A	0	0	0	1	1	<0.1%
MI0201B	3	0	0	0	3	<0.1%
MI0201C	0	0	0	3	3	<0.1%
MI0202	120	3	0	388	511	1.0%
MI0202A	4	0	0	3	7	<0.1%
MI0203	62	4	0	593	659	1.3%
MI0203A	369	0	0	0	369	0.7%
MI0204	316	3	0	1,806	2,125	4.2%
MI0205	70	3	0	0	73	0.1%
MI0206	9	0	0	0	9	<0.1%
MI0207	384	0	0	0	384	0.8%
MI0208	8	0	0	0	8	<0.1%
<b>Total</b>	<b>18,664</b>	<b>3,575</b>	<b>1,956</b>	<b>26,124</b>	<b>50,319</b>	<b>100%</b>