

**SD Biosensor, Inc.: Pilot COVID-19 At-Home Test
9-month to 12-month shelf-life extension granted by the FDA on October 14, 2022**

Lot Number	Tests with this printed expiration date (Year-month-day)	Now have this extended expiration date (Year-month-day)
53K31A1T1, 53K31A2T1, 53K31A3T1, 53K31A4T1, 53K31B1T1, 53K31B2T1, 53K31B3T1, 53K31B4T1, 53K31C1T1, 53K31C2T1, 53K31C3T1, 53K31C4T1, 53K31D1T1, 53K31D2T1, 53K31D3T1, 53K31D4T1, 53K31E1T1, 53K31E2T1, 53K31E3T1	2022-07-04	2023-01-04
53K31F1T1, 53K31F2T1, 53K31G1T1, 53K31G2T1, 53K31G3T1, 53K31G4T1	2022-07-05	2023-01-05
53K31H1T1, 53K31H2T1, 53K31H3T1, 53K31H4T1, 53K31J1T1, 53K31J2T1, 53K31J3T1, 53K31J4T1, 53K31K1T1, 53K31K2T1	2022-07-06	2023-01-06
53K31K3T1, 53K31K4T1, 53K31L1T1, 53K31L2T1, 53K31L3T1, 53K31L4T1, 53K31M1T1, 53K31M2T1, 53K31M3T1, 53K31M4T1, 53K31N1T1, 53K31N2T1, 53K31N3T1, 53K31N4T1, 53K31N5T1, 53K31N6T1, 53K31N7T1, 53K31Q1T1	2022-07-13	2023-01-13
53K31M5T1, 53K31N8T1, 53K31Q2T1, 53K31Q3T1, 53K31R1T1, 53K31R2T1, 53K31R3T1, 53K31S1T1, 53K31U1T1, 53K31U2T1, 53K31V1T1, 53K31V2T1, 53K31W1T1	2022-07-17	2023-01-17
53K3231T1, 53K3232T1, 53K3233T1, 53K3234T1, 53K3241T1, 53K3242T1, 53K3251T1, 53K3252T1, 53K3253T1, 53K3261T1	2022-07-26	2023-01-26
53K3262T1, 53K3271T1, 53K3272T1, 53K3273T1, 53K3281T1	2022-08-03	2023-02-03
53K3282T1, 53K3283T1, 53K3291T1, 53K32A1T1, 53K32A2T1, 53K32B1T1, 53K32B2T1, 53K32B3T1, 53K32C1T1, 53K32C2T1	2022-08-07	2023-02-07

Lot Number	Tests with this printed expiration date (Year-month-day)	Now have this extended expiration date (Year-month-day)
53K32D1T1, 53K32D2T1, 53K32E1T1, 53K32E2T1, 53K32E3T1, 53K32E4T1, 53K32E5T1, 53K32E6T1, 53K32E7T1, 53K32E8T1, 53K32H1T1, 53K32H3T1	2022-08-09	2023-02-09
53K32G1T1, 53K32G2T1, 53K32G3T1, 53K32H2T1	2022-08-13	2023-02-13
53K32J1T1, 53K32J2T1, 53K32K1T1, 53K32L1T1, 53K32L2T1	2022-08-14	2023-02-14
53K32U1T1, 53K32U2T1, 53K32U3T1, 53K32P1T1, 53K32P2T1, 53K32Q1T1, 53K32Q2T1, 53K32Q3T1, 53K32R1T1, 53K32R2T1, 53K32R3T1, 53K32S1T1, 53K32T1T1, 53K32T2T1, 53K32T3T1	2022-08-21	2023-02-21
53K3311T1, 53K3312T1, 53K3321T1, 53K3322T1, 53K3331T1, 53K3332T1, 53K3341T1, 53K3342T1, 53K3343T1, 53K3351T1	2022-08-26	2023-02-26
53K3361T1, 53K3362T1, 53K3371T1, 53K3372T1, 53K3373T1	2022-08-27	2023-02-27
53K3381T1, 53K3382T1, 53K3383T1, 53K3384T1, 53K3391T1, 53K3392T1, 53K3393T1, 53K33B1T1, 53K33B2T1, 53K33C1T1	2022-09-02	2023-03-02
53K33C2T1, 53K33D1T1, 53K33D2T1, 53K33E1T1, 53K33E2T1, 53K33E3T1, 53K33F1T1, 53K33F2T1, 53K33G1T1, 53K33G2T1	2022-09-07	2023-03-07
53K33G3T1, 53K33H1T1, 53K33H2T1, 53K33J1T1, 53K33J2T1, 53K33K1T1, 53K33K2T1, 53K33L1T1, 53K33L2T1, 53K33P2T1, 53K3473T1, 53K3481T1	2022-09-09	2023-03-09
53K33M1T1, 53K33M2T1, 53K33N1T1, 53K33N2T1, 53K33P1T1, 53K3482T1	2022-09-10	2023-03-10
53K33E4T1, 53K33E5T1	2022-09-13	2023-03-13

Lot Number	Tests with this printed expiration date (Year-month-day)	Now have this extended expiration date (Year-month-day)
53K33P3T1, 53K33P4T1, 53K33Q1T1, 53K33Q2T1, 53K33Q3T1, 53K33R1T1, 53K33S1T1, 53K33S2T1, 53K33S3T1, 53K33S4T1	2022-09-14	2023-03-14
53K33G4T1, 53K33G5T1	2022-09-15	2023-03-15
53K33J3T1, 53K33U1T1, 53K33U2T1, 53K33V1T1, 53K33V2T1, 53K33W3T1	2022-09-17	2023-03-17
53K33W1T1, 53K33W2T1, 53K33X1T1, 53K33X2T1, 53K3411T1	2022-09-21	2023-03-21
53K3412T1, 53K3413T1, 53K3421T1, 53K3422T1, 53K3441T1	2022-09-22	2023-03-22
53K33Q4T1, 53K33Q5T1, 53K33U3T1, 53K33U4T1, 53K33V3T1, 53K33V4T1, 53K33X3T1, 53K3414T1, 53K3415T1, 53K3416T1, 53K3423T1, 53K3442T1, 53K3443T1, 53K3451T1, 53K3461T1, 53K3462T1, 53K3463T1, 53K3464T1, 53K3465T1, 53K3471T1, 53K3472T1	2022-09-23	2023-03-23
53K38N1T1, 53K38N2T1, 53K38N3T1, 53K38N4T1, 53K38N5T1, 53K38Q1T1, 53K38Q2T1, 53K38P1T1, 53K38P2T1, 53K38P3T1, 53K38P4T1, 53K39F1T1	2023-05-16	2023-08-16
53K39F2T1	2023-05-18	2023-08-18
53K39F3T1, 53K3AB1T1, 53K3AB2T1, 53K3AB3T1	2023-07-04	2023-10-04
53K3AB4T1	2023-07-06	2023-10-06