17-7/6/2017* 913	

Rd Ste 15	
Producer of Sterile Products	

This document lists observations made by the FDA representative(s) during the inspection of your facility. They are inspectional observations, and do not represent a final Agency determination regarding your compliance. If you have an objection regarding an observation, or have implemented, or plan to implement, corrective action in response to an observation, you may discuss the objection or action with the FDA representative(s) during the inspection or submit this information to FDA at the address above. If you have any questions, please contact FDA at the phone number and address above.

DURING AN INSPECTION OF YOUR FIRM I OBSERVED: OBSERVATION 1

Specifically, on 6/28/17, during the production of Ceftriaxone Sodium 2mg

- a. The technician was observed vigorously shaking product inside of the ISO 5 area after addition of a diluent to aid in dissolution of lyophilized powder.
- b. The technician was observed vigorously waving hands inside the ISO 5 area in an effort to aide in drying after application of sterile (b) (4)

OBSERVATION 2

Specifically,

- A spray bottle was observed in the ISO 7 Buffer Room. The firm reported that the spray bottle contains (b) (4) used to clean up residue resulting from spills in the ISO 5 area. The spray bottle is non-sterile but sanitized using sterile (b) (4)
 (b) (4) .
- 2. Disinfecting agents and cleaning wipes used in the ISO 5 area are not sterile.

SEE REVERSE	Thomas E Friel, Investigator	7,94,2013	7/6/2017
OF THIS PAGE		X Thomas E Friel	
		Thomas E Fishi Decembers Speed for Thomas E. Frisi -5	

	DEPART	MENT OF HEALTH A FOOD AND DRUG ADM		ES			
DISTRICT ADDRESS AND PHONE NUMBER			DATE(S) OF INS				
US Customhouse Rm900 2nd & Chestnut St Philadelphia, PA 19106			FEINUMBER				
(215)597-4390 Ext:4200 Fax:(215)597-0875			301345	6913			
NAME AND TITLE OF INDIVIDU	AL TO WHOM REPORT ISSUED						
	Miller , Pharmacis		Total Children				
Biomed PA Inc. dba Soleo Health 950 Calcon Hook Rd Ste 15							
CITY, STATE, ZIP CODE, COUN		1.50000	950 Calcon Hook Rd Ste 15 Type establishment inspected				
	PA 19079-1822		Producer of Sterile Products				
3. The contact time for (b) (4) is insufficient to achieve sporicidal effect.							
			×4.7				
*DATES OF I 6/28/2017(Wed	NSPECTION 1),7/06/2017(Thu)						
1000							
550					1		
			9				
				3	8		
	EMPLOYEE(S) SIGNATURE				DATE ISSUED		
SEE REVERSE	Thomas E Friel, In	nvestigator		1/6/1017	7/6/2017		
OF THIS PAGE				X Thomas E Friel			
				Thomas E Firid Investigator Signed by: Thomas E, Friel-S			
FORM FD A 483 (00/08)	PREMIOUS POPTION ORSOLDES	INSPECT	IONAL ORSERVATIO	ONS	PAGE 2 OF 2 PAGES		