Specific Instructions for Laser Product Inspections and Tests

Background

The Laser Products Performance Standard (the standard), promulgated in August 1976, was designed to protect the public from unnecessary radiation hazards associated with the use of these products. The radiation emitted from these laser products can pose varying degrees of hazards depending upon the type, magnitude, and accessibility of the radiation and upon the particular functions or operations they perform. The standard was last amended in 1985. Since then, the CDRH has intended to harmonize the requirements of the standard with those of the international standard IEC 60825-1: 2001. As an interim step the CDRH published its Laser Notice 50 in 2001 stating that it would not object to compliance with specified requirements of the international standards in lieu of comparable requirements of the CDRH standard

Specific Instructions

High-risk laser products and their manufacturers should be inspected or tested as a priority. Examples of high-risk laser products and manufacturers include:

- Class IIIb and IV medical lasers (e.g. surgical)
- Class IIIb and IV industrial lasers used in material processing
- Class IIIb and IV lasers used in law enforcement or military applications
- Manufacturers with known or suspected problems based on previous inspection, field tests or complaints
- New manufacturers not yet inspected
- Manufacturers introducing new technology to the US market
- Manufacturers with a large potion of the US market share for any laser product. Class I low risk laser products, such as optical disk drives or laser printers, should not be inspected or tested.

Electro-optics specialists have been specifically trained in general EPRC requirements and also have specialized training in the laser product performance standards. EOS's should perform these inspections and field tests, and may train additional field staff or accompany a medical device investigator to conduct joint EPRC/medical device inspections. If an EOS has training in both EPRC and QSIT inspections, a single EOS may conduct both portions of the inspection.

CDRH is responsible for review of laser manufacturer inspection and product field test observations and initiating administrative or regulatory follow-up.

References

Frequently Asked Questions about Lasers.

http://www.fda.gov/cdrh/radhealth/products/laserfaq.html

Performance Standard-Lasers and Products Incorporating Lasers http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?FR=1040.10

Performance Standard-Specific Laser Products (Includes Display, Survey, and Medical Laser Products) http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfcfr/CFRSearch.cfm?FR=1040.11

Laser Compliance Guide http://www.fda.gov/cdrh/radhlth/pdf/lasgde01.pdf

Reporting Guide-Radiation Safety Product Report for Laser Products http://www.fda.gov/cdrh/radhlth/pdf/lasrpt0p.pdf

Reporting Guide-Radiation Safety Product Report for Laser Light Shows/Displays http://www.fda.gov/cdrh/radhlth/pdf/llsrpt01.pdf

Laser Quality Control Guide http://www.fda.gov/cdrh/radhlth/pdf/lasgdeqc.pdf

Refer to the laser products main page for guidance documents and additional information: http://www.fda.gov/cdrh/radhealth/products/lasers.html.

Laser Product Codes

Translation of 2-Digit Code	Product Name		oduct Code	CFR	Definition
Other Laser Products	Automotive Accessory, Automobile or Transport Vehicle, Laser	95	RDV	1040.10	A laser product or product containing a laser that is an automotive or other transport vehicle accessory.
Other Laser Products	General Purpose Laser Products, Non-Medical	95	RDW	1040.10	Product, laser, general, emit beam; A laser or product containing a laser that is intended for general purpose use with no medical claims.
Other Laser Products	Other	95	RZZ	Unk	A laser or product containing a laser for which its intended use is not previously defined.
Laser Light Show/Display Products	Low-Power Laser Light Show Projector	95	RDZ	1040.10; 1040.11	Product, laser, demo, projector, laser light show/display, Class IIIa/3R and lower; Laser projection system that incorporates a laser having a maximum radiation output of less than 5mw.
Laser Light Show/Display Products	High-Power Laser Light Show Projector (Output > 5mW)	95	REA	1040.10; 1040.11	Product, laser, demo, projector, laser light show/display, Class IIIb/IV/3B/4; Laser projection system that incorporates a laser having a maximum radiation output power greater than 5mw.
Laser Light Show/Display Products	High-Power Laser Light Show	95	REB	1040.10; 1040.11	Product, laser, demo, laser light show/display, Class IIIb/IV/3B/4; Laser light show or demonstration using laser projection equipment having an output that exceeds 5mW
Laser Light Show/Display Products	Laser Video Projector	95	REC	1040.10; 1040.11	Product, laser, demo, projector, display, video; A laser used in conjunction or incorporated in a video display system or projector.
Laser Light Show/Display Products	Laser Advertising Display System	95	RED	1040.10; 1040.11	Product, laser, demo, system, display, advertising
Laser Light Show/Display Products	Laser Visual Display - Display Retinal Image, Non-Medical Display Product	95	REE	1040.10; 1040.11	Product, laser, display, system, images, direct to retina
Laser Light Show/Display Products	Other	95	RZZ	Unk	Other laser products used in light shows or demonstrations that are not otherwise defined.
Medical Laser Products	Laser, Ophthalmic	86	HQF	1040.10; 1040.11	
Medical Laser Products	Laser Instrument, Surgical, Powered	79	GEX	1040.10; 1040.11	
Medical Laser Products	Laser, Surgical, Gynecologic	85	HHR	1040.10; 1040.11	
Medical Laser Products	Laser, ENT Microsurgical Carbon-Dioxide	77	EWG	1040.10; 1040.11	
Medical Laser Products	Photocoagulator and Accessories	86	HQB	1040.10; 1040.11	
Medical Laser Products	Lens, Surgical, Laser, Accessory, Ophthalmic Laser	86	LQJ	1040.10; 1040.11	

Medical Laser	Laser,	84	LKW	1040.10;	
Products	Neurosurgical		222,,	1040.11	
Medical Laser	Laser,	84	LLF	1040.10;	
Products	Neurosurgical,			1040.11	
	Argon				
Medical Laser	Laser,	73	LLO	1040.10;	
Products	Neodymium:			1040.11	
	YAG, Pulmonary				
	Surgery				
Medical Laser	Laser,	85	LLW	1040.10;	
Products	Neodymium:			1040.11	
	YAG, for				
	Gynecologic Use				
Medical Laser	Laser,	86	LXS	1040.10;	
Products	Neodymium:			1040.11	
	YAG, Ophthalmic				
	for Uses Other				
	than Posterior				
	Capsulotomy and				
	Cutting Pupil				
Medical Laser	Laser,	86	LOI	1040.10;	
Products	Neodymium:			1040.11	
	YAG, Ophthalmic				
	for Uses Other				
	than Posterior				
	Capsulotomy				
Medical Laser	Laser,	86	MVQ	1040.10;	
Products	Neodymium:			1040.11	
	YAG, Optical,				
	Pumped				
	Parametric				
Medical Laser	Oscillator	77	LXR	1040.10;	
Products	Laser, Microsurgical	//	LAK	1040.10;	
Products	Argon, for Use in			1040.11	
	Otology				
Medical Laser	Laser,	77	LMS	1040.10;	
Products	Microsurgical	/ /	LIVIS	1040.10,	
Troducts	Argon, for Uses			1040.11	
	Other Than				
	Otology				
Medical Laser	Laser for Gastro-	78	LNK	1040.10;	
Products	Urology Use	, 0		1040.10,	
Medical Laser	Device,	74	LPC	1040.10;	
Products	Angioplasty,	' '	0	1040.11	
	Laser, Coronary				
Medical Laser	Device, Laser	74	LWX	1040.10;	
Products	Peripheral			1040.11	
	Angioplasty				
Medical Laser	Catheter,	74	MGC	1040.10;	
Products	Coronary Laser			1040.11	
	Myoplasty				
Medical Laser	System, Laser,	74	MNO	1040.10;	
Products	Transmyocardial			1040.11	

	Revascularization				
	Revascularization				
Medical Laser	Instrument, Visual	86	HPJ	1040.10;	
Products	Field, Laser			1040.11	
Medical Laser	Laser for Pain	84	LLP	1040.10;	
Products	Therapy			1040.11	
Medical Laser	Laser, System,	86	LZS	1040.10;	
Products	Excimer		LLS	1040.11	
Medical Laser	Laser, Dental	76	LYB	1040.10;	
Products	Zuser, Zentur	, 0		1040.11	
Medical Laser	Photodynamic	79	MVF	1040.10;	
Products	Therapy (PDT)	, ,	111 11	1040.11	
Medical Laser	Photodynamic	79	MVG	1040.10;	
Products	Therapy (PDT),	, ,	1.1 , 0	1040.11	
	Fiber Optic				
Medical Laser	Laser,	76	NBL	1040.10;	
Products	Fluorescence			1040.11	
	Caries Detection				
Medical Laser	Laser for Wound	79	LXU	1040.10;	
Products	Healing			1040.11	
Medical Laser	Ophthalmoscope,	86	MYC	1040.10;	
Products	Laser Scanner			1040.11	
Medical Laser	Laser, Phacolysis	86	MXO	1040.10;	
Products				1040.11	
Medical Laser	Caries Detector,	76	NTK	1040.10;	
Products	Laser, Light,			1040.11	
	Transmission				
Medical Laser	Other	95	RZZ	Unk	A laser or laser product intended for medical
Products					treatment or other uses on humans, not previously
					defined.
Other	Laser Science	95	REI	1040.10;	Product, laser, demo, education, illustrate science
Demonstration	Education			1040.11	principles
Laser Products	Products				
Other	Other	95	RZZ	Unk	Laser products used for demonstrations that are not
Demonstration					otherwise defined.
Laser Products					
Toy, Novelty,	Toy, Novelty,	95	REJ	1040.10;	Product, laser, toy/novelty
Play Laser	Play Laser			1040.11	
Products	Product				
Research,	Research Laser,	95	REK	1040.10	Product, laser, research/laboratory; A laser under
Scientific,	Scientific,				development in and of itself. A laser used for
Laboratory Laser	Laboratory Laser				conducting research during development of new data
Products	Products				or to improve a process would not be considered a
					research laser although it is being used in research.
Research,	Guide-Star Laser	95	REL	1040.10	Product, laser, adaptive-optics telescope focusing
Scientific,	System, Research,				accessory, generate artificial star; A laser used for
Laboratory Laser	Scientific,				alignment of optical telescopes.
Products	Laboratory Laser				
	Products				
Research,	Spectroscopy	95	REM	1040.10	Product, laser, instrument, spectroscopy; An
Scientific,	Instrument, Laser,				instrument incorporating a laser for spectroscopic
Laboratory Laser	Research,				testing or examination with no medical claims.
Products	Scientific,				
			1	1	

	Laboratory Laser Products				
Research, Scientific, Laboratory Laser Products	Particle-Size Measuring Instrument, Laser, Scientific, Laboratory Laser Products	95	REN	1040.10	Product, laser, instrument, particle size measurement; An instrument or system incorporating a laser for determining the size or number of particles of particles a test sample.
Research, Scientific, Laboratory Laser Products	Analytical Measuring and Detection, Research, Scientific, Laboratory Laser Products	95	REO	1040.10	Product, laser, instrument, analyze/detect chemical species
Research, Scientific, Laboratory Laser Products	Other	95	RZZ	Unk	Laser products used in scientific and laboratory applications that are not otherwise defined.
Surveying, Leveling, Alignment Laser Products	Surveying Laser Product, Leveling, Alignment Laser Products	95	REP	1040.10	Product, laser, surveying, instrument, determine position by measurement of angles
Surveying, Leveling, Alignment Laser Products	Ranging (Geodimeter) Laser Products	95	REQ	1040.10	Product, laser, ranging, instrument, measure distance by time-of-flight
Surveying, Leveling, Alignment Laser Products	Alignment Laser Product, Surveying, Leveling, Alignment Laser Products	95	RER	1040.10; 1040.11	Product, laser, alignment, aid positioning or adjusting parts in relation to each other
Surveying, Leveling, Alignment Laser Products	Laser Pointer, Surveying, Leveling, Alignment Laser Products	95	RES	1040.10; 1040.11	Product, laser, pointer, indicate point of interest; A laser product intended specifically to define a spot or surface for drawing attention to a viewer.
Surveying, Leveling, Alignment Laser Products	Laser Target Designator, Surveying, Leveling, Alignment Laser Products	95	RET	1040.10	Product, laser, target designator; An optical devices, using a visible beam of laser light that permits the alignment of a gun, cannon or rocket system with its target.
Surveying, Leveling, Alignment Laser Products	Laser Aiming Product, Visible, Surveying, Leveling, Alignment Laser Products	95	REU	1040.10; 1040.11	Product, laser, aiming, visible, attached to weapon; An optical devices, using a visible beam of laser light that permits the alignment of a gun, cannon or rocket system with its target

Surveying, Leveling, Alignment Laser Products	Laser Aiming Product, Non- Visible, Surveying, Leveling, Alignment Laser Products	95	REV	1040.10; 1040.11	Product, laser, aiming, infrared, attached to weapon, viewed with night-vision equipment; An optical devices, using an invisible beam of laser light that permits the alignment of a gun, cannon or rocket system with its target.	
Surveying, Leveling, Alignment Laser Products	Other	95	RZZ	Unk	Other laser products used for surveying, leveling and alignment that are not otherwise defined.	
Safety, Security, Surveillance Laser Products	IR Laser Illuminator with Alignment Aid/Night Vision System, Safety, Security, Surveillance Laser Products	95	REW	1040.10; 1040.11	Product, laser, infrared, illuminator with alignment aid, viewed through night-vision equipment	
Safety, Security, Surveillance Laser Products	IR Laser Illuminator Only/Night Vision System, Safety, Security, Surveillance Laser Products	95	REX	1040.10	Product, laser, infrared, illuminator only, viewed through night-vision equipment	
Safety, Security, Surveillance Laser Products	Collision- Avoidance Laser System, Safety, Security, Surveillance Laser Products	95	REY	1040.10	Product, laser, infrared, collision-avoidance system	
Safety, Security, Surveillance Laser Products	Laser Traffic Signal, Safety, Security, Surveillance Laser Products	95	REZ	1040.10	Product, laser, traffic signal/control	
Safety, Security, Surveillance Laser Products	Laser Automotive Lighting & Signals, Safety, Security, Surveillance Laser Products	95	RFA	1040.10	Product, laser, automotive, lighting/signals	
Safety, Security, Surveillance Laser Products	IR Laser Intrusion Detection/Securit y System, Safety, Security, Surveillance Laser Products	95	RFB	1040.10	Product, laser, infrared, intrusion detecting, security system	
Safety, Security, Surveillance Laser Products	Laser Radar (Lidar) or Speed Measurement, Safety, Security, Surveillance Laser Products	95	RFC	1040.10	Product, laser, infrared, Doppler or time-of-flight speed measurement	

Safety, Security, Surveillance Laser Products	Other	95	RZZ	Unk	Laser products used in safety, security, surveillance applications not otherwise defined
Safety, Security, Surveillance Laser Products	Laser Weapon (Military or Police), Safety, Security, Surveillance Laser Products	95	RFD	1040.10	Product, laser, weapon (military/police)
Material Processing Laser Products	Laser Cutter, Material Processing Laser Products	95	RFE	1040.10	A high power laser intended to cut or drill a variety of materials in an industrial or commercial environment.
Material Processing Laser Products	Laser Welder, Material Processing Laser Products	95	RFF	1040.10	A high power laser intended to weld (join) materials in an industrial or commercial environment.
Material Processing Laser Products	Microelectronic Mask or Chip Checking/Repair, Material Processing Laser Products	95	RFG	1040.10	A laser intended to inspect and/or repair microelectronic components in an industrial or commercial environment.
Material Processing Laser Products	UV Curing, Material Processing Laser Products	95	RFH	1040.10	An ultraviolet wavelength laser used to illuminate a material of a certain composition such that the laser "cures" or causes a chemical reaction to change the material in a desired fashion with no medical claims. Typical materials are adhesives, plastics, potting compounds, etc.
Material Processing Laser Products	Print Industry Plate Maker, Material Processing Laser Products	95	RFI	1040.10	A laser intended to etch, engrave or otherwise create printer's plates used in an industrial or commercial environment.
Material Processing Laser Products	Process Control, Material Processing Laser Products	95	RFJ	1040.10	A laser used for inspection, counting, or other application intended to monitor a part of the manufacturing process in an industrial or commercial environment. Often incorporated in an automated process system.
Material Processing Laser Products	Laser Vision, Material Processing	95	RFK	1040.10	A laser used for positioning, focusing, inspection, counting, or other application in an industrial or commercial environment. Often incorporated in an automated assembly line system.
Material Processing Laser Products	Laser Micrometer, Material Processing	95	RFL	1040.10	A laser used in high precision dimensional measurements in materials processing.
Material Processing Laser Products	Laser-Based Material Positioning System	95	RFM	1040.10	A laser used in precision positioning of materials in manufacturing in an industrial or commercial environment.
Material Processing Laser Products	Other	95	RZZ	Unk	A laser used in materials processing not otherwise defined.

	1	1	ı	1	1
Material Processing Laser Products	General Industrial Use Material Processing Laser Products	95	RZN	1040.10	A laser used in industrial manufacturing or materials processing not otherwise defined.
Data Measurement, Transmit, Control Laser Products	Fiber Optic Communication and Data Transfer, Laser	95	RFN	1040.10	A laser used in fiber optic communications to transmit data and information.
Data Measurement, Transmit, Control Laser Products	IR Free-Space Data Transmit/Control, Laser	95	RFO	1040.10	A laser used in free space (open air) communications to transmit data and information.
Data Measurement, Transmit, Control Laser Products	Remote Controller, Laser, Data Measurement, Transmit	95	RFP	1040.10	A laser used to transmit signals and/or information in order to operate equipment or machinery remotely.
Data Measurement, Transmit, Control Laser Products	Interferometric Position Measuring Product, Laser	95	RFQ	1040.10	A laser used as an interferometer for high precision positioning and/or measurements.
Data Measurement, Transmit, Control Laser Products	Product Incorporating Certified Class 1 Laser Data Measurement, Transmit, Control	95	RFR	1040.10	A data measurement, data transmission, or remote control product that incorporates a certified Class 1 laser.
Data Measurement, Transmit, Control Laser Products	Other	95	RZZ	Unk	A data measurement, data transmission, or remote control product that incorporates a laser other than a certified Class 1 laser.
Utility/Peripheral Laser Products	Reprographics, Laser, Utility/Peripheral Laser Products	95	RFS	1040.10	A reprographics machine that incorporates a laser utilized to expose internal sensitive components or materials for photocopying text and graphics.
Utility/Peripheral Laser Products	Laser Printer, Utility/Peripheral Laser Products	95	RFT	1040.10	A printing machine that incorporates a laser utilized in printing images on paper with no medical claims.
Utility/Peripheral Laser Products	Laser FAX Machine, Utility/Peripheral Laser Products	95	RFU	1040.10	A printing machine that incorporates a laser utilized in printing facsimiles of images on paper.
Utility/Peripheral Laser Products	CD, CD-ROM Player, Laser Utility/Peripheral Laser Products	95	RFV	1040.10	A CD or CD-ROM player that utilizes a laser to read data on the compact disc.
Utility/Peripheral Laser Products	DVD, DVD-ROM Player, Laser Utility/Peripheral Laser Products	95	RFW	1040.10	A DVD or DVD-ROM player that utilizes a laser to read data on the digitally recorded video disc.

Utility/Peripheral	CD-R, CD-RW	95	RFX	1040.10	A CD-R or CD-RW recorder machine that utilizes a
Laser Products	Recorder,				laser to read and/or write data on the compact disc.
	Utility/Peripheral				
TT: 11: /D : 1 1	Laser Products	0.5	DELL	101010	A DVD
Utility/Peripheral Laser Products	DVD-R, DVD+R, DVD-RAM,	95	RFY	1040.10	A DVD recorder machine that utilizes a laser to read and write or read, write, and erase data on a digitally
Laser Floducts	DVD-RAW, DVD+RW, DVD-				recorded video disc in any of the data formats: DVD-
	RW Recorder,				R, DVD+R, DVD-RAM, DVD-RW, or DVD+RW.
	Utility/Peripheral				
	Laser Products				
Utility/Peripheral	UPC Reader (Bar	95	RFZ	1040.10	A laser used to scan across a bar code to identify the
Laser Products	Code Reader),				product. Bar code readers can be hand-held
	Utility/Peripheral				accessories, under-counter components incorporated
	Laser Products				in store check-out systems, or laser scanner systems
					incorporated in assembly lines used for identification and inventory purposes in manufacturing facilities,
					warehouses and storage facilities, or other consumer,
					industrial, health care, or commercial locations.
Utility/Peripheral	Home/Office	95	RZP	1040.10	A laser utilized in the home or office environment not
Laser Products	Machine				otherwise defined.
	Incorporating				
	Utility/Peripheral				
Utility/Peripheral	Laser Product	95	RGA	1040.10	A utility/peripheral laser product that incorporates a
Laser Products	Incorporating)3	KGA	1040.10	certified Class 1 laser.
Euser Froducts	Certified Class 1				Continue Class I laser.
	Data				
	Utility/Peripheral				
	Laser Products	_			
Utility/Peripheral	Other	95	RZZ	Unk	A utility/peripheral laser product that incorporates a
Laser Products In Vitro and	Veterinary Laser,	95	RGB	1040.10;	laser other than a certified Class 1 laser. A laser used for treatment of animals other than
Other Medical	In Vitro and Other)3	KGD	1040.10,	human
Laser Products	Medical Laser			10.10.11	TOTAL
	Products				
In Vitro and	Separator,	81	GKT	1040.10	
Other Medical	Automated, Blood				
Laser Products	Cell, Diagnostic	0.1	OWZ	1040 10	
In Vitro and Other Medical	Automated Differential Cell	81	GKZ	1040.10	
Laser Products	Counter				
In Vitro and	Cell Particle	81	GKL	1040.10	
Other Medical	Counter				
Laser Products	(Automated)				
In Vitro and	Urine Particle	88	LKM	1040.10	
Other Medical	Counter				
Laser Products	G t	0.1	1 47777	1040 10	
In Vitro and Other Medical	System,	81	MZK	1040.10	
Laser Products	Separation, Hematopoietic				
Lasci i ioducis	Stem Cell				
In Vitro and	Test, Urea (Breath	83	MSQ	1040.10	
Other Medical	or Blood) for H.				
Laser Products	Pylori Test	Ī	1		

	1			101010	
In Vitro and	Multipurpose	81	JPA	1040.10	
Other Medical	System for In-				
Laser Products	vitro Coagulation				
In Vitro and	System, Laser	85	MRX	1040.10;	
Other Medical	Assisted Hatching			1040.11	
Laser Products					
In Vitro and	Sorter, Cell	81	KEX	1040.10	
Other Medical					
Laser Products					
In Vitro and	Separator, Semi-	81	MYY	1040.10	
Other Medical	Automated, Blood				
Laser Products	Component				
In Vitro and	Other	95	RZZ	Unk	A laser used for in vitro applications or other medical
Other Medical					applications that do not expose patients to the laser
Laser Products					radiation.
Positioning	X-Ray Field	95	RGC	1020.30;	A laser incorporated in a diagnostic x-ray system that
Medical Laser	Indicator Light			1040.10;	is irradiated onto the film screen area indicating the x-
Products	(Laser),			1040.11	radiation area. The beam is usually scanned to show a
1104400	Positioning			10.0.11	rectangular region for patient placement.
	Medical Laser				Total Same 1081011 for barrens branching
	Products				
Positioning	Monitor, Patient	90	IWE	1040.10;	
Medical Laser	Position, Light		1,,,,,	1040.11	
Products	Beam			1010.11	
1100000	Douill				
Positioning	Positioning	95	RZS	1040.10;	A laser used for positioning in medical applications
Medical Laser	Medical Laser			1040.11	not otherwise defined.
Products	Product				

Classification of Non-compliant Items

Performance requir	rements		
1040.10(d)	Classified in higher class	Minor,	Class B, C
		Concern	
1040.10(d)	Classified in lower class	Major	Class A
1040.10(f)(1)	Protective housing allows unnecessary body access to Class IV or high IIIb radiation	Major	Class A
1040.10(f)(1)	Protective housing allows unnecessary straight line access to interior Class IV or high IIIb radiation		
	With high risk of exposure (IV or IIIb product)	Major	Class A Class B
	With low risk of exposure (IV or IIIb product) With any risk of exposure (I, IIa, II, or IIIa product)	Minor Major	Class B Class A
		Major	Class A
1040.10(f)(1)	Protective housing allows unnecessary body access to low Class IIIb or IIIa radiation		
	In a Class IV or IIIb product	Minor	Class B
	In a Class I, IIa, II, or IIIa product	Major	Class A
1040.10(f)(1)	Protective housing allows necessary body access to Class IIIa or IIIa radiation		
	In a Class IV or IIIb product	Concern	Class C
	In a Class I, IIa, II, or IIIa product	Minor	Class B
1040.10(f)(1)	Protective housing allows unnecessary body access to Class II radiation		
	In a Class II product	Concern	Class C
	In a Class I product	Minor	Class B
1040.10(f)(2)	Safety interlocks absent when required	Major	Class A
1040.10(f)(2)	Single safety interlock when redundant required	Major	Class A
1040.10(f)(2)	Single component with multiple contacts when redundant required	Minor	Class B
1040.10(f)(2)	Defeatable safety interlocks lacks indication	Minor	Class B
1040.10(f)(2)	Defeatable safety interlocks fails to prevent replacement of protective housing during defeat	Minor	Class B
1040.10(f)(3)	No remote interlock connector	Major	Class A
1040.10(f)(4)	No key control	Major	Class A
1040.10(f)(4)	Key control removable when on	Major	Class A
1040.10(f)(5)	No emission indicator	Major	Class A
1040.10(f)(5)	No delay preceding radiation emission	Minor	Class B
1040.10(f)(5)	Shorter delay than required	Minor	Class B
1040.10(f)(5)	Remote control lacks emission indicator	Major	Class A
1040.10(f)(6)	Beam attenuator without approvable alternate	Major	Class A
1040.10(f)(6)	Beam attenuator with approvable alternate	Concern	Class C
1040.10(f)(8)	Viewing optics		
	Hazardous	Major	Class A
	Non-hazardous for viewing period	Concern	Class C
1040.10(f)(9)	No scanning guards	Major	Class A
1040.10(f)(10	No manual reset	Major	Class A
1040.10(g)(1), (2),	Warning logotype		
and (3)	None	Major	Class B
	Classification too low	Major	Class B
	Classification too high	Minor,	Class B
		Concern	

PR	\cap GR	MAS	ı

7386.001

Attachment B

1040.10(g)(4)	Warning logotype output information	Minor	Class B
1040.10(g)(5)	No aperture label	Minor	Class B
1040.10(g)(5)	Aperture label not in close proximity to aperture	Minor	Class B
1040.10(g)(5)	Aperture label wording incorrect	Concern	Class C
1040.10(g)(6), (7)	No protective housing labels	Minor	Class B
1040.10(g)(6), (7)	Protective housing placement inappropriate	Minor	Class B
1040.10(g)(6), (7)	Protective housing wording wrong	Concern	Class C
1040.10(g)(8)	Invisible radiation warning on labels	Minor	Class B
1040.10(g)(9), (10)	Label positioning and legibility	Minor	Class B
1040.10(h)(1)	User instructions		
	(i) Promoting unsafe practices	Major	Class A
	Inadequate instructions to avoid exposure	Minor	Class B
	(ii) Inadequate radiometric specifications	Minor	Class B
	(iii) Inadequate reproductions and locations	Minor	Class B
	(iv) Inadequate listing of controls	Minor	Class B
	Inadequate caution statement	Concern	Class C
1040.10(h)(2)(i)	Reproduction of warning logotype not in catalogs	Minor	Class B
1040.10(h)(2)(ii)	Service information inadequate	Minor	Class B
Specific product requ	uirements		
1040.11(a)(1)	Means to measure medical laser output		
	None	Major	Class A
	Inaccurate	Major	Class A
1040.11(a)(2)	Inadequate calibration procedure/schedule	Major	Class A
1040.11(a)(3)	Aperture label	Minor	Class B
1040.11(b)	Excessive output on surveying lasers	Major	Class A
1040.11(c)	No variance for demonstration Class IIIb or Class IV lasers	Major	Class A

Sample Laser Product Inspection and Field Test Checklist

LASER PRODUCT TEST RECORD

MANUFACTURER	CLASS	
MODEL	SERIAL NUMBER_	
Status of Unit Examined (Circle one):	Prototype/Production u	unit
Status of Assembly (circle one): Com	plete/Incomplete	
Manufactured Date:		
A. Product Description: (Include basic diagrams, basic functions to be per		e of product, reference to photos and/or n and during maintenance.)
Product Report: Has the product been	reported to CDRH?	
	Yes 1	No
If yes what is the Accession Number?)	

Summary of Product Evaluation:	

PROGRAM

7386.001

Attachment B

Certification/Identification Requirements. If possible, obtain a sample of each required label and

C.

attach it to thi	s report. Otherwise, quote pertinent information, especially any noncompliant items.
1.	Certification label (1010.2)
	a. Is the label permanently affixed? Yes No ND NA
	b. Is the Label readily viewable? Yes No ND NA
	Location:
	c. Is the label properly stated? YesNoNDNA
(Note: Produ	cts under variance require modified certification labels 1010.4(d))
	d. Remarks:
2.	Identification label (1010.3)
a.	Is the label permanently affixed? Yes No ND NA
b.	Is the label readily viewable? Yes No ND NA
	Location:
c.	Does the label contain the full name and address?
	Yes No ND NA
d.	Does the label contain the place of manufacture (in full or in code)?
	Yes No ND NA
e.	If coded, has CDRH been provided the code? Yes No ND NA
f.	Are the month and year of manufacture stated in full?*
	Yes No ND NA
	Month and year:
σ	
g.	Remarks:

*Note: Serialization is acceptable in lieu of month and year for consumer electronic products.

- D. Special Purpose Products (1040.11)
 - 1. Is the product a medical laser product?

Yes___ No___ ND___ NA___

Note: In inspecting manufacturers of not only medical laser products but also laser products that are medical devices, verify compliance with other applicable requirements including but not limited to current registration and listing, 510k market clearances, device master record or quality system, current complaint and service records, etc.

a.	Does the product include a means	of measurement	of levels	of radiation	intended	for
	irradiation of the human body?					

Yes No ND NA

- b. How is this accomplished? Measure beam prior to delivery system and determine output levels via calibration constant ______;
 Measure output of delivery system ______;
 Other ______.
- c. Indication: power _____; energy ____; time ____.
- d. Type of indicator: energy/power select switch ____; "Test shot" display (remains constant until next best shot) ____; Real time display (displays level at all times) ____; Other ___.
- e. If test shot is available only at initiation of procedure or if a select switch is used, does the product have an internal monitoring system capable of maintaining output levels to within \pm 20% of displayed value?

Yes No

f. Is display analog _____; or digital _____? If digital, are there sufficient significant digits to allow \pm 20% accuracy?

Yes ____ No ____

g. Is the total measurement error within $\pm 20\%$ (see Attachment G)

Yes___ No___ ND___ NA___

h. Is there a laser aiming beam? Yes ____ No ___. Is there a means to measure the level of the aiming beam if the product is ophthalmic and the aiming beam may exceed 1 mW or if the product is not ophthalmic but the aiming beam may exceed 5 mW?

Yes ___ No ___

	i.	Р	eman	xs								
2.	Is the	e pr	oduct				and alig					
									Yes_	_ No_	_ ND_	NA
							ths of 40 ater than				diation p	ower in
							evels in on and w				s for any	y other
									Yes_	No	_ ND_	NA
c.	Rem	arks										
												_
3.	Is the	e pro	oduct	a dem	onstrati	on laser	product	?	Yes_	No	ND	NA
		•					product		ı in exc	ess of t	he Class	s IIIa (3
1.	Does	s the	prod	uct pre	event hu	ıman acı		adiatio	n in exc Yes_	ess of t	he Class ND	s IIIa (3
a. O.	Does Rem	s the	produ	uct pre	event hu	ıman ac	cess to ra	adiatio	n in exc Yes	ess of t	he Class ND	s IIIa (3
a. b. Labe	Does Rem	arks	produ	See in	event hu	on in par	cess to ra	adiation	n in exc Yes	ess of t	he Class ND	s IIIa (3
a. o. Labe	Does Rem	s the	produ	See in	event hu	on in par	ragraph F	adiation	n in exc Yes	ess of toNo	he Class ND	s IIIa (3 NA
a. b. Labe	Rem el Requi Warr a. Is	remning	ents.	See in ypes*	estruction (1040.1	on in par	ragraph F	adiation 3. (4),(5),(Yes_	ess of toNo	he Class ND	s IIIa (3 NA
a. b. Labe	Rem el Requi Warr a. Is	remning	ents.	See in ypes*	estruction (1040.1	on in par	ragraph I	adiation 3. (4),(5),((9), and Yes tion?	ess of tNo (10)	he Class ND	S IIIa (3 NA NA
3. a. b. Labe	Does Rem el Requi Warr a. Is b. Is	rem ning the	ents. logoty	See in ypes*	estruction (1040.1)	on in par	ragraph I ,(2),(3),(pe?	adiation 3. (4),(5),((9), and Yes tion?	ess of tNo (10)	he Class ND	S IIIa (3 NA NA

e. Is the media or wavelength information present and correct? YesNoNDNA f. Is the label permanently affixed and clearly visible during operation, maintenance service? YesNoNDNA g. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA Location: h. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA i. Remarks: Warning labels in accordance with IEC 60825-1 including product classification are accepta 2. Aperture label (for Classes II, IIIa, IIIb, IV, 3R, 3B and 4) 1040.10(g)(5),(8),(9), an a. Is a label present and in proximity to each aperture? YesNoNDNA b. Is the label properly worded? YesNoNDNA c. Is the label permanently affixed and clearly visible? YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA f. Remarks:		(Maximum output stated)	Y es	No	_ ND_	_ NA_	
f. Is the label permanently affixed and clearly visible during operation, maintenance service? YesNoNDNA g. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA Location: h. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA i. Remarks: Warning labels in accordance with IEC 60825-1 including product classification are accepta 2. Aperture label (for Classes II, IIIa, IIIb, IV, 3R, 3B and 4) 1040.10(g)(5),(8),(9), an a. Is a label present and in proximity to each aperture? YesNoNDNA b. Is the label properly worded? YesNoNDNA c. Is the label permanently affixed and clearly visible? YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA		e. Is the media or wavelength information	on present a	and corr	ect?		
f. Is the label permanently affixed and clearly visible during operation, maintenance service? YesNoNDNA g. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA Location: h. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA i. Remarks: Warning labels in accordance with IEC 60825-1 including product classification are accepta 2. Aperture label (for Classes II, IIIa, IIIb, IV, 3R, 3B and 4) 1040.10(g)(5),(8),(9), an a. Is a label present and in proximity to each aperture? YesNoNDNA b. Is the label properly worded? YesNoNDNA c. Is the label permanently affixed and clearly visible? YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA				Yes	No	ND	NA
g. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA Location:				1 65	_ 110	_ 1\D	_ 1 17 1
g. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA Location: h. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA i. Remarks: Warning labels in accordance with IEC 60825-1 including product classification are accepta 2. Aperture label (for Classes II, IIIa, IIIb, IV, 3R, 3B and 4) 1040.10(g)(5),(8),(9), an a. Is a label present and in proximity to each aperture? YesNoNDNA b. Is the label properly worded? YesNoNDNA c. Is the label permanently affixed and clearly visible? YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA			learly visib	le durin	ig opera	tion, ma	intenance,
Location:				Yes_	_ No	_ ND	_ NA
Location:		g. Is the label positioned so as to make e	exposure ur		-	_	_
h. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA i. Remarks:		Location:		Y es	_ No	_ ND	_ NA
Warning labels in accordance with IEC 60825-1 including product classification are accepta 2. Aperture label (for Classes II, IIIa, IIIb, IV, 3R, 3B and 4) 1040.10(g)(5),(8),(9), an a. Is a label present and in proximity to each aperture? YesNoNDNA b. Is the label properly worded? YesNoNDNA c. Is the label permanently affixed and clearly visible? YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA		h. Does the label include a warning for '	'invisible"				
Warning labels in accordance with IEC 60825-1 including product classification are accepta 2. Aperture label (for Classes II, IIIa, IIIb, IV, 3R, 3B and 4) 1040.10(g)(5),(8),(9), an a. Is a label present and in proximity to each aperture? YesNoNDNA b. Is the label properly worded? YesNoNDNA c. Is the label permanently affixed and clearly visible? YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA		i. Remarks:					
Warning labels in accordance with IEC 60825-1 including product classification are accepta 2. Aperture label (for Classes II, IIIa, IIIb, IV, 3R, 3B and 4) 1040.10(g)(5),(8),(9), and a. Is a label present and in proximity to each aperture? YesNoNDNA b. Is the label properly worded? YesNoNDNA c. Is the label permanently affixed and clearly visible? YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA							
b. Is the label properly worded? YesNoNDNA c. Is the label permanently affixed and clearly visible? YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA	2.			ıre?			
c. Is the label permanently affixed and clearly visible? YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA				res	_ NO	_ ND	
YesNoNDNA d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA		h Is the label properly worded?	Ves	Nο	ND	NIA	_ 11/1
d. Is the label positioned so as to make exposure unnecessary during reading? YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA		o. is the label property worded:	1 03	_ 110	_ ND_	_ NA_	
YesNoNDNA (Location:) e. Does the label include a warning for "invisible" or "invisible and/or visible" radia YesNoNDNA		1 1 2			_ ND_	NA	
e. Does the label include a warning for "invisible" or "invisible and/or visible" radia Yes No ND NA		1 1 2		ole?			_
Yes No ND NA		c. Is the label permanently affixed and c	learly visib	yes_ nnecessa	_ No ary duri	_ ND ng readi	NA ng?
		c. Is the label permanently affixed and conduction d. Is the label positioned so as to make each	learly visib	yes_ nnecessa	_ No ary duri	_ ND ng readi	NA ng?
f Remarks:		c. Is the label permanently affixed and conditions described as to make a condition of the label positioned so as to make a condition of the label position of the label position of the label permanently affixed and condition of the label position of the label posit	elearly visib	Yes nnecessa Yes or "invi	_ No_ ary duri _ No sible an	_ ND ng readi _ ND d/or visi	NA ng? _ NA ble" radiat
I INVITATION		c. Is the label permanently affixed and conditions described as to make a condition of the label positioned so as to make a condition of the label position of the label position of the label permanently affixed and condition of the label position of the label posit	elearly visib	Yes nnecessa Yes or "invi	_ No_ ary duri _ No sible an	_ ND ng readi _ ND d/or visi	NA ng? _ NA ble" radiat

Noninterlocked protective housing label (1040	.10(g)(6),(8)),(9), an	d (10)	
a. Are the labels on or near all appropriate pane operation, maintenance, or service?	els or co	overs	which	are rem	oved
	Y	es	_ No	_ ND	_ NA
o. Are all labels visible prior to removal of suc	-		-	otective _ ND	
. Are all labels visible after opening?	Y	⁷ es	No	_ND_	NA
I. Are all labels correctly worded? YesN					_ ' '' '
e. Are all labels permanently affixed and clearly					
	ly visib	le?			
Do all labels contain a warning for "invisible Yes No ND NA	Y	es		_ ND or visib	
Do all labels contain a warning for "invisible Yes No ND NA Remarks:	Ye" or "ir	es	ole and/	or visib	
Do all labels contain a warning for "invisible Yes No ND NA Remarks: Defeatably interlocked housing labels 1040.10(Ye" or "ir	/es nvisib	ole and/	or visib	le" rad
Do all labels contain a warning for "invisible Yes No ND NA Remarks:	Ye" or "ir	/es nvisib	ole and/	or visib	le" rad
Do all labels contain a warning for "invisible Yes No ND NA Remarks: Defeatably interlocked housing labels 1040.10(Y e" or "ir (g)(7),(8	Yes nvisib 8),(9)	, and (1	or visib	le" rad
Do all labels contain a warning for "invisible Yes No ND NA Remarks: Defeatably interlocked housing labels 1040.10(Ye" or "ir	Yes nvisib 8),(9)	, and (1	or visib	le" rad
Do all labels contain a warning for "invisible Yes No ND NA State of the Yes NO ND NA State of NO ND ND ND NA State of NO ND ND ND ND ND ND ND	Ye" or "ir g)(7),(8 clocked Y	/es nvisib 8),(9) l pane	, and (1	or visib	eh is r

		Yes	_No	ND	NA
	d. Are all labels correctly worded?				
		Yes	No	ND	NA
	e. Are all labels permanently affixed and clearly vi	isible?			
		Yes	_No	ND	NA
	f. Do all labels contain a warning for "invisible" or				radiation? NA
	g. Remarks:				
erfo	ermance Requirements (1040.l0(f)):				
	rmance Requirements (1040.l0(f)): Protective Housing (1040.l0(f)(l))				
		aser radia	ation ab	ove Clas	ss I not
	Protective Housing (1040.l0(f)(l)) a. Does the housing prevent access at all times to l				ss I not
	Protective Housing (1040.l0(f)(l)) a. Does the housing prevent access at all times to l necessary for operation of the product? b. Does the housing prevent access at all times to compare the second secon	Yes	_No	ND	_NA
	Protective Housing (1040.l0(f)(l)) a. Does the housing prevent access at all times to l necessary for operation of the product?	Yescollateral	Nooptical	ND	_NA
	Protective Housing (1040.l0(f)(l)) a. Does the housing prevent access at all times to l necessary for operation of the product? b. Does the housing prevent access at all times to compare the second secon	Yes collateral Yes	_No optical _No	NDradiation_ND	_NA n above Cl _NA
	 Protective Housing (1040.l0(f)(l)) a. Does the housing prevent access at all times to l necessary for operation of the product? b. Does the housing prevent access at all times to d I not necessary for operation of the product? 	Yes collateral Yes	_No optical _No	NDradiation_ND	NA n above Cl
erfo	 Protective Housing (1040.l0(f)(l)) a. Does the housing prevent access at all times to l necessary for operation of the product? b. Does the housing prevent access at all times to d I not necessary for operation of the product? 	Yes collateral Yes Yes	_No optical _No No	ND radiation ND ND	_NA n above Cla _NA _NA
	 Protective Housing (1040.l0(f)(l)) a. Does the housing prevent access at all times to l necessary for operation of the product? b. Does the housing prevent access at all times to a I not necessary for operation of the product? c. Has x-radiation been evaluated? d. Does the housing prevent access to x-radiation leads to the product of the product of	Yescollateral Yes Yesevels in 6	_No optical _No No excess o	ND radiation ND ND ND of 0.5 mF	_NA n above Cla _NA _NA

F.

Safety Interlocks (1040.10(f)(2)) (Complete for each interlock. Identify the portion of removable or displaceable housing and interlock described.) 2.

a. Do operation or maintenance functional could allow access to radiation?		quire n	noving p	ortions	of the l	nousing which
			Yes_	_ No	_ ND	NA
Describe:						
Describe:						
b. Class of radiation to which access Class	s could b	e gain	ed?			
c. Is a fail safe or multiple interlock	required	(inclu	ding 10	40.l(f)(2)(iii)?	
		Yes_	No	_ND_	NA	
Where?						
<u> </u>						
d. Are safety interlock(s) present? v	where?					
1. TYPE: Microswitch male-female plug; mecl	; M hanical s	ercury hutter_	switch; of	; her	_•	
Describe:						
e. Method of limiting access: directly primary laser power through relative cavity; shutter beam via	ly interru ay, conta	pts pri	mary la witching	ser pow	er; or transis	
f. Is there a multiple or fail safe inte required?	rlock on	each l	ousing	for whi	ch an in	terlock is
			Yes_	_ No	_ ND	NA
g. Is the interlock defeatable?	Yes	No_	_ND_	NA		
h. Is there an indication of defeat?	Yes	No_	_ ND_	NA		
Describe:						
i. Does the interlock preclude replac				while th		ock is defeate NA

		Yes_	No	_ ND
k. Remarks:				
Remote Interlock Connector (1040.10(f)(3), Class l	IIIb or I	V syste	ms only)
a. Is a remote control connector presen	nt?			
	Yes_	No	_ ND_	NA
b. Type? Describe:				
c. Is the voltage across the connector le	ess than 130	volts R	MS?	
	Yes	No	ND	NA
d. Is the access to laser and collateral r joined?				
·	Yes_	No	_ ND_	NA
e. Method of operation: Directly inter- through relay, etc; shutters be	rupts laser pe eam or interr	ower rupts car	; intervity	rrupts lase _·
f. Does the emission delay reactivate v				cuit is inter NA
g. Must the emission be manually resta interlock connector?	arted followi	ng inter	ruption	via the re
	Yes_	No	_ ND_	NA
h. Remarks:				
Key Control (1040.10(f)(4), Class IIIb	, IV, 3B, or	4 systen	ns only))
a. Is a key control present? Yes1	AT ATTS	NTA		

			Yes_	_ No_	_ ND_	_ NA
c. Is operation prevented w	hen the l	key is re				
			Yes	No	ND	_NA
d. How?						
e. Remarks:						
Beam Attenuator (1040.10((f)(6), Cla	ass IIIb,	IV, 3B	or 4 sys	stems or	nly)
a. Is a beam attenuator pres	sent?	Yes_	No	_ ND_	NA	_
b. Type: mechanically oper cover; other	rated shu	itter	_; electr	ically o	perated_	; aperture
b. Type: mechanically oper cover; other Describe:	rated shu	itter	_; electr	ically o	perated_	; aperture
b. Type: mechanically oper cover; other Describe:	rated shu	itter	_; electr	ically o	perated_	; aperture
Describe:	rated shu	atter	_; electr	ically o	perated_	; aperture
b. Type: mechanically oper cover; other Describe: c. Is the attenuator permane	rated shu	atter	Yes_ y part o	_ No	_ ND_	; aperture
b. Type: mechanically oper cover; other Describe: c. Is the attenuator permane	ently atta	ached?	Yes_ y part o	_ No f the bo	_ ND_ dy to rad	; apertureNA diation in exce

Emission Indicator (1040.10(f)(5), Cla	ass, IIIb, IV, 3	3B or 4	Systems	s only)
a. Is an emission indicator present on	the laser prod	uct?		
	Yes	_ No	_ ND	_ NA
Where?				
b. Type: tungsten lamp(s); neon l	lamp(s);	LED(s)	; 0	ther
Describe:				
If the indicator is visible is it visible				
e. If the indicator is visible, is it visible supplied or recommended?	e mrough me	protect	ive eyev	wear ma
	Yes	_ No	_ ND	_ NA
d. Can the indicator be viewed withou	it exposure to	radiatio	on in exc	cess of C
	Yes	_ No	_ND	_ NA
e. Is there a delay between an indication			_	ning of 6 _ NA
f. How is emission delay achieved? T delay circuit; other	`hermal relay_	; inh	erent in	the lasi
Describe:	_			
. Length of delay?				
a. Is the power source or operation commeters when assembled for use?	ntrol separabl	e from	the lase	r by grea
	Yes	_ No	_ ND	_ NA
i. If separated greater than 2 meters, is or controller?	an emission	indicate	or presei	nt on the
or controller:	Yes	No	ND	NA

Where?					
j. Type: Tungsten lamp(s); neon lamp(s display; mechanical flag; other_		ED(s)_	; bell	or buzzer	; meter or
Describe:					
k. Is there a delay between an indication of				ning of er NA	
l. How is emission delay achieved? Therma delay circuit; other	al relay_	; inł	nerent in	the lasing	g process;
Describe:					
m. Length of delay?					
n. Remarks:					
Location of Controls (1040.10(f)(7))					
a. Are the controls located so that exposure	is unnec	cessary _ No	for ope	ration or a NA	djustments?
b. Remarks:					
Viewing optics (1040.l0(f)(8))					
a. Are viewing optics or viewports present?					
	Yes	No	ND	NA	

Describe							
c. Where?							
d. Do the viewing to levels less	ng optics attenus than Class I lin		at all ti	mes du	ring ope	eration or	maintena
			Yes	_ No	_ND_	_ NA	-
e. Do the viewin	ng optics emplo	y a shutter or	variab	le atten	uator?		
			Yes	_ No	_ ND	_ NA	-
f Unon failure o	C.1 1 C	'the werichle	attenija	tor is a	ccess to	radiation	levels or
_	of the shutter of ss I limits preve		atterraa				10 (015 81
_	or the snutter of ss I limits preve	ented?				NA	
than the Clas	ss I limits preve	ented?	Yes	_ No	_ ND	_ NA	
than the Clas	ss I limits preve	ented?	Yes	_ No	_ ND	_ NA	
than the Clas	ss I limits preve	ented?	Yes	_ No	_ ND	_ NA	
than the Clas	ss I limits preve	ented?	Yes	_ No	_ ND	_ NA	
than the Class	ss I limits preve	ented?	Yes	_ No	_ ND	_ NA	
g. Remarks: Scanning Safegu	uard (1040.10(f	(9))	Yes	_ No	_ ND	_ NA	
than the Class g. Remarks: Scanning Safegu	uard (1040.10(f	nted? (9)) e product scar	Yes	_ No	_ND_	_ NA	
g. Remarks: Scanning Safegua. Is the radiation	uard (1040.10(f	nted? (9)) e product scar	Yes	_ No	_ ND	_ NA	
than the Class g. Remarks: Scanning Safegu	uard (1040.10(f	ented? (9)) e product scar	Yes nned? Yes n the le	_ No	_ ND scanned	_ NA	
than the Class g. Remarks: Scanning Safegura. Is the radiation	uard (1040.10(f) n emitted by the cation of the pro	ented? (9)) e product scar	nned? Yes n the le	_ No evel of _ No	_ ND scanned ND	_ NA NA radiation	

8.

Describe the operation of the Manual	(10) Class IV Reset.			
bescribe the operation of the Manual				
How is it achieved? (latching relay, e				
Removable laser system (1040.10(c)(2	2))			
a. Does the product incorporate a laser	r system?			
	Yes_	No	_ ND	NA
b. Is the laser system removable?	Yes_	No	_ ND	_ NA
c. If removable, is the laser system inc	dependently of	ertified	?	
	* 7	No	_ ND	_ NA
	Yes			
d. If not removable, specify how remo connector; assembled internall e. Remarks:	ovability is pr	evented		
connector; assembled internall	ovability is pr y from comp	revented onents_	; othe	er (specif

G.

		PROGRA	.M 7386.001	Attachment B
	W) II - 1			
Test Instru	ment(s) Used:			
Circle radiometric Power (W), etc.)	quantity tested and s	pecify units below (Rac	diance (W cm ⁻² sr ⁻¹),	Radiant Energy (J),
				T-:-
Measurement No.	Wavelength (nm)	Instrument reading, R (units)	Calibration factor, K (units)	Corrected value, R*K (units)
	·	,		,
Calculation	ns (as needed):			

	PROGRAM	7386.001	Attachment E
Results of FDA measurements:			
	1:4:	. 111	C 1: 1.1 :
Compliance with other requirements (e.g., etc.)	conditions of a v	ariance, labeling	for medical devi

	rmation requirements (Directions: Complete this section irements are reviewed during the inspection).	on only	if the i	nformat	ion and
1.	User Information (1040.l0(h)(l))				
	a. Does the manual contain adequate instructions fo operation, and maintenance? YesNo				
	b. Does it contain clear warnings to avoid exposure	?			
		Yes_	_ No_	_ ND	_ NA_
	c. Does it contain a statement of output parameters?	•			
		Yes_	_ No	_ ND	_ NA_
	d. Does it contain legible reproductions of all labels			arnings? ND	
	e. Does it include the corresponding position of eac			product ²	
	f. Does it contain listing of controls, adjustments, armaintenance?	nd proc	edures	for oper	ation a
	manitenance:	Yes_	_ No_	_ ND	_ NA_
	g. Does it contain a schedule of maintenance?				
		Yes_	_ No_	_ ND	_ NA_
	h. Does it contain the "Caution - use of controls"	warnin	g?		
		Yes_	_ No_	_ ND	_ NA_
	i. Does it contain a compatibility statement (laser so with the product?	ource of	r laser s	ystem n	ot supp
		Yes_	No	_ ND	_ NA_

J.

		Yes_	_ No	_ ND	NA	
c. Does it include a war Class IIIa demonstration	ning not to point the las	ser radiation	at the	audience	e (especially	,
	1 /	Yes	_ No	_ ND	NA	
. Does it include inform workstations)?	nation to determine non	ninal hazard	zone(c	lass IV	multi-axis	
,, e1112 , e 112, e12, e12, e12, e12, e12, e12, e12,		Yes	_ No	_ ND	_ NA	
m. Remarks:						
Purchasing Information	(1040.10(h)(2))					
(including informati	tions of the logotype rection required for position, and descriptive brochu	ns 1, 2, and				
.	,		_ No	_ ND	NA	
Servicing Information (1040.10(h)(2))					
a. Are adequate instruct	ions for service adjustn	nents and se	rvice pi	rocedure	es available?	,
		Yes	_ No	_ ND	_ NA	
o. Are clear warnings at	nd precautions to avoid	_	_		1? NA	
y Is a schedule of main	tenance necessary to ke)
or is a senedure of main	tenance necessary to ke			-	_ NA	;
-	cedures which would he	•				
manufacturer or his	agent to increase access				? NA	
e. Is a clear description provided?	of the locations of displ	laceable por	tions of	f the pro	tective hous	ing
r		Yes	_ No	_ ND	NA	
	provide legible reprodu	actions of re	quired l	labels ar	nd hazard	
warnings?		Ves	No	ND	NΛ	

cedures for service personnel?				
Yes_	_ No_	_ ND_	NA	
			ocedures for service personn Yes No ND	