# MoorMan's® ShowTec® BB 18 BMD 18241AGN

### MEDICATED ◀

## For Growing Pigs Being Fed for Exhibition For increased rate of weight gain and improved feed efficiency. ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate	
GUARANTEED ANALY	
Crude Protein, Min.	18.0%
Lysine, Min	1.05%
Crude Fat, Min.	3.75%
Crude Fiber, Max	4.0%
Calcium (Ca), Min 0.6% Max	1.1%
Phosphorus (P), Min.	0.65%
Salt (NaCl), Min0.1% Max	
Selenium (Se), Min.	0.3 ppm
Zinc (Zn), Min.	800 ppm

#### **INGREDIENTS**

Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Calcium Propionate (A Preservative), Zinc Amino Acid Complex, Extracted Citric Acid Presscake, Copper Sulfate, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (Saccharomyces cerevisiae), Diatomaceous Earth, Zinc Oxide, L-Lysine, Methionine, Natural and Artificial Flavors, Biotin, d-alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Selenium Yeast, Dried Trichoderma reesei fermentation product, Dehydrated Pichia Pastoris Fermentation Extract.

#### FEEDING DIRECTIONS

ShowTec BB 18 BMD is a complete feed specifically formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

**NOTICE**: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

26523


ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115

Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced

7 88399 80227

## MoorMan's® ShowTec® Sale Burst w/DF DEN 21256CVW



#### A Complete Feed for Growing Pigs Being Fed for Exhibition

For control of swine dysentery associated with Brachyspira (formerly Serpulina or Treponema) hyodysenteriae susceptible to Tiamulin.

ACTIVE DRUG INGREDIE	NT
Tiamulin (17.5 mg/lb)	35 gm/ton
GUARANTEED ANALYSIS	
Crude Protein, Min.	19.00%
Lysine, Min	1.15%
Crude Fat, Min.	4.00%
Crude Fiber, Max	4.50%
Calcium (Ca), Min	
Calcium (Ca), Max.	1.00%
Phosphorus (P), Min.	
Salt (NaCl), Min	0.35%
Salt (NaCl), Max	0.85%
Selenium (Se), Min	
(- ) h. "	0.000

#### **INGREDIENTS**

Ground Corn, Dehulled Soybean Meal, Rolled Oats, Dried Whey Product, Soybean Hulls, Sodium Bentonite, Animal Fat, BHT (A Preservative), Maltodextrin, Monocalcium Phosphate, Lignin Sulfonate, Calcium Carbonate, Animal Plasma, Fish Meal, Salt, Hydrolyzed vegetable oil, Mono and diglycerides of edible fat-forming acids, Silicon dioxide, Glycerin, Ammonium formate, Formic acid, Propionic acid (preservative), Acetic acid, Benzoic acid, Sorbic acid (preservative), Citric acid, Propylene glycol, Zinc Oxide, Extracted Citric Acid Presscake, Corn Syrup Refinery Insolubles, Sucrose, Choline Chloride, Calcium Propionate (A Preservative), Basic Copper Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, L-Lysine, Dried Trichoderma reesei fermentation product, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Selenium Yeast, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, L-Threonine, Natural and Artificial Flavors, Saccharin Sodium, DL Methionine, Chromium Propionate, Dehydrated Pichia Pastoris Fermentation Extract.

#### FEEDING DIRECTIONS

MoorMan's ShowTec Sale Burst w/DF is a complete feed specifically formulated for pigs weighing 35 to 75 pounds. Feed continuously as sole ration on premises with a history of swine dysentery but where signs of disease have not yet occurred or following approved treatment of disease. Then they should be changed to an approved ShowTec ration for pigs of this weight. Provide clean, fresh water at all times.

WARNING: Withdraw 2 days prior to slaughter.

**CAUTION:** Do not feed to animals other than swine. The effects of tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the sole source of tiamulin. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g., monensin, lasalocid, semduramicin, narasin, and salinomycin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feed.

Protect from excessive temperatures that exceed 104°F (40°C). Do not store at warm temperatures, 104°F (40°C), for more than 7 days.

**NOTICE**: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

20921

#### ADM Animal Nutrition, a division of

Archer Daniels Midland Company, Quincy, IL 62305-3115
Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced

7 99393 00210 3

### MoorMan's® ShowTec® Burst Starter™ w/DF CTC/DEN 24320AYW



A Complete Feed for Starting/Growing Pigs Being Fed for Exhibition

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

Treatment of bacterial enteritis caused by Escherichia coli and Salmonella choleraesuis and bacterial pneumonia caused by Pasteurella multocida susceptible to chlortetracycline. For control of swine dysentery associated with Brachyspira (formerly Serpulina or Treponema) hyodysenteriae susceptible to Tiamulin.

#### **ACTIVE DRUG INGREDIENTS**

Chlortetracycline	(200 ma/lb)	)400 gm/ton
Tiamulin	(17.5 mg/lb	)35 gm/ton

GUARANTEED AN	IALYSIS
Crude Protein, Min	21.5%
Lysine, Min	1.5%
Crude Fat, Min	7.0%
Crude Fiber, Max	3.5%
Calcium, Min	0.5%

Calcium, Max. .....1.0% Phosphorus, Min. ......0.6% Salt, Min......0.25% Salt, Max......0.75% Selenium, Min ......0.3 ppm Zinc, Min .....2,500 ppm

#### **INGREDIENTS**

Ground Corn, Dehulled Soybean Meal, Rolled Oats, Dried Whey Product, Animal Fat, BHT (A Preservative), Soybean Hulls, Fish Meal, Sodium Bentonite, Maltodextrin, Animal Plasma, Lignin Sulfonate, Monocalcium Phosphate, Porcine Red Blood Cells, Calcium Carbonate, Zinc Oxide, Hydrolyzed vegetable oil, Mono and diglycerides of edible fat-forming acids, Silicon dioxide, Glycerin, Ammonium formate, Formic acid, Propionic acid (preservative), Acetic acid, Benzoic acid, Sorbic acid (preservative), Citric acid, Propylene glycol, L-Lysine, Extracted Citric Acid Presscake, Corn Syrup Refinery Insolubles, Sucrose, Choline Chloride, Calcium Propionate (A Preservative), Salt, L-Threonine, DL-Methionine, Yeast Culture, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Basic Copper Chloride, Calcium Iodate, Dried Trichoderma reesei fermentation product, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Selenium Yeast, Chromium Propionate, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Natural and Artificial Flavors, Dehydrated Pichia Pastoris Fermentation Extract.

#### FEEDING DIRECTIONS

MoorMan's ShowTec Burst Starter w/DF is a complete feed specifically formulated for pigs weighing 15 to 50 pounds. Feed at the rate of 5% of body weight to provide 10 mgs of chlortetracycline per pound of body weight daily. For example, feed at the rate of 1.0 lb per head per day to pigs weighing 20 lbs. Feed continuously as the sole ration for 14 days. Then they should be changed to an approved ShowTec ration for pigs of this weight. Provide clean, fresh water at all times.

WARNING: Withdraw 2 days prior to slaughter.

**CAUTION:** Do not feed to animals other than swine. The effects of tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the only source of chlortetracycline and tiamulin. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g., monensin, lasalocid, semduramicin, narasin, and salinomycin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feed.

Protect from excessive temperatures that exceed 104°F (40°C). Do not store at warm temperatures, 104°F (40°C), for more than 7 days.

06724

ADM Animal Nutrition, a division of Archer Daniels Midland Company

Quincy, IL 62305-3115 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



# Pen Pals® Chicken Starter-Grower 70009AAA

## A Complete Feed for Starting and Growing Chickens GUARANTEED ANALYSIS

Crude Protein, Min		18.0%
Lysine, Min		0.9%
Methionine, Min		0.3%
Crude Fat, Min		
Crude Fiber, Max		7.0%
Calcium (Ca), Min	1.0% Max	1.5%
Phosphorus (P), Min		0.6%
Salt (NaCl), Min		
Vitamin A, Min		

#### **INGREDIENTS**

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Roughage Products, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Lignin Sulfonate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B<sub>12</sub> Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, Dried Trichoderma reesei Fermentation Product, Methionine, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated Pichia Pastoris Fermentation Extract.

#### **FEEDING DIRECTIONS**

Feed continuously as the sole ration to replacement chickens. Provide clean, fresh water at all times.

27723

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115

Net Weight 50 lb (22.67 kg) Or As Invoiced



## Pen Pals® Chicken Starter-Grower 70009AAA

#### A Complete Feed for Starting and Growing Chickens

#### **GUARANTEED ANALYSIS**

Crude Protein, Min		
Lysine, Min		0.9%
Methionine, Min		0.3%
Crude Fat, Min		3.0%
Crude Fiber, Max		7.0%
Calcium (Ca), Min	1.0% Max	1.5%
Phosphorus (P), Min		0.6%
Salt (NaCl), Min	0.3% Max	0.8%
Vitamin A, Min		4,100 IU per pound

#### **INGREDIENTS**

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Roughage Products, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Lignin Sulfonate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B<sub>12</sub> Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, Dried Trichoderma reesei Fermentation Product, Methionine, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated Pichia Pastoris Fermentation Extract.

#### **FEEDING DIRECTIONS**

Feed continuously as the sole ration to replacement chickens. Provide clean, fresh water at all times.

27723-25

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115 Net Weight 25 lb (11.34 kg) or As Invoiced



### Pen Pals® Chicken Starter-Grower 70009ACF



#### A Complete Feed for Starting and Growing Pullets

Replacement chickens: For development of active immunity to coccidiosis; and for increased rate of weight gain and improved feed efficiency.

#### **ACTIVE DRUG INGREDIENTS**

Bacitracin Methylene Disalicylate		25 gm/ton
Amprolium		
•	GUARANTEED ANALYSIS	
Crude Protein, Min		18.0%
Lysine, Min		
Methionine, Min		0.3%
Crude Fat, Min		3.0%
Crude Fiber, Max		7.0%
Calcium (Ca), Min		
Phosphorus (P), Min		0.6%
Salt (NaCl), Min		
Vitamin A, Min		4,100 IU per pound

#### **INGREDIENTS**

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Roughage Products, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Lignin Sulfonate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B<sub>12</sub> Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, Dried Trichoderma reesei Fermentation Product, Methionine, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated Pichia Pastoris Fermentation Extract.

#### FEEDING DIRECTIONS

Feed continuously as the sole ration under conditions of severe exposure to coccidiosis up to or over 8 weeks of age, until onset of production to replacement chickens. Provide clean, fresh water at all times.

**CAUTION**: For replacement chickens only. Do not use in feeds containing bentonite.

27723-25

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115 Net Weight 25 lb (11.34 kg) Or As Invoiced

### SENIORGLO® 10130AB

#### For Active Senior Horses, Broodmares and Adult Horses

,				
GUARANTEED ANALYSIS				
Crude Protein, Min	14.00%			
Lysine, Min	0.80%			
Methionine, Min	0.30%			
Threonine, Min	0.50%			
Crude Fat, Min	8.00%			
Crude Fiber, Max	20.00%			
Acid Detergent Fiber, Max	25.00%			
Neutral Detergent Fiber, Max	40.00%			
Dietary Starch, Max	10.50%			
Sugar, Max	6.50%			
Calcium (Ca), Min	0.80%			
Calcium (Ca), Max	1.30%			
Phosphorus (P), Min	0.64%			
Copper (Cu), Min	60 ppm			
Selenium (Se), Min	0.60 ppm			
Selenium (Se), Max	0.65 ppm			
Zinc (Zn), Min	200 ppm			
Vitamin A, Min	5,000 IU/lb			
Vitamin D3, Min	500 IU/lb			
Vitamin E, Min	250 IU/lb			
Biotin, Min	1.0 mg/lb			
Lactobacillus acidophilus, Min	10,200,000 CFU/lb			
Lactobacillus casei, Min	10,200,000 CFU/lb			
Bifidobacterium thermophilum, Min .	10,200,000 CFU/lb			
Enterococcus faecium, Min	10,200,000 CFU/lb			
Contains a source of live (viable) r	naturally occurring			
microorganisms				

INGREDIENTS Soybean Hulls, Wheat Middlings, Heat Stabilized Rice Bran, Dehulled Soybean Meal, Dehydrated Alfalfa Meal. Cane Molasses. Vegetable Oil, Lignin Sulfonate, Beet Pulp, Dried Molasses, Salt, Ground Flaxseed, Calcite, Calcium Carbonate, Magnesium Oxide, Maltodextrins, Calcium Propionate Preservative), Brewers Dried Yeast, d-alpha Tocopheryl Acetate, Manganous Oxide, Monocalcium Phosphate. Dicalcium Phosphate, Zinc Oxide, Copper Sulfate, Defluorinated Phosphate, Ferrous Sulfate, Potassium Iodide, Cobalt Carbonate, Dried Lactobacillus acidophilus Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product. Dried Enterococcus faecium Fermentation Product, Hydrolyzed Yeast Cell Wall, Saccharomyces Cerevisiae Fermentation Solubles, Sodium Selenite. Biotin. Vitamin A Supplement. Thiamine Mononitrate, Vitamin E Supplement, Riboflavin Supplement, Calcium Pantothenate, Niacin Supplement, Vitamin D3 Supplement, Vitamin B12 Supplement, DL-Methionine, Natural and Artificial Flavors, L-Lysine, Yeast Extract, Glycerol tributyrin, Mono and dialycerides of edible fat-forming acids. Silicon dioxide, Glycerin, Ascorbic Acid, Manganese Amino Acid Complex, Zinc Amino Acid Complex, Copper Amino Acid Complex.

#### INSTRUCTIONS FOR FEEDING

Feed 0.4 to 1.0 lb of SENIORGLO® for every 100 lb of body weight (4.4 to 11 lb per 1100 lb horse) along with at least 2.0 lb of high-quality forage for every 100 lb bodyweight. Divide into at least two meals per day. Do not feed more than 0.4 lb of SENIORGLO® per 100 lb bodyweight in a single meal. Adjust feeding rate for each individual horse to maintain the desired body condition. Do not exceed recommended feeding rate. If your horse needs less than 0.4 lb per 100 lb bodyweight of SENIORGLO® to maintain condition, provide a GROSTRONG® Vitamin and Mineral product according to label directions. Always provide clean, palatable water and salt on a free-choice basis. Any feed changes should be made gradually over 7 to 10 days. Consult with a veterinarian or ADM nutritionist for a recommended diet. For more information, visit www.ADMequine.com.

**CAUTION:** Consumption of this product by sheep and goats may result in copper toxicity. Follow label directions. Feeding added selenium at levels in excess of 0.3 ppm in the total diet is prohibited.

31423

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305 3115 Net Weight 50 lb (22.67 kg) Or As Invoiced

## ADM Animal Nutrition® MotivAte™ 12-15 DEN 12286CVW



#### A Complete Feed for Starting Pigs

For control of swine dysentery associated with Brachyspira (formerly Serpulina or Treponema) hypodysenteriae susceptible to Tiamulin.

#### **ACTIVE DRUG INGREDIENTS**

Tiamulin		(17	7.5 mg/lb)	35 gm/ton			
GUARANTEED ANALYSIS							
Crude Protein			(Min)	20.0 %			
Lysine			(Min)	1.55 %			
Crude Fat			(Min)	6.0 %			
Crude Fiber			(Max)	2.5 %			
Calcium	(Min)	0.6	(Max)	1.1 %			
Phosphorus			(Min)	0.65 %			
Salt	(Min)	0.5	(Max)	1.0 %			
Selenium			(Min)	0.3 ppm			
Zinc			(Min)	3,000 ppm			

#### **INGREDIENTS**

Grain Products, Plant Protein Products, Animal Protein Products, Processed Grain By-Products, Dried Fermentation Biomass, Animal Fat, BHT (A Preservative), Maltodextrin, Animal Plasma, Monocalcium Phosphate, Calcium Carbonate, Dextrose, L-Lysine, Zinc Oxide, Hydrolyzed Vegetable Oil, Mono and Diglycerides of Edible Fat-forming Acids, Silicon Dioxide, Glycerin, Ammonium formate, Formic Acid, Propionic Acid (preservative), Acetic Acid, Benzoic Acid, Sorbic Acid (preservative), Citric Acid, Propylene Glycol, Salt, DL-Methionine, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Calcium Iodate, Extracted Citric Acid Presscake, Roughage Products, Saccharin Sodium, Natural and Artificial Flavors, Sodium Propionate (A Preservative), L-Threonine, Dried Trichoderma reesei fermentation product, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Selenium Yeast, Chromium Propionate, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Choline Chloride, Dried Fermentation Biomass, Vegetable Oil, Dehydrated Pichia Pastoris Fermentation Extract, L-Trytophan.

#### FEEDING DIRECTIONS

Motivate 12-15 is a complete feed specifically formulated for starting pigs. Feed continuously as the sole ration to pigs weighing 12 to 15 lbs with a history of swine dysentery but where signs of disease have not yet occurred, or following approved treatment of disease. Provide clean, fresh water at all times.

WARNING: Withdraw 2 days prior to slaughter.

**CAUTION**: Do not feed to animals other than swine. The effects of tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the only source of tiamulin. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g., monensin, lasalocid, semduramicin, narasin, and salinomycin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feed.

Protect from excessive temperatures that exceed 104 $^{\circ}$  F (40 $^{\circ}$  C). Do not store at warm temperatures, 104 $^{\circ}$  F (40 $^{\circ}$  C), for more than 7 days.

22022

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115 Net Weight 50 lb (22.67 kg) Or As Invoiced

## MoorMan's® ShowTec® 14.5/6 BMD 14560AGN

## ► MEDICATED ◀

## A Complete Feed for Finishing Pigs Being Fed for Exhibition For increased rate of weight gain and improved feed efficiency. ACTIVE DRUG INGREDIENT

ACTIVE DIVOC INCIVEDIENT	
Bacitracin Methylene Disalicylate	30 ams/ton
GUARANTEED ANALYSIS	
Crude Protein, Min.	14.5%
Lysine, Min.	
Crude Fat, Min.	6.0%
Crude Fiber, Max.	4.0%
Calcium (Ca), Min 0.5% Max	1.0%
Phosphorus (P), Min.	
Salt (NaCl), Min	
Selenium (Se), Min.	

#### 

Ground Corn, Dehulled Soybean Meal, Soybean Hulls, Animal Fat, BHT (A Preservative), Calcium Carbonate, Dicalcium Phosphate, Feeding Oat Meal, Dried Whey, Sodium Bentonite, Salt, Maltodextrin, Blood Meal, Fish Meal, Corn Syrup Refinery Insolubles, Sucrose, Extracted Citric Acid Presscake, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Basic Copper Chloride, Calcium Iodate, Lignin Sulfonate, Yeast Culture (Saccharomyces cerevisiae), Diatomaceous Earth, Sodium Propionate (A Preservative), Choline Chloride, Zinc Amino Acid Complex, Natural and Artificial Flavors, L-Lysine, DL-Methionine, Biotin, Selenium Yeast, d-alpha-Tocopheryl Acetate, Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B<sub>12</sub> Supplement, Vitamin D<sub>3</sub> Supplement.

#### **FEEDING DIRECTIONS**

ShowTec 14.5/6 BMD medicated is a complete feed specifically formulated for pigs fed for exhibition weighing from 150 lbs to market weight. Specific feeding instructions may vary according to the goals of the feeding program for show pigs.

**NOTICE:** Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

20421

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115

Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced

7 88399 80231 2

# MoorMan's® ShowTec® Hi Fat 18 BMD 18007AGN

### ▶ MEDICATED ◀

For Growing Pigs Being Fed for Exhibition
For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate		30 gms/ton
GUARANTEED A	ANALYSIS	Ū
Crude Protein, Min		18.0%
Lysine, Min		1.05%
Crude Fat, Min		
Crude Fiber, Max.		4.0%
Calcium (Ca), Min 0.6%	Max	1.1%
Phosphorus (P), Min.		0.65%
Salt (NaCl), Min 0.1%		
Selenium (Se), Min.		0.3 ppm
Zinc (Zn), Min.		800 ppm

#### INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Maize Syrup Solids, Sucrose, Calcium Propionate (A Preservative), Zinc Amino Acid Complex, Extracted Citric Acid Presscake, Basic Copper Chloride, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (Saccharomyces cerevisiae), Diatomaceous Earth, Zinc Oxide, L-Lysine, DL-Methionine, Natural and Artificial Flavors, Biotin, d-alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B<sub>12</sub> Supplement, Vitamin D<sub>3</sub> Supplement, Selenium Yeast, Dehydrated Pichia Pastoris Fermentation Extract.

#### FEEDING DIRECTIONS

ShowTec Hi Fat 18 BMD is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

**NOTICE**: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

22023

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced

88399 80226

# ADM Animal Nutrition® AMPT™-A CTC/IGR 54229XNK



#### For Beef Cattle Weighing 1400 lb

**CAUTION:** Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

For beef cattle weighing over 700 lb: Control of active infection of anaplasmosis caused by *Anaplasma marginale* susceptible to chlortetracycline.

#### ACTIVE DRUG INGREDIENT

(2 200 ma/lh)

Chiorletracycline			(2,000 mg/i	U)		5,000 g/	luli
To prevent the bre	eeding of horn	flies in the manı	ire of treated	cattle only	A pesticidally	, active mineral	feed

for beef cattle containing methoprene\* insect growth regulator for continuous feeding during the fly season.

ACTIVE INGREDIENT:

 S-methoprene (CAS Number 65733-16-6)
 0.014%

 OTHER INGREDIENTS:
 99.986%

 Contains 63.5 mg of methoprene per lb.
 Total 100.000%

#### 

Chlortotrogyoling

#### INGREDIENTS

5 600 alton

Calcium Carbonate, Magnesium Carbonate, Salt, Monocalcium Phosphate, Processed Grain By-Products, Vegetable Oil, Molasses Products, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Selenium Yeast, Sodium Selenite, Magnesium Oxide, Copper Amino Acid Complex, Iron Oxide, Ethylenediamine Dihydroiodide, Vitamin A Supplement, Cobalt Carbonate, Lactic Acid, Vitamin E Supplement, Vitamin D3 Supplement, Artificial Flavor.

#### KEEP OUT OF REACH OF CHILDREN

#### CAUTION

#### **USE AND MIXING DIRECTIONS**

STORAGE AND DISPOSAL: Do not contaminate water or food by storage or disposal.

**STORAGE:** Store in dry area. Do not contaminate with pesticides or fertilizer.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### MIXING AND FEEDING DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product only prevents emergence of adult horn flies from the manure of treated cattle. Begin use in the spring before horn flies appear on cattle and continue feeding until cold weather restricts horn fly activity. Introduction of the product when significant numbers of adult flies are present may require the use of adulticide sprays or dusts.

Feed at the rate of 0.01785 pound per 100 pounds bodyweight to cattle weighing over 700 pounds to provide 0.5 mg chlortetracycline per pound of bodyweight per day and 34 mg of methoprene per 100 lb of bodyweight per month. For example, mix and feed at the rate of 0.25 lb per head per day to cattle weighing 1400 lb to provide 700 mg chlortetracycline per head per day and 34 mg of methoprene per 100 lb of bodyweight per month. This product is not designed for free choice feeding. Provide clean fresh water at all times.

**WARNING:** Zero-Day withdrawal period. A withdrawal period has not been established for this product in pre-ruminating calves. Do not use in calves to be processed for yeal.

**CAUTION:** Consumption of this product by sheep and goats may result in copper toxicity. Follow label directions. The addition to feed of higher levels of this premix containing selenium is not permitted

34023

ADM Animal Nutrition, a division of Archer Daniels Midland Company, Quincy, IL 62305-3115 Net Weight 50 lb (22.67 kg) Or As Invoiced