
Q4B Evaluation and Recommendation of Pharmacopoeial Texts for Use in the ICH Regions

Annex 2(R1) Test for Extractable Volume of Parenteral Preparations General Chapter Guidance for Industry

**U.S. Department of Health and Human Services
Food and Drug Administration
Center for Drug Evaluation and Research (CDER)
Center for Biologics Evaluation and Research (CBER)**

**September 2017
ICH**

Revision 1

Q4B Evaluation and Recommendation of Pharmacopoeial Texts for Use in the ICH Regions

Annex 2(R1) Test for Extractable Volume of Parenteral Preparations General Chapter Guidance for Industry

Additional copies are available from:

*Office of Communications, Division of Drug Information
Center for Drug Evaluation and Research
Food and Drug Administration
10001 New Hampshire Ave., Hillandale Bldg., 4th Floor
Silver Spring, MD 20993-0002
Phone: 855-543-3784 or 301-796-3400; Fax: 301-431-6353
Email: druginfo@fda.hhs.gov*

<https://www.fda.gov/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/default.htm>

or

*Office of Communication, Outreach and Development
Center for Biologics Evaluation and Research
Food and Drug Administration
10903 New Hampshire Ave., Bldg. 71, Room 3128
Silver Spring, MD 20993-0002
Phone: 800-835-4709 or 240-402-8010
Email: ocod@fda.hhs.gov*

<https://www.fda.gov/BiologicsBloodVaccines/GuidanceComplianceRegulatoryInformation/Guidances/default.htm>

**U.S. Department of Health and Human Services
Food and Drug Administration
Center for Drug Evaluation and Research (CDER)
Center for Biologics Evaluation and Research (CBER)**

**September 2017
ICH**

Revision 1

TABLE OF CONTENTS

I.	INTRODUCTION (1)	1
II.	Q4B OUTCOME (2)	2
A.	Analytical Procedures (2.1)	2
B.	Acceptance Criteria (2.2)	2
III.	TIMING OF ANNEX IMPLEMENTATION (3)	2
IV.	CONSIDERATIONS FOR IMPLEMENTATION (4)	2
A.	General Consideration (4.1)	2
B.	FDA Consideration (4.2)	2
C.	EU Consideration (4.3)	3
D.	MHLW Consideration (4.4)	3
E.	Canada Consideration (4.5)	3
V.	REFERENCES USED FOR THE Q4B EVALUATION (5)	3

Q4B Evaluation and Recommendation of Pharmacopoeial Texts for Use in the ICH Regions

Annex 2(R1) Test for Extractable Volume of Parenteral Preparations General Chapter Guidance for Industry¹

This guidance represents the current thinking of the Food and Drug Administration (FDA or Agency) on this topic. It does not establish any rights for any person and is not binding on FDA or the public. You can use an alternative approach if it satisfies the requirements of the applicable statutes and regulations. To discuss an alternative approach, contact the FDA office responsible for this guidance as listed on the title page.

I. INTRODUCTION (1)²

This annex is one in a series of guidance documents that describe the evaluations and recommendations by the Q4B Expert Working Group (EWG) of selected pharmacopoeial texts to facilitate their recognition by regulatory authorities for use as interchangeable in the ICH regions. Implementation of the Q4B annexes is intended to avoid redundant testing by industry. For general information on the Q4B process, the reader is referred to the core guidance *Q4B Evaluation and Recommendation of Pharmacopoeial Texts for Use in the ICH Regions*.³

¹ This guidance was developed within the Expert Working Group (Quality) of the International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use (ICH), formerly the International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use, and has been subject to consultation by the regulatory parties, in accordance with the ICH process. This document has been endorsed by the ICH Steering Committee at *Step 4* of the ICH process, September 2010. At *Step 4* of the process, the final draft is recommended for adoption to the regulatory agencies.

² Arabic numbers reflect the organizational breakdown of the document endorsed by the ICH Steering Committee at *Step 4* of the ICH process, September 2010.

³ We update guidance documents periodically. To make sure you have the most recent version of a guidance, check the FDA Drugs guidance page at <https://www.fda.gov/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/default.htm> or the FDA Biologics guidance page at <https://www.fda.gov/BiologicsBloodVaccines/GuidanceComplianceRegulatoryInformation/Guidances/default.htm>.

Contains Nonbinding Recommendations

This annex is the result of the Q4B process for the Test for Extractable Volume of Parenteral Preparations General Chapter. The proposed texts were submitted by the Pharmacopoeial Discussion Group (PDG). This revision, Q4B Annex 2(R1), adds the Health Canada interchangeability statement in section IV.E (4.5).

In general, FDA's guidance documents, do not establish legally enforceable responsibilities. Instead, guidances describe the Agency's current thinking on a topic and should be viewed only as recommendations, unless specific regulatory or statutory requirements are cited. The use of the word *should* in Agency guidances means that something is suggested or recommended, but not required.

II. Q4B OUTCOME (2)

A. Analytical Procedures (2.1)

The ICH Steering Committee, based on the evaluation by the Q4B Expert Working Group (EWG), recommends that the official pharmacopoeial texts, Ph. Eur. 2.9.17. Test for Extractable Volume of Parenteral Preparations, JP 6.05 Test for Extractable Volume of Parenteral Preparations, and the section in USP <1> *Injections* General Chapter entitled "Volume in Containers," can be used as interchangeable in the ICH regions.

B. Acceptance Criteria (2.2)

The acceptance criteria are the same in the three pharmacopoeias.

III. TIMING OF ANNEX IMPLEMENTATION (3)

When this annex has been implemented (incorporated into the regulatory process at ICH Step 5) in a region, it can be used in that region. Timing might differ for each region.

IV. CONSIDERATIONS FOR IMPLEMENTATION (4)

A. General Consideration (4.1)

When sponsors or manufacturers change their existing methods to the implemented Q4B-evaluated pharmacopoeial texts that are referenced in section II.A (2.1) of this annex, any change notification, variation, and/or prior approval procedures should be handled in accordance with established regional regulatory mechanisms pertaining to compendial changes.

B. FDA Consideration (4.2)

Contains Nonbinding Recommendations

Based on the recommendation above, and with reference to the conditions set forth in this annex, the pharmacopoeial texts referenced in section II.A (2.1) of this annex can be considered interchangeable. However, FDA might request that a company demonstrate that the chosen method is acceptable and suitable for a specific material or product, irrespective of the origin of the method.

C. EU Consideration (4.3)

For the European Union (EU), the monographs of the Ph. Eur. have mandatory applicability. Regulatory authorities can accept the reference in a marketing authorization application, renewal, or variation application citing the use of the corresponding text from another pharmacopoeia as referenced in section II.A (2.1), in accordance with the conditions set out in this annex, as fulfilling the requirements for compliance with the Ph. Eur. Chapter, Test for Extractable Volume of Parenteral Preparations: 2.9.17. on the basis of the declaration of interchangeability made above.

D. MHLW Consideration (4.4)

The pharmacopoeial texts referenced in section II.A (2.1) of this annex can be used as interchangeable in accordance with the conditions set out in this annex. Details of implementation requirements will be provided in the notification by MHLW when this annex is implemented.

E. Canada Consideration (4.5)

In Canada, any of the pharmacopoeial texts cited in section II.A (2.1) of this annex and used in accordance with the conditions set out in this annex can be considered interchangeable.

V. REFERENCES USED FOR THE Q4B EVALUATION (5)

A. (5.1) The PDG Stage 5B sign-off document: *Japanese Pharmacopoeial Forum*, Volume 13, Number 3 (August 2004).

B. (5.2) The pharmacopoeial references for Test for Extractable Volume of Parenteral Preparations for this annex are:

1. (5.2.1) *European Pharmacopoeia* (Ph. Eur.): Supplement 5.3 (official on January 2006), Test for Extractable Volume of Parenteral Preparations (reference 01/2006:20917).

2. (5.2.2) *Japanese Pharmacopoeia* (JP): 6.05 Test for Extractable Volume of Parenteral Preparations as it appears in the JP Fifteenth Edition (March 31, 2006, The Ministry of Health, Labour and Welfare Ministerial Notification No. 285).

Contains Nonbinding Recommendations

3. (5.2.3) *United States Pharmacopeia* (USP): official text published in the Revision Bulletin issued November 14, 2006, and as appeared in USP 30, 2nd Supplement, official December 1, 2007. The official text is incorporated in <1> Injections General Chapter as the section entitled “Volume in Containers.”