DEPARTMENT OF HEALTH AND HUMAN SERVICES FOOD AND DRUG ADMINISTRATION				
DISTRICT ADDRESS AND PHONE NUMBER	DATE(S) OF INSPECTION			
8050 Marshall Drive, Suite 205	6/26/2017-7/3/2017*			
Lenexa, KS 66214 (913)495-5100 Fax:(913)495-5115	FEI NUMBER 3008364285			
NAME AND TITLE OF INDIVIDUAL TO WHOM REPORT ISSUED				
Joseph M. Huber , Pharmacy Manager				
FIRM NAME	STREET ADDRESS			
Triad Isotopes Inc.	712 Westport Rd			
CITY, STATE, ZIP CODE, COUNTRY	TYPE ESTABLISHMENT INSPECTED			
Kansas City, MO 64111-3130	Producer of Sterile Durg Products			

This document lists observations made by the FDA representative(s) during the inspection of your facility. They are inspectional observations, and do not represent a final Agency determination regarding your compliance. If you have an objection regarding an observation, or have implemented, or plan to implement, corrective action in response to an observation, you may discuss the objection or action with the FDA representative(s) during the inspection or submit this information to FDA at the address above. If you have any questions, please contact FDA at the phone number and address above.

DURING AN INSPECTION OF YOUR FIRM I OBSERVED:

Your firm is producing sterile drugs under insanitary conditions.

- A. Your firm is not using a sporicidal agent in the ISO 5 areas used for sterile operations.
- B. Your firm is using non-sterile disinfectants in the ISO 5 areas used for sterile operations.
- C. Your firm does not perform any contact sampling on the permanent equipment in the ISO 5 LAF hood. Your firm has not tested the dose calibrator and periphery equipment to determine your sanitization is effective.
- D. Your firm does not measure the pressure differential between the ISO 5 hood used for sterile operations and the surrounding area.

*DATES OF INSPECTION

6/26/2017(Mon),6/27/2017(Tue),6/28/2017(Wed),7/03/2017(Mon)

SEE REVERSE OF THIS PAGE	AND RELIGIOUS CONTRACTOR OF THE CONTRACTOR C	vestigator	7/3/2017 X Michele L Obert M chale L Obert Investigation Signed by: Michele L Obert -5	DATE ISSUED 7/3/2017
FORM FDA 483 (09/08)	PREVIOUS EDITION OBSOLETE	INSPECTIONAL OBSERVATIO	NS	PAGE 1 OF 1 PAGES