

CVM ADE Comprehensive Clinical Detail Report Listing

Cumulative Date Range : 04-Sep-2013 -thru- 31-Jul-2018

Included 1932a cases = : True

Included Medicated Feed cases = : False

DRUG: AFOXOLANER

Species: Cat

Route of Administration: oral

Sign: VOMITING, Number of times reported: 4

Sign: HYPERACTIVITY, Number of times reported: 3

Sign: ITCHING, Number of times reported: 3

Sign: LETHARGY, Number of times reported: 3

Sign: PRURITUS, Number of times reported: 3

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 2

Sign: ANOREXIA, Number of times reported: 2

Sign: LABOURED BREATHING, Number of times reported: 2

Sign: NOT EATING, Number of times reported: 2

Sign: PANTING, Number of times reported: 2

Sign: SEIZURE NOS, Number of times reported: 2

Sign: ABNORMAL TEST RESULT, Number of times reported: 1

Sign: AGITATION, Number of times reported: 1

Sign: ALOPECIA, Number of times reported: 1

Sign: ANAEMIA NOS, Number of times reported: 1

Sign: ATAXIA, Number of times reported: 1

Sign: CERVICAL VENTROFLEXION, Number of times reported: 1

Sign: CONSTIPATION, Number of times reported: 1

Sign: DECREASED CHOLESTEROL (TOTAL), Number of times reported: 1

Sign: ELEVATED ALT, Number of times reported: 1

Sign: ELEVATED AST, Number of times reported: 1

Sign: ELEVATED BUN, Number of times reported: 1

Sign: ELEVATED CREATINE-KINASE (CK), Number of times reported: 1

Sign: ELEVATED CREATININE, Number of times reported: 1

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 1

Sign: EXCESSIVE LICKING AND/OR GROOMING, Number of times reported: 1

Sign: FEVER, Number of times reported: 1

Sign: FOAMING AT THE MOUTH, Number of times reported: 1

Sign: HAIR LOSS NOS, Number of times reported: 1

Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 1

Sign: HYPERALBUMINAEMIA, Number of times reported: 1

Sign: HYPERSALIVATION, Number of times reported: 1

Sign: HYPERTHERMIA, Number of times reported: 1

Sign: HYPOKALEMIC CONDITION, Number of times reported: 1

Sign: HYPOTHERMIA, Number of times reported: 1

Sign: SCALY CONDITION NOS, Number of times reported: 1

Sign: SHAKING, Number of times reported: 1

Sign: SKIN LESION NOS, Number of times reported: 1

Sign: SKIN SORE, Number of times reported: 1

Sign: TIREDNESS, Number of times reported: 1

Sign: TWITCHING, Number of times reported: 1

Sign: URINARY TRACT DISORDER NOS, Number of times reported: 1

Species: Cat

Route of Administration: unknown

Sign: HYPERACTIVITY, Number of times reported: 1

Sign: ITCHING, Number of times reported: 1

Sign: LETHARGY, Number of times reported: 1

Sign: VOCALISATION, Number of times reported: 1

Sign: VOMITING, Number of times reported: 1

Species: Dog

Route of Administration: MISSING

Sign: VOMITING, Number of times reported: 45

Sign: LETHARGY, Number of times reported: 21

Sign: DIARRHOEA, Number of times reported: 15

Sign: ITCHING, Number of times reported: 14

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 9

Sign: SEIZURE NOS, Number of times reported: 9

Sign: APPETITE LOSS, Number of times reported: 7

Sign: LACK OF EFFICACY, Number of times reported: 7

Sign: PRURITUS, Number of times reported: 7

Sign: PANTING, Number of times reported: 6

Sign: REDDENING OF THE SKIN, Number of times reported: 6

Sign: SKIN DISORDERS NOS, Number of times reported: 6

Sign: ABNORMAL TEST RESULT, Number of times reported: 5

Sign: NOT EATING, Number of times reported: 5

Sign: ATAXIA, Number of times reported: 4

Sign: DEATH BY EUTHANASIA, Number of times reported: 4

Sign: FLAKING SKIN, Number of times reported: 4

Sign: APATHY, Number of times reported: 3

Sign: DRY SKIN, Number of times reported: 3

Sign: GENERALISED ITCHING, Number of times reported: 3

Sign: HIVES, Number of times reported: 3

Sign: HYPERSALIVATION, Number of times reported: 3

Sign: POLYDIPSIA, Number of times reported: 3

Sign: SCRATCHING, Number of times reported: 3

Sign: SKIN SCAB, Number of times reported: 3

Sign: SYSTEMIC DISORDER NOS, Number of times reported: 3

Sign: TREMOR, Number of times reported: 3

Sign: COUGH, Number of times reported: 2

Sign: CRUST, Number of times reported: 2

Sign: DEATH, Number of times reported: 2

Sign: DISORIENTATION, Number of times reported: 2

Sign: ELEVATED ALT, Number of times reported: 2

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 2

Sign: HAIR LOSS NOS, Number of times reported: 2

Sign: INAPPETENCE, Number of times reported: 2

Sign: INEFFECTIVE, FLEAS, Number of times reported: 2

Sign: ITCHY SKIN, Number of times reported: 2

Sign: LACK OF EFFICACY (BACTERIA NOS), Number of times reported: 2

Sign: LACK OF EFFICACY (TICK), Number of times reported: 2

Sign: LIVER FAILURE, Number of times reported: 2

Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 2

Sign: NEUTROPHILIA, Number of times reported: 2

Sign: PAIN NOS, Number of times reported: 2

Sign: PINNAL REDDENING, Number of times reported: 2

Sign: RESTLESSNESS, Number of times reported: 2

Sign: RETCHING, Number of times reported: 2

Sign: SHAKING, Number of times reported: 2

Sign: SKIN LESION NOS, Number of times reported: 2

Sign: THROMBOCYTOPENIA, Number of times reported: 2

Sign: TIREDNESS, Number of times reported: 2

Sign: UNABLE TO STAND, Number of times reported: 2

Sign: ABDOMINAL CAVITY DISORDER NOS, Number of times reported: 1

Sign: ABNORMAL BREATHING, Number of times reported: 1

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 1

Sign: AGGRESSION, Number of times reported: 1

Sign: AGITATION, Number of times reported: 1

Sign: ANAEMIA NOS, Number of times reported: 1

Sign: ANGIOEDEMA, Number of times reported: 1

Sign: ANOREXIA, Number of times reported: 1

Sign: BALANCE PROBLEM, Number of times reported: 1

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 1

Sign: BLOATED, Number of times reported: 1

Sign: BREATHLESSNESS, Number of times reported: 1

Sign: BUMPING INTO WALLS, Number of times reported: 1

Sign: BUN LOW, BLD, Number of times reported: 1

Sign: CARDIAC FAILURE, Number of times reported: 1

Sign: CERVICAL VENTROFLEXION, Number of times reported: 1

Sign: CONFUSED, Number of times reported: 1

Sign: CRYING, Number of times reported: 1

Sign: DECREASED DRINKING, Number of times reported: 1

Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 1

Sign: DERMATITIS, Number of times reported: 1

Sign: DISTRESS, Number of times reported: 1

Sign: DROOLING, Number of times reported: 1

Sign: DULL, Number of times reported: 1

Sign: EAR INFECTION NOS, Number of times reported: 1

Sign: ELEVATED AMYLASE, Number of times reported: 1

Sign: ELEVATED LIPASE, Number of times reported: 1

Sign: EMESIS (MULTIPLE), Number of times reported: 1

Sign: EPISTAXIS, Number of times reported: 1

Sign: ERYTHEMA, Number of times reported: 1

Sign: ERYTHEMATOUS RASH, Number of times reported: 1

Sign: EXCESSIVE THIRST, Number of times reported: 1

Sign: FACIAL NERVE DISORDER, Number of times reported: 1

Sign: FACIAL RASH, Number of times reported: 1

Sign: FATIGUE, Number of times reported: 1

Sign: FEVER, Number of times reported: 1

Sign: FOAMING AT THE MOUTH, Number of times reported: 1

Sign: GASTROENTERITIS, Number of times reported: 1

Sign: GENERALISED SKIN REACTION, Number of times reported: 1

Sign: HAEMATOMA NOS, Number of times reported: 1

Sign: HAEMOLYSIS, Number of times reported: 1

Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 1

Sign: HYPERACTIVITY, Number of times reported: 1

Sign: HYPERCALCAEMIC CONDITION, Number of times reported: 1

Sign: HYPEREXTENSION, Number of times reported: 1

Sign: HYPERGLYCAEMIA, Number of times reported: 1

Sign: HYPERREFLEXIA, Number of times reported: 1

Sign: HYPERTENSION, Number of times reported: 1

Sign: HYPOCALCAEMIC CONDITION, Number of times reported: 1

Sign: HYPOGLYCAEMIA, Number of times reported: 1

Sign: HYPOKALEAEMIA, Number of times reported: 1

Sign: HYPOPROTEINAEMIA, Number of times reported: 1

Sign: INAPPROPRIATE URINATION, Number of times reported: 1

Sign: INCREASED SKIN SENSITIVITY, Number of times reported: 1

Sign: INEFFECTIVE, TICKS, Number of times reported: 1

Sign: INJECTION SITE LUMP, Number of times reported: 1

Sign: INJECTION SITE REDDENING, Number of times reported: 1

Sign: INVOLUNTARY MOVEMENT, Number of times reported: 1

Sign: JAW DISORDER, Number of times reported: 1

Sign: LAMENESS, Number of times reported: 1

Sign: LATERAL RECUMBENCY, Number of times reported: 1

Sign: LEUCOCYTOSIS, Number of times reported: 1

Sign: LIVER DISORDER NOS, Number of times reported: 1

Sign: LOCALISED PAIN NOS, Number of times reported: 1

Sign: LOCALISED RASH, Number of times reported: 1

Sign: LOOSE STOOL, Number of times reported: 1

Sign: LUMP, Number of times reported: 1

Sign: MENTAL IMPAIRMENT NOS, Number of times reported: 1

Sign: MISCELLANEOUS EATING DISORDER NOS, Number of times reported: 1

Sign: MOTOR DYSFUNCTION NOS, Number of times reported: 1

Sign: MUCOCUTANEOUS ULCER, Number of times reported: 1

Sign: MUCOSA PETECHIAE, Number of times reported: 1

Sign: MUSCLE WASTING, Number of times reported: 1

Sign: NAUSEA, Number of times reported: 1

Sign: NEUROLOGICAL PAIN NOS, Number of times reported: 1

Sign: NEUROLOGICAL SYMPTOMS NOS, Number of times reported: 1

Sign: NOT DRINKING, Number of times reported: 1

Sign: OESOPHAGEAL PARALYSIS, Number of times reported: 1

Sign: PANCREATITIS, Number of times reported: 1

Sign: PEELING SKIN, Number of times reported: 1

Sign: PICA NOS, Number of times reported: 1

Sign: PINNAE DISORDER, Number of times reported: 1

Sign: PINNAL OEDEMA, Number of times reported: 1

Sign: POLYCYTHEMIA, Number of times reported: 1

Sign: POLYURIA, Number of times reported: 1

Sign: PROSTRATION, Number of times reported: 1

Sign: PULMONARY DISORDER NOS, Number of times reported: 1

Sign: PUSTULES, Number of times reported: 1

Sign: PYREXIA, Number of times reported: 1

Sign: RASH, Number of times reported: 1

Sign: RECUMBENCY, Number of times reported: 1

Sign: REDUCED REFLEXES, Number of times reported: 1

Sign: RETICULOCYTOSIS, Number of times reported: 1

Sign: SELF MUTILATION, Number of times reported: 1

Sign: SELF TRAUMA, Number of times reported: 1

Sign: SEPTICAEMIA, Number of times reported: 1

Sign: SKIN PETECHIAE, Number of times reported: 1

Sign: SKIN ULCER, Number of times reported: 1

Sign: SKIN WARMTH, Number of times reported: 1

Sign: SWELLING NOS, Number of times reported: 1

Sign: SWOLLEN EYE, Number of times reported: 1

Sign: TACHYCARDIA, Number of times reported: 1

Sign: TREMBLING, Number of times reported: 1

Sign: URINARY INCONTINENCE, Number of times reported: 1

Sign: URINARY TRACT INFECTION, Number of times reported: 1

Sign: VESTIBULAR DISORDER NOS, Number of times reported: 1

Sign: WALKING DIFFICULTY, Number of times reported: 1

Sign: WEAKNESS, Number of times reported: 1

Sign: WEIGHT LOSS, Number of times reported: 1

Species: Dog

Route of Administration: oral

Sign: VOMITING, Number of times reported: 7,111

Sign: LETHARGY, Number of times reported: 3,204

Sign: SKIN DISORDERS NOS, Number of times reported: 3,045

Sign: DIARRHOEA, Number of times reported: 2,758

Sign: LACK OF EFFICACY, Number of times reported: 1,751

Sign: PRURITUS, Number of times reported: 1,749

Sign: SEIZURE NOS, Number of times reported: 1,315

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 1,291

Sign: ITCHING, Number of times reported: 1,072

Sign: ANOREXIA, Number of times reported: 1,056

Sign: SCRATCHING, Number of times reported: 748

Sign: PANTING, Number of times reported: 725

Sign: NOT EATING, Number of times reported: 677

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 621

Sign: ABNORMAL TEST RESULT, Number of times reported: 558

Sign: INEFFECTIVE, FLEAS, Number of times reported: 539

Sign: ERYTHEMA, Number of times reported: 533

Sign: LACK OF EFFICACY (FLEA), Number of times reported: 496

Sign: SHAKING, Number of times reported: 446

Sign: EMESIS, Number of times reported: 439

Sign: APPETITE LOSS, Number of times reported: 411

Sign: BLOODY DIARRHOEA, Number of times reported: 356

Sign: INAPPETENCE, Number of times reported: 352

Sign: RESTLESSNESS, Number of times reported: 340

Sign: HIVES, Number of times reported: 323

Sign: LACK OF EFFICACY (TICK), Number of times reported: 322

Sign: DEATH, Number of times reported: 319

Sign: INEFFECTIVE, TICKS, Number of times reported: 319

Sign: LOOSE STOOL, Number of times reported: 319

Sign: ATAXIA, Number of times reported: 311

Sign: SYSTEMIC DISORDER NOS, Number of times reported: 300

Sign: DECREASED APPETITE, Number of times reported: 284

Sign: FEVER, Number of times reported: 282

Sign: ELEVATED ALT, Number of times reported: 274

Sign: DRY SKIN, Number of times reported: 273

Sign: FLAKING SKIN, Number of times reported: 269

Sign: GENERALISED ITCHING, Number of times reported: 269

Sign: REDDENING OF THE SKIN, Number of times reported: 248

Sign: SELF TRAUMA, Number of times reported: 243

Sign: VOCALISATION, Number of times reported: 241

Sign: ELEVATED SAP, Number of times reported: 238

Sign: ANXIETY, Number of times reported: 234

Sign: HYPERSALIVATION, Number of times reported: 219

Sign: DEATH BY EUTHANASIA, Number of times reported: 217

Sign: AGITATION, Number of times reported: 202

Sign: WEIGHT LOSS, Number of times reported: 198

Sign: SKIN LESION NOS, Number of times reported: 196

Sign: TREMOR, Number of times reported: 181

Sign: POLYDIPSIA, Number of times reported: 176

Sign: HYPERACTIVITY, Number of times reported: 175

Sign: RASH, Number of times reported: 175

Sign: LEUCOCYTOSIS, Number of times reported: 174

Sign: HAIR LOSS NOS, Number of times reported: 164

Sign: INAPPROPRIATE URINATION, Number of times reported: 164

Sign: TWITCHING, Number of times reported: 158

Sign: ADIPSIA, Number of times reported: 152

Sign: APATHY, Number of times reported: 152

Sign: DROOLING, Number of times reported: 152

Sign: PACING, Number of times reported: 151

Sign: TREMBLING, Number of times reported: 145

Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 140

Sign: PAIN NOS, Number of times reported: 135

Sign: DISORIENTATION, Number of times reported: 133

Sign: ELEVATED BUN, Number of times reported: 131

Sign: FACIAL SWELLING, Number of times reported: 128

Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 128

Sign: NEUTROPHILIA, Number of times reported: 126

Sign: ALLERGIC REACTION, Number of times reported: 125

Sign: LICKING, Number of times reported: 125

Sign: DIGESTIVE TRACT DISORDER NOS, Number of times reported: 124

Sign: NOT DRINKING, Number of times reported: 122

Sign: COUGH, Number of times reported: 118

Sign: THROMBOCYTOPENIA, Number of times reported: 117

Sign: DEHYDRATION, Number of times reported: 115

Sign: GENERAL ILLNESS, Number of times reported: 115

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 111

Sign: DEPRESSION, Number of times reported: 109

Sign: WALKING DIFFICULTY, Number of times reported: 109

Sign: PICA NOS, Number of times reported: 108

Sign: FALLING, Number of times reported: 103

Sign: ITCHY SKIN, Number of times reported: 101

Sign: ELEVATED TEMPERATURE, Number of times reported: 98

Sign: LACK OF EFFICACY (BACTERIA NOS), Number of times reported: 98

Sign: LATERAL RECUMBENCY, Number of times reported: 98

Sign: NAUSEA, Number of times reported: 96

Sign: POLYURIA, Number of times reported: 95

Sign: STIFFNESS NOS, Number of times reported: 93

Sign: ELEVATED LIVER ENZYMES, Number of times reported: 91

Sign: HYPERGLYCAEMIA, Number of times reported: 89

Sign: INAPPROPRIATE DEFECATION, Number of times reported: 89

Sign: TACHYCARDIA, Number of times reported: 88

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 87

Sign: ABDOMINAL PAIN, Number of times reported: 86

Sign: UNABLE TO STAND, Number of times reported: 86

Sign: URINARY INCONTINENCE, Number of times reported: 86

Sign: AGGRESSION, Number of times reported: 85

Sign: ELEVATED CREATININE, Number of times reported: 85

Sign: BLOOD IN FAECES, Number of times reported: 84

Sign: DYSPNOEA, Number of times reported: 84

Sign: HYPERPHOSPHATAEMIA, Number of times reported: 84

Sign: PALE MUCOUS MEMBRANE, Number of times reported: 84

Sign: SKIN SCAB, Number of times reported: 83

Sign: ANAEMIA NOS, Number of times reported: 82

Sign: FOAMING AT THE MOUTH, Number of times reported: 81

Sign: ALOPECIA, Number of times reported: 80

Sign: EMESIS (MULTIPLE), Number of times reported: 80

Sign: GAGGING, Number of times reported: 80

Sign: MALAISE, Number of times reported: 79

Sign: PAPULE, Number of times reported: 78

Sign: WEAKNESS, Number of times reported: 77

Sign: RECUMBENCY, Number of times reported: 76

Sign: SKIN INFLAMMATION NOS, Number of times reported: 74

Sign: HYPOALBUMINAEMIA, Number of times reported: 73

Sign: PANCREATITIS, Number of times reported: 73

Sign: HIDING, Number of times reported: 71

Sign: RELUCTANT TO MOVE, Number of times reported: 71

Sign: RETCHING, Number of times reported: 71

Sign: DERMATITIS, Number of times reported: 70

Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 67

Sign: ELEVATED LIPASE, Number of times reported: 66

Sign: SKIN SORE, Number of times reported: 66

Sign: TACHYPNOEA, Number of times reported: 66

Sign: HYPERTHERMIA, Number of times reported: 65

Sign: BLOOD IN VOMIT, Number of times reported: 64

Sign: LOCALISED HAIR LOSS, Number of times reported: 64

Sign: ALOPECIA NOS, Number of times reported: 63

Sign: HAIR SHEDDING, Number of times reported: 63

Sign: MONOCYTOSIS, Number of times reported: 63

Sign: DRINKING A LOT, Number of times reported: 61

Sign: SKIN IRRITATION, Number of times reported: 61

Sign: CRYING, Number of times reported: 60

Sign: HIND LIMB ATAXIA, Number of times reported: 60

Sign: ALOPECIA LOCAL, Number of times reported: 59

Sign: FACIAL OEDEMA, Number of times reported: 59

Sign: PINNAL ERYTHEMA, Number of times reported: 59

Sign: URTICARIA, Number of times reported: 57

Sign: HAEMATURIA, Number of times reported: 56

Sign: OVERDOSE, Number of times reported: 56

Sign: HEAD TREMOR, Number of times reported: 55

Sign: LABOURED BREATHING, Number of times reported: 55

Sign: OCULAR DISCHARGE, Number of times reported: 55

Sign: PADDLING, Number of times reported: 55

Sign: PYODERMA, Number of times reported: 55

Sign: LAMENESS, Number of times reported: 54

Sign: HYPOPROTEINAEMIA, Number of times reported: 53

Sign: MALODOUR, Number of times reported: 53

Sign: PINNAL REDDENING, Number of times reported: 53

Sign: UNRESPONSIVE TO STIMULI, Number of times reported: 53

Sign: GLAZED EYE, Number of times reported: 52

Sign: LYMPHOPENIA, Number of times reported: 52

Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 52

Sign: LIMB WEAKNESS, Number of times reported: 51

Sign: ABNORMAL STOOL COLOURATION, Number of times reported: 50

Sign: COLLAPSE, Number of times reported: 50

Sign: COLLAPSE NOS, Number of times reported: 50

Sign: ELEVATED AMYLASE, Number of times reported: 50

Sign: FLATULENCE, Number of times reported: 50

Sign: CRUST, Number of times reported: 49

Sign: STAGGERING, Number of times reported: 49

Sign: URINATION, Number of times reported: 49

Sign: CIRCLING, Number of times reported: 48

Sign: ELEVATED GAMMA-GLUTAMYL TRANSFERASE (GGT), Number of times reported: 48

Sign: EYE DISORDER NOS, Number of times reported: 48

Sign: UNSTEADY GAIT, Number of times reported: 48

Sign: PUSTULES, Number of times reported: 47

Sign: SHIVERING, Number of times reported: 47

Sign: ELEVATED AST, Number of times reported: 46

Sign: HYPOGLYCAEMIA, Number of times reported: 46

Sign: LIMPING, Number of times reported: 45

Sign: PINNAL OEDEMA, Number of times reported: 45

Sign: PROTEINURIA, Number of times reported: 45

Sign: HAEMATEMESIS, Number of times reported: 44

Sign: LEUCOPENIA, Number of times reported: 41

Sign: LOCALISED ITCHING, Number of times reported: 41

Sign: LOCALISED RASH, Number of times reported: 41

Sign: HEAD SHAKE - EAR DISORDER, Number of times reported: 39

Sign: LISTLESS, Number of times reported: 39

Sign: MYDRIASIS, Number of times reported: 39

Sign: PYREXIA, Number of times reported: 39

Sign: SLEEPINESS, Number of times reported: 39

Sign: TIREDNESS, Number of times reported: 39

Sign: DECREASED URINE CONCENTRATION, Number of times reported: 37

Sign: LIVER DISORDER NOS, Number of times reported: 37

Sign: LYMPHOCYTOSIS, Number of times reported: 37

Sign: OTITIS EXTERNA, Number of times reported: 37

Sign: CONSTIPATION, Number of times reported: 36

Sign: NYSTAGMUS, Number of times reported: 36

Sign: STUMBLING GAIT, Number of times reported: 36

Sign: ABNORMAL BREATHING, Number of times reported: 35

Sign: ABNORMAL NECROPSY FINDING, Number of times reported: 35

Sign: HAEMORRHAGIC DIARRHOEA, Number of times reported: 35

Sign: HYPERAESTHESIA, Number of times reported: 35

Sign: HYPERPIGMENTATION, Number of times reported: 35

Sign: LACK OF EFFICACY (ECTOPARASITE NOS), Number of times reported: 35

Sign: STIFFNESS LIMB, Number of times reported: 35

Sign: UNCOMFORTABLE, Number of times reported: 35

Sign: BACTERIAL SKIN INFECTION NOS, Number of times reported: 34

Sign: BREATHING DIFFICULTY, Number of times reported: 34

Sign: HYPOKALEMIC CONDITION, Number of times reported: 34

Sign: HYPOTHERMIA, Number of times reported: 34

Sign: LUMP, Number of times reported: 34

Sign: PROSTRATION, Number of times reported: 34

Sign: RED EYE, Number of times reported: 34

Sign: REDUCED RESPONSES, Number of times reported: 34

Sign: SKIN WARMTH, Number of times reported: 34

Sign: STOMACH UPSET, Number of times reported: 34

Sign: UNABLE TO RISE, Number of times reported: 34

Sign: HAEMATOCHYZIA, Number of times reported: 33

Sign: HIND LIMB PARESIS, Number of times reported: 33

Sign: NOT SLEEPING, Number of times reported: 33

Sign: SKIN DRYNESS, Number of times reported: 33

Sign: INVOLUNTARY DEFECATION, Number of times reported: 32

Sign: SWOLLEN EYE, Number of times reported: 32

Sign: TARRY OR BLACK STOOL, Number of times reported: 32

Sign: URINARY TRACT INFECTION, Number of times reported: 32

Sign: HEAD BOBBING, Number of times reported: 31

Sign: RENAL DISORDER NOS, Number of times reported: 31

Sign: RENAL FAILURE, Number of times reported: 31

Sign: STAR-GAZING, Number of times reported: 31

Sign: URINE ABNORMALITIES NOS, Number of times reported: 31

Sign: HAIR CHANGE, Number of times reported: 30

Sign: MUSCULOSKELETAL PAIN, Number of times reported: 30

Sign: UNDERDOSE, Number of times reported: 30

Sign: GENERAL HAIR LOSS, Number of times reported: 29

Sign: HEAD SHAKE - BEHAVIOURAL DISORDER, Number of times reported: 29

Sign: HYPONATREMIA, Number of times reported: 29

Sign: LOW PLATELET COUNT, Number of times reported: 29

Sign: MUCOUS STOOL, Number of times reported: 29

Sign: BALANCE IMPAIRED, Number of times reported: 28

Sign: BLINDNESS, Number of times reported: 28

Sign: HEAD SHAKE, Number of times reported: 28

Sign: PR-LIVER, LESION(S), Number of times reported: 28

Sign: TENSE ABDOMEN, Number of times reported: 28

Sign: ALLERGIC PRURITUS, Number of times reported: 27

Sign: DRY MUCOUS MEMBRANE, Number of times reported: 27

Sign: ERYTHEMATOUS RASH, Number of times reported: 27

Sign: EYES ROLLING BACK, Number of times reported: 27

Sign: LOCAL SWELLING (NOT APPLICATION SITE), Number of times reported: 27

Sign: LOCALISED PAIN NOS, Number of times reported: 27

Sign: PERIORBITAL OEDEMA, Number of times reported: 27

Sign: BALANCE PROBLEM, Number of times reported: 26

Sign: CONVULSION, Number of times reported: 26

Sign: DISTRESS, Number of times reported: 26

Sign: GASTROENTERITIS, Number of times reported: 26

Sign: HYPEREXCITATION, Number of times reported: 26

Sign: HYPERPROTEINAEMIA, Number of times reported: 26

Sign: INCREASED BORBORYGMUS, Number of times reported: 26

Sign: MELAENA, Number of times reported: 26

Sign: MUSCLE TREMOR, Number of times reported: 26

Sign: ARCHED BACK, Number of times reported: 25

Sign: CHEWING, Number of times reported: 25

Sign: DISTENSION OF ABDOMEN, Number of times reported: 25

Sign: HEPATOMEGALY, Number of times reported: 25

Sign: HYPOCALCAEMIC CONDITION, Number of times reported: 25

Sign: ICTERUS, Number of times reported: 25

Sign: JAUNDICE, Number of times reported: 25

Sign: DECREASED ACTIVITY, Number of times reported: 24

Sign: DISCOLOURED URINE, Number of times reported: 24

Sign: DISORIENTED STATE, Number of times reported: 24

Sign: HEART MURMUR, Number of times reported: 24

Sign: INCREASED RESPIRATORY RATE, Number of times reported: 24

Sign: MUSCLE SPASM NOS, Number of times reported: 24

Sign: SWELLING AROUND EYE, Number of times reported: 24

Sign: WHEEZING, Number of times reported: 24

Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 23

Sign: DISCOMFORT NOS, Number of times reported: 23

Sign: HEAD TILT, Number of times reported: 23

Sign: HYPOTHYROIDISM, Number of times reported: 23

Sign: PARTIAL LACK OF EFFICACY, Number of times reported: 23

Sign: SWELLING NOS, Number of times reported: 23

Sign: WELT, Number of times reported: 23

Sign: BRADYCARDIA, Number of times reported: 22

Sign: EXCORIATION, Number of times reported: 22

Sign: GAIT ABNORMALITY, Number of times reported: 22

Sign: HYPERKALEMIC CONDITION, Number of times reported: 22

Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 22

Sign: LYMPHADENOPATHY, Number of times reported: 22

Sign: ANAPHYLACTIC-TYPE REACTION, Number of times reported: 21

Sign: CONFUSION, Number of times reported: 21

Sign: EPILEPTIC SEIZURE, Number of times reported: 21

Sign: HEAD TILT - EAR DISORDER, Number of times reported: 21

Sign: IMPAIRED VISION, Number of times reported: 21

Sign: LIP LICKING, Number of times reported: 21

Sign: SELF MUTILATION, Number of times reported: 21

Sign: THROMBOCYTOSIS, Number of times reported: 21

Sign: BILIRUBINURIA, Number of times reported: 20

Sign: CARDIAC DISORDER NOS, Number of times reported: 20

Sign: CONFUSED, Number of times reported: 20

Sign: DECREASED BOWEL MOVEMENTS, Number of times reported: 20

Sign: DILATED PUPILS, Number of times reported: 20

Sign: HAIR MODIFICATION NOS, Number of times reported: 20

Sign: INCOORDINATION, Number of times reported: 20

Sign: NEUTROPENIA, Number of times reported: 20

Sign: SLEEP DISTURBANCE NOS, Number of times reported: 20

Sign: SWOLLEN LIP, Number of times reported: 20

Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 19

Sign: BITING, Number of times reported: 19

Sign: CONJUNCTIVITIS, Number of times reported: 19

Sign: DRUNKEN GAIT, Number of times reported: 19

Sign: EAR INFECTION NOS, Number of times reported: 19

Sign: ELEVATED CREATININE-KINASE (CK), Number of times reported: 19

Sign: EOSINOPHILIA, Number of times reported: 19

Sign: EPISTAXIS, Number of times reported: 19

Sign: GASTRITIS, Number of times reported: 19

Sign: HIND LIMB PARALYSIS, Number of times reported: 19

Sign: NASAL DISCHARGE, Number of times reported: 19

Sign: PR-KIDNEY(S), LESION(S), Number of times reported: 19

Sign: REGURGITATION, Number of times reported: 19

Sign: SLEEPINESS - NEUROLOGICAL DISORDER, Number of times reported: 19

Sign: SNEEZING, Number of times reported: 19

Sign: UNCONSCIOUS, Number of times reported: 19

Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 18

Sign: ELEVATED CHOLESTEROL (TOTAL), Number of times reported: 18

Sign: EXCESSIVE THIRST, Number of times reported: 18

Sign: FREQUENT URINATION, Number of times reported: 18

Sign: FUNGAL SKIN INFECTION NOS, Number of times reported: 18

Sign: HAEMOCOCONCENTRATION, Number of times reported: 18

Sign: MYOCLONIC JERK, Number of times reported: 18

Sign: PINNAE DISORDER, Number of times reported: 18

Sign: RIGIDITY, Number of times reported: 18

Sign: ALLERGIC DERMATITIS, Number of times reported: 17

Sign: ANAL SAC DISORDER, Number of times reported: 17

Sign: CHLORIDE LOW, BLOOD, Number of times reported: 17

Sign: EXCESSIVE LICKING AND/OR GROOMING, Number of times reported: 17

Sign: EYE REDNESS, Number of times reported: 17

Sign: HAIR COAT DISCOLOURATION, Number of times reported: 17

Sign: HYPOKALEAEMIA, Number of times reported: 17

Sign: HYPOPHOSPATAEMIA, Number of times reported: 17

Sign: INEFFECTIVE, HOOKS, Number of times reported: 17

Sign: ITCHY RASH, Number of times reported: 17

Sign: PULMONARY OEDEMA, Number of times reported: 17

Sign: BARKING, Number of times reported: 16

Sign: BLISTERING, Number of times reported: 16

Sign: BLOOD IN URINE, Number of times reported: 16

Sign: DECREASED DRINKING, Number of times reported: 16

Sign: DROOPING EYELID, Number of times reported: 16

Sign: FEBRILE, Number of times reported: 16

Sign: GENERALISED RASH, Number of times reported: 16

Sign: MOIST DERMATITIS, Number of times reported: 16

Sign: RECTAL BLEEDING, Number of times reported: 16

Sign: ROLLING, Number of times reported: 16

Sign: RUBBING, Number of times reported: 16

Sign: ABDOMINAL DISCOMFORT, Number of times reported: 15

Sign: ALKALINE URINE, Number of times reported: 15

Sign: ALLERGIC SKIN REACTION, Number of times reported: 15

Sign: ANGIOEDEMA, Number of times reported: 15

Sign: BRUISING, Number of times reported: 15

Sign: CYANOSIS, Number of times reported: 15

Sign: FASCICULATION, Number of times reported: 15

Sign: FLY BITING BEHAVIOUR, Number of times reported: 15

Sign: HAEMORRHAGE NOS, Number of times reported: 15

Sign: HYPERALBUMINAEMIA, Number of times reported: 15

Sign: INCREASED SKIN SENSITIVITY, Number of times reported: 15

Sign: IRRITABILITY, Number of times reported: 15

Sign: LIVER FAILURE, Number of times reported: 15

Sign: NEOPLASIA NOS, Number of times reported: 15

Sign: NEUROLOGICAL SYMPTOMS NOS, Number of times reported: 15

Sign: OTITIS NOS, Number of times reported: 15

Sign: PAPULAR RASH, Number of times reported: 15

Sign: SCALE, Number of times reported: 15

Sign: WEAKNESS OF LIMB, Number of times reported: 15

Sign: BUMPING INTO WALLS, Number of times reported: 14

Sign: ELEVATED BILE ACIDS, Number of times reported: 14

Sign: ELEVATED CREATINE-KINASE (CK), Number of times reported: 14

Sign: ENTERITIS, Number of times reported: 14

Sign: INCREASED SALIVATION, Number of times reported: 14

Sign: JOINT PAIN, Number of times reported: 14

Sign: MUSCLE WEAKNESS NOS, Number of times reported: 14

Sign: ORAL CAVITY DISORDER NOS, Number of times reported: 14

Sign: PNEUMONIA, Number of times reported: 14

Sign: RETICULOCYTOSIS, Number of times reported: 14

Sign: SPLEEN AND RETICULO-ENDOTHELIAL SYSTEM DISORDER NOS, Number of times reported: 14

Sign: SWOLLEN LYMPH NODE, Number of times reported: 14

Sign: TENESMUS, Number of times reported: 14

Sign: ABNORMAL MENACE REFLEX TEST, Number of times reported: 13

Sign: ABNORMAL POSTURE NOS, Number of times reported: 13

Sign: BLOATED, Number of times reported: 13

Sign: CARDIAC ARREST, Number of times reported: 13

Sign: CARDIAC ENLARGEMENT, Number of times reported: 13

Sign: EAR IRRITATION, Number of times reported: 13

Sign: GALL BLADDER & BILE DUCT DISORDER NOS, Number of times reported: 13

Sign: HEAD DOWN, Number of times reported: 13

Sign: HYPERGLOBULINEMIA, Number of times reported: 13

Sign: INJECTION SITE LUMP, Number of times reported: 13

Sign: INJECTION SITE PAIN, Number of times reported: 13

Sign: LOSS OF BOWEL CONTROL, Number of times reported: 13

Sign: OEDEMA OF THE EXTREMITIES, Number of times reported: 13

Sign: ORAL BLEEDING, Number of times reported: 13

Sign: OTHER EAR DISORDER NOS, Number of times reported: 13

Sign: PODODERMATITIS, Number of times reported: 13

Sign: POLYPNOEA, Number of times reported: 13

Sign: PR-HEART, LESION(S), Number of times reported: 13

Sign: PR-LUNG(S), LESION(S), Number of times reported: 13

Sign: SCOOTING, Number of times reported: 13

Sign: SPLENOMEGALY, Number of times reported: 13

Sign: WEIGHT GAIN, Number of times reported: 13

Sign: APPETITE DISORDER NOS, Number of times reported: 12

Sign: BREATHLESSNESS, Number of times reported: 12

Sign: DECREASED CHOLESTEROL (TOTAL), Number of times reported: 12

Sign: EAR DISCHARGE, Number of times reported: 12

Sign: EXERCISE INTOLERANCE, Number of times reported: 12

Sign: GUT SOUNDS INCREASED, Number of times reported: 12

Sign: HAEMORRHAGIC GASTROENTERITIS, Number of times reported: 12

Sign: HALLUCINATION, Number of times reported: 12

Sign: HEPATITIS, Number of times reported: 12

Sign: HYPERCALCAEMIA, Number of times reported: 12

Sign: IMMUNE MEDIATED THROMBOCYTOPENIA, Number of times reported: 12

Sign: INCREASED HEART RATE, Number of times reported: 12

Sign: LACK OF EFFICACY (ENDOPARASITES), Number of times reported: 12

Sign: MENTAL IMPAIRMENT NOS, Number of times reported: 12

Sign: PETECHIAE NOS, Number of times reported: 12

Sign: PR-SKIN, LESION(S), Number of times reported: 12

Sign: PULMONARY CONGESTION, Number of times reported: 12

Sign: SKIN ULCER, Number of times reported: 12

Sign: SOMNOLENCE, Number of times reported: 12

Sign: SPLENIC NEOPLASM, Number of times reported: 12

Sign: SWOLLEN FACE, Number of times reported: 12

Sign: TREMOR OF LIMB, Number of times reported: 12

Sign: CHATTERING OF TEETH, Number of times reported: 11

Sign: DULLNESS, Number of times reported: 11

Sign: ECZEMA, Number of times reported: 11

Sign: ELEVATED RENAL PARAMETERS, Number of times reported: 11

Sign: EPIDERMAL COLLARETTE, Number of times reported: 11

Sign: FATIGUE, Number of times reported: 11

Sign: FLUID IN ABDOMEN NOS, Number of times reported: 11

Sign: HYPERSENSITIVITY NOS, Number of times reported: 11

Sign: HYPOTENSION, Number of times reported: 11

Sign: INCREASED SENSITIVITY TO SOUND, Number of times reported: 11

Sign: INTESTINAL DISORDER NOS, Number of times reported: 11

Sign: LIP SMACKING, Number of times reported: 11

Sign: OFF COLOUR, Number of times reported: 11

Sign: PARALYSIS NOS, Number of times reported: 11

Sign: PEELING SKIN, Number of times reported: 11

Sign: PR-SPLEEN, LESION(S), Number of times reported: 11

Sign: PULMONARY DISORDER NOS, Number of times reported: 11

Sign: SKIN HYPERAEMIA, Number of times reported: 11

Sign: SKIN SWELLING, Number of times reported: 11

Sign: TITER DATA ABNORMAL, Number of times reported: 11

Sign: TONGUE PROTRUSION, Number of times reported: 11

Sign: URINARY TRACT DISORDER NOS, Number of times reported: 11

Sign: ABNORMAL MOVEMENT NOS, Number of times reported: 10

Sign: ABNORMAL RED BLOOD CELL, Number of times reported: 10

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 10

Sign: ADDISON'S DISEASE, Number of times reported: 10

Sign: ANAPHYLAXIS, Number of times reported: 10

Sign: ANISOCORIA, Number of times reported: 10

Sign: COLITIS, Number of times reported: 10

Sign: COLLAPSE OF LEG, Number of times reported: 10

Sign: CRYSTALLURIA, Number of times reported: 10

Sign: DRUG DOSE ADMINISTRATION INTERVAL TOO SHORT, Number of times reported: 10

Sign: DULL, Number of times reported: 10

Sign: ENLARGED LYMPH NODE(S), Number of times reported: 10

Sign: EXCITATION, Number of times reported: 10

Sign: FACE AND NECK SWELLING, Number of times reported: 10

Sign: FAECAL INCONTINENCE, Number of times reported: 10

Sign: HORIZONTAL NYSTAGMUS, Number of times reported: 10

Sign: IMPAIRED CONSCIOUSNESS, Number of times reported: 10

Sign: INJECTION SITE SWELLING, Number of times reported: 10

Sign: LIP OEDEMA, Number of times reported: 10

Sign: MISCELLANEOUS EATING DISORDER NOS, Number of times reported: 10

Sign: OPISTHOTONUS, Number of times reported: 10

Sign: PROPRIOCEPTION ABNORMALITY, Number of times reported: 10

Sign: PROPRIOCEPTION LOSS, Number of times reported: 10

Sign: RESPIRATORY DISTRESS, Number of times reported: 10

Sign: SEBORRHOEA, Number of times reported: 10

Sign: SICKNESS, Number of times reported: 10

Sign: URTICARIAL ERYTHEMA, Number of times reported: 10

Sign: VESTIBULAR DISORDER NOS, Number of times reported: 10

Sign: ABDOMINAL CAVITY DISORDER NOS, Number of times reported: 9

Sign: ALOPECIA GENERAL, Number of times reported: 9

Sign: ANAL IRRITATION, Number of times reported: 9

Sign: ARRHYTHMIA, Number of times reported: 9

Sign: BANDS(NEUTROPHILS) HIGH, BLOOD, Number of times reported: 9

Sign: BLOATED STOMACH, Number of times reported: 9

Sign: HEMATOCRIT(HCT) HIGH, BLOOD, Number of times reported: 9

Sign: HYPERTENSION, Number of times reported: 9

Sign: HYPERVENTILATION, Number of times reported: 9

Sign: IRREGULAR BREATHING, Number of times reported: 9

Sign: LACK OF RESPONSE TO OWNER, Number of times reported: 9

Sign: LOSS OF CONSCIOUSNESS, Number of times reported: 9

Sign: LOSS OF VOLUNTARY MOVEMENT, Number of times reported: 9

Sign: MENTAL CONFUSION, Number of times reported: 9

Sign: PANCREAS DISORDER, Number of times reported: 9

Sign: PLEURAL EFFUSION, Number of times reported: 9

Sign: POLLAKIURIA, Number of times reported: 9

Sign: PR-INTEST, LESION(S), Number of times reported: 9

Sign: PURULENT LESION(S), Number of times reported: 9

Sign: SPASM, Number of times reported: 9

Sign: STRAINING TO DEFECATE, Number of times reported: 9

Sign: STROKE, Number of times reported: 9

Sign: SWALLOWING DIFFICULT, Number of times reported: 9

Sign: TONGUE DISORDER NOS, Number of times reported: 9

Sign: ULCERATIVE DERMATITIS, Number of times reported: 9

Sign: ABDOMINAL MASS, Number of times reported: 8

Sign: ABNORMAL URINE ODOUR, Number of times reported: 8

Sign: ADRENAL GLAND DISORDER NOS, Number of times reported: 8

Sign: ASCITES, Number of times reported: 8

Sign: AUTOIMMUNE DISORDER NOS, Number of times reported: 8

Sign: CLOUDY EYE, Number of times reported: 8

Sign: CONGESTED MUCOUS MEMBRANE, Number of times reported: 8

Sign: CORNEAL DISORDER NOS, Number of times reported: 8

Sign: CUTANEOUS OEDEMA, Number of times reported: 8

Sign: DEPIGMENTATION OF NASAL PLANE, Number of times reported: 8

Sign: DRUG DOSE OMISSION, Number of times reported: 8

Sign: DRY MOUTH, Number of times reported: 8

Sign: ENLARGED LIVER, Number of times reported: 8

Sign: ERUPTION, Number of times reported: 8

Sign: EYELID OEDEMA, Number of times reported: 8

Sign: FAINTING, Number of times reported: 8

Sign: FOAM IN THE MOUTH, Number of times reported: 8

Sign: FOLLICULITIS, Number of times reported: 8

Sign: GENERAL PAIN, Number of times reported: 8

Sign: HEPATIC DISORDER NOS, Number of times reported: 8

Sign: HYPERKERATOSIS, Number of times reported: 8

Sign: INCREASED URINE CONCENTRATION, Number of times reported: 8

Sign: JOINT SWELLING, Number of times reported: 8

Sign: LOCALISED OEDEMA (NOT APPLICATION SITE), Number of times reported: 8

Sign: LOCALISED SKIN REACTION, Number of times reported: 8

Sign: OTHER BLOOD DISORDER NOS, Number of times reported: 8

Sign: PASTY STOOL, Number of times reported: 8

Sign: PRURITIC RASH, Number of times reported: 8

Sign: REDUCED LEVEL OF CONSCIOUSNESS, Number of times reported: 8

Sign: REDUCED REFLEXES, Number of times reported: 8

Sign: REVERSE SNEEZING, Number of times reported: 8

Sign: SHOCK, Number of times reported: 8

Sign: SKIN AND TISSUE INFECTION NOS, Number of times reported: 8

Sign: SUDDEN DEATH, Number of times reported: 8

Sign: TONIC-CLONIC SEIZURE, Number of times reported: 8

Sign: URINARY BLADDER DISORDER NOS, Number of times reported: 8

Sign: UROLITHIASIS, Number of times reported: 8

Sign: ACUTE RENAL FAILURE, Number of times reported: 7

Sign: ALLERGY NOS, Number of times reported: 7

Sign: ANURIA, Number of times reported: 7

Sign: ARTHRITIS, Number of times reported: 7

Sign: BASOPHILIA, Number of times reported: 7

Sign: BLEPHARITIS, Number of times reported: 7

Sign: BLOOD LOSS NOS, Number of times reported: 7

Sign: BONE AND JOINT DISORDER NOS, Number of times reported: 7

Sign: COMA, Number of times reported: 7

Sign: CORNEAL ULCER, Number of times reported: 7

Sign: DRUG ADMINISTRATION ERROR, Number of times reported: 7

Sign: EOSINOPENIA, Number of times reported: 7

Sign: EPIPHORA, Number of times reported: 7

Sign: EXTERNAL EAR DISORDER NOS, Number of times reported: 7

Sign: FOOD REFUSAL, Number of times reported: 7

Sign: GLUCOSURIA, Number of times reported: 7

Sign: HYPERMETRIA, Number of times reported: 7

Sign: HYPERNATREMIA, Number of times reported: 7

Sign: IMPAIRED VOCALISATION, Number of times reported: 7

Sign: JAW DISORDER, Number of times reported: 7

Sign: JOINT PAIN NOS, Number of times reported: 7

Sign: LACK OF EFFICACY (ENDOPARASITE NOS), Number of times reported: 7

Sign: OEDEMA NOS, Number of times reported: 7

Sign: PIGMENTATION DISORDER, Number of times reported: 7

Sign: POLYARTHRITIS, Number of times reported: 7

Sign: POLYCYTHEMIA, Number of times reported: 7

Sign: PR-SMALL INTESTINE, LESION(S), Number of times reported: 7

Sign: PULMONARY HAEMORRHAGE, Number of times reported: 7

Sign: RED BLOOD CELL DISORDER, Number of times reported: 7

Sign: RESPIRATORY TRACT DISORDER NOS, Number of times reported: 7

Sign: SKIN SLOUGH, Number of times reported: 7

Sign: SODIUM:POTASSIUM LOW, BLOOD, Number of times reported: 7

Sign: STRIDOR (UPPER RESPIRATORY; FOR LOWER RESPIRATORY SEE ALSO BRONCHIAL RALE), Number of times reported: 7

Sign: SUNKEN EYES, Number of times reported: 7

Sign: TENSE MUSCLES, Number of times reported: 7

Sign: UNUSUAL STOOL COLOUR, Number of times reported: 7

Sign: BLOOD AND LYMPHATIC SYSTEM DISORDER NOS, Number of times reported: 6

Sign: BUN LOW, BLD, Number of times reported: 6

Sign: CARDIOMYOPATHY, Number of times reported: 6

Sign: CENTRAL NERVOUS SYSTEM DISORDER NOS, Number of times reported: 6

Sign: CHEWING - PRURITUS, Number of times reported: 6

Sign: CONGESTION OF MUCOUS MEMBRANE, Number of times reported: 6

Sign: CULTURE/TITER DATA ABNORMAL, Number of times reported: 6

Sign: DEAFNESS, Number of times reported: 6

Sign: DECREASED BODY TEMPERATURE, Number of times reported: 6

Sign: DIABETES MELLITUS, Number of times reported: 6

Sign: DRY NOSE, Number of times reported: 6

Sign: EAR FLAP OEDEMA, Number of times reported: 6

Sign: EAR PAIN, Number of times reported: 6

Sign: ECCHYMOSIS, Number of times reported: 6

Sign: ELEVATED GLOBULINS, Number of times reported: 6

Sign: EYE INFLAMMATION NOS, Number of times reported: 6

Sign: FACIAL PARALYSIS, Number of times reported: 6

Sign: GENERALISED WEAKNESS, Number of times reported: 6

Sign: GREASY SKIN, Number of times reported: 6

Sign: HEPATOPATHY, Number of times reported: 6

Sign: HYPERCALCAEMIC CONDITION, Number of times reported: 6

Sign: HYPERSENSITIVITY REACTION, Number of times reported: 6

Sign: HYPOGLOBULINEMIA, Number of times reported: 6

Sign: HYPOKALAEMIA, Number of times reported: 6

Sign: INCREASED APPETITE, Number of times reported: 6

Sign: INCREASED BOWEL MOVEMENTS (FREQUENCY), Number of times reported: 6

Sign: INEFFECTIVE, HEARTWORM ADULTS, Number of times reported: 6

Sign: INEFFECTIVE, HEARTWORM LARVAE, Number of times reported: 6

Sign: INJECTION SITE MASS, Number of times reported: 6

Sign: JOINT EFFUSION, Number of times reported: 6

Sign: JOINT STIFFNESS, Number of times reported: 6

Sign: LACK OF AWARENESS, Number of times reported: 6

Sign: LACRIMATION INCREASED, Number of times reported: 6

Sign: LIMPNESS, Number of times reported: 6

Sign: LOSS OF VISION, Number of times reported: 6

Sign: MEGAOESOPHAGUS, Number of times reported: 6

Sign: MIOSIS, Number of times reported: 6

Sign: NAIL DISORDERS NOS, Number of times reported: 6

Sign: NON-REGENERATIVE ANAEMIA, Number of times reported: 6

Sign: PANCREAS ENDOCRINE DISORDER NOS, Number of times reported: 6

Sign: PARTIAL BLINDNESS, Number of times reported: 6

Sign: PLATELETS HIGH, BLOOD, Number of times reported: 6

Sign: POLYPHAGIA, Number of times reported: 6

Sign: PR-BRAIN, LESION(S), Number of times reported: 6

Sign: PROLONGED CAPILLARY REFILL TIME, Number of times reported: 6

Sign: PROPRIOCEPTION DEFICIT, Number of times reported: 6

Sign: PUSTULAR SKIN ERUPTION, Number of times reported: 6

Sign: RENAL INSUFFICIENCY, Number of times reported: 6

Sign: RESPIRATORY SIGNS, Number of times reported: 6

Sign: STUPOR, Number of times reported: 6

Sign: SWOLLEN FEET, Number of times reported: 6

Sign: UNEXPLAINED DEATH, Number of times reported: 6

Sign: URINE LEAKAGE, Number of times reported: 6

Sign: VAGINAL DISCHARGE, Number of times reported: 6

Sign: WEAK PULSE, Number of times reported: 6

Sign: WHEAL, Number of times reported: 6

Sign: ABDOMINAL CAVITY HAEMORRHAGE, Number of times reported: 5

Sign: ABDOMINAL OEDEMA, Number of times reported: 5

Sign: ABNORMAL POSTURE, Number of times reported: 5

Sign: ABSCESS NOS, Number of times reported: 5

Sign: APPREHENSION, Number of times reported: 5

Sign: BLADDER INCONTINENCE, Number of times reported: 5

Sign: BLEPHAROSPASM, Number of times reported: 5

Sign: CARDIAC FAILURE, Number of times reported: 5

Sign: CLOSED EYELID, Number of times reported: 5

Sign: DECREASED HAEMOGLOBIN, Number of times reported: 5

Sign: DERMAL THICKENING, Number of times reported: 5

Sign: DRUG DOSE ADMINISTRATION INTERVAL TOO LONG, Number of times reported: 5

Sign: DRY COAT, Number of times reported: 5

Sign: ELEVATED TRIGLYCERIDE, Number of times reported: 5

Sign: ENLARGED KIDNEY(S), Number of times reported: 5

Sign: EPILEPSY, Number of times reported: 5

Sign: EPILEPTIC FIT, Number of times reported: 5

Sign: EYE ITCHING, Number of times reported: 5

Sign: EYELID ERYTHEMA, Number of times reported: 5

Sign: FURUNCULOSIS, Number of times reported: 5

Sign: GASTRIC DISTENSION, Number of times reported: 5

Sign: GENERALISED RED SPOT, Number of times reported: 5

Sign: GENERALISED SKIN REACTION, Number of times reported: 5

Sign: HAEMOLYTIC ANAEMIA, Number of times reported: 5

Sign: HALITOSIS, Number of times reported: 5

Sign: HEPATIC NECROSIS, Number of times reported: 5

Sign: ILEUS, Number of times reported: 5

Sign: INCREASED PACKED CELL VOLUME (PCV), Number of times reported: 5

Sign: INCREASED PERCENTAGE RETICULOCYTES, Number of times reported: 5

Sign: INCREASED YAWNING, Number of times reported: 5

Sign: INEFFECTIVE, LOSS OF EFFECT, Number of times reported: 5

Sign: INJECTION SITE OEDEMA, Number of times reported: 5

Sign: INVOLUNTARY MOVEMENT, Number of times reported: 5

Sign: LOSS OF HEARING, Number of times reported: 5

Sign: LUMBAR PAIN, Number of times reported: 5

Sign: LYMPHOMA, Number of times reported: 5

Sign: MUSCLE WASTING, Number of times reported: 5

Sign: ORAL ULCERATION, Number of times reported: 5

Sign: PARAESTHESIA, Number of times reported: 5

Sign: PARALYSIS, Number of times reported: 5

Sign: PARESIS, Number of times reported: 5

Sign: PERICARDIAL EFFUSION, Number of times reported: 5

Sign: PIMPLES, Number of times reported: 5

Sign: PINNAL IRRITATION, Number of times reported: 5

Sign: PR-STOMACH, LESION(S), Number of times reported: 5

Sign: REGENERATIVE ANAEMIA, Number of times reported: 5

Sign: RESPIRATORY ARREST, Number of times reported: 5

Sign: RIGIDITY OF LIMBS, Number of times reported: 5

Sign: SCLERITIS, Number of times reported: 5

Sign: SEDATION, Number of times reported: 5

Sign: SHALLOW BREATHING, Number of times reported: 5

Sign: SMALL LIVER, Number of times reported: 5

Sign: STIFF GAIT, Number of times reported: 5

Sign: STOMACH PAIN, Number of times reported: 5

Sign: STRANGURIA, Number of times reported: 5

Sign: SWALLOWING DISORDER NOS, Number of times reported: 5

Sign: SWOLLEN TONGUE, Number of times reported: 5

Sign: THROMBOSIS, Number of times reported: 5

Sign: TRACHEAL OBSTRUCTION, Number of times reported: 5

Sign: URTICARIAL RASH, Number of times reported: 5

Sign: ABNORMAL SPERMATOCYTES, Number of times reported: 4

Sign: ACIDOSIS, Number of times reported: 4

Sign: AZOTEMIA, Number of times reported: 4

Sign: BELCHING, Number of times reported: 4

Sign: BLOODSHOT EYE, Number of times reported: 4

Sign: BOIL, Number of times reported: 4

Sign: BRADYPNOEA, Number of times reported: 4

Sign: CATARACT, Number of times reported: 4

Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 4

Sign: CIRCULATORY DISORDER NOS, Number of times reported: 4

Sign: CONJUNCTIVAL IRRITATION, Number of times reported: 4

Sign: COUGHING UP BLOOD, Number of times reported: 4

Sign: CREATININE LOW, BLOOD, Number of times reported: 4

Sign: CUSHINGS DISEASE NOS, Number of times reported: 4

Sign: DERMAL CYST(S), Number of times reported: 4

Sign: DIABETES, Number of times reported: 4

Sign: DISTURBANCE IN ATTENTION, Number of times reported: 4

Sign: DRY EYE, Number of times reported: 4

Sign: DYSPHAGIA, Number of times reported: 4

Sign: EAR FLAPPING/TWITCHING, Number of times reported: 4

Sign: ELECTROLYTE DISORDER, Number of times reported: 4

Sign: EQUILIBRIUM DISORDER, Number of times reported: 4

Sign: EYE IRRITATION, Number of times reported: 4

Sign: FACIAL NERVE DISORDER, Number of times reported: 4

Sign: FLUID IN THORAX, Number of times reported: 4

Sign: FOUND DEAD, Number of times reported: 4

Sign: GASTRIC ULCERATION NOS, Number of times reported: 4

Sign: GINGIVAL DISORDER, Number of times reported: 4

Sign: GUM DISORDER NOS, Number of times reported: 4

Sign: HAEMATOMA NOS, Number of times reported: 4

Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 4

Sign: HEART DISORDER AGGRAVATED, Number of times reported: 4

Sign: HEART FAILURE, Number of times reported: 4

Sign: HEART VALVE DISORDER, Number of times reported: 4

Sign: HEPATIC NEOPLASM, Number of times reported: 4

Sign: HYPERAEMIA, Number of times reported: 4

Sign: INCREASED SWEATING, Number of times reported: 4

Sign: INEFFECTIVE, ECTOPARASITE(S), Number of times reported: 4

Sign: INEFFECTIVE, WHIPS, Number of times reported: 4

Sign: INTESTINAL HAEMORRHAGE, Number of times reported: 4

Sign: ITCHY EARS, Number of times reported: 4

Sign: LACK OF EFFICACY (HEARTWORM), Number of times reported: 4

Sign: LIP ERYTHEMA, Number of times reported: 4

Sign: LOCKJAW, Number of times reported: 4

Sign: LOSS OF CONDITION, Number of times reported: 4

Sign: MENINGITIS, Number of times reported: 4

Sign: METASTATIC NEOPLASIA, Number of times reported: 4

Sign: MOUTH PAIN, Number of times reported: 4

Sign: MUSCLE ATROPHY, Number of times reported: 4

Sign: MUSCLE SHAKING, Number of times reported: 4

Sign: NERVOUS SYSTEM NEOPLASM, Number of times reported: 4

Sign: OLIGURIA, Number of times reported: 4

Sign: PANCREATIC ENZYMES HIGH, BLOOD, Number of times reported: 4

Sign: PEMPHIGUS FOLIACEUS, Number of times reported: 4

Sign: PERIODONTAL DISORDER, Number of times reported: 4

Sign: PERITONITIS, Number of times reported: 4

Sign: PHOTOPHOBIA, Number of times reported: 4

Sign: PROSTATE HYPERTROPHY, Number of times reported: 4

Sign: PTYALISM, Number of times reported: 4

Sign: QUADRIPARESIS, Number of times reported: 4

Sign: RENAL TUBULAR DISORDER, Number of times reported: 4

Sign: RETINAL DEGENERATION, Number of times reported: 4

Sign: SKIN ABSCESS, Number of times reported: 4

Sign: SLEEPINESS - SYSTEMIC DISORDER, Number of times reported: 4

Sign: SPONDYLOSIS, Number of times reported: 4

Sign: SYNCOPE, Number of times reported: 4

Sign: THIRD EYELID PROLAPSE, Number of times reported: 4

Sign: ULTRASOUND, LIVER ABNORMAL, Number of times reported: 4

Sign: UNABLE TO JUMP, Number of times reported: 4

Sign: UNPALATABLE, Number of times reported: 4

Sign: UNRELATED DEATH, Number of times reported: 4

Sign: URINARY RETENTION, Number of times reported: 4

Sign: URINARY TRACT NEOPLASM, Number of times reported: 4

Sign: UVEITIS, Number of times reported: 4

Sign: VASCULITIS, Number of times reported: 4

Sign: YELLOW MUCOUS MEMBRANES, Number of times reported: 4

Sign: ABDOMINAL CRAMP, Number of times reported: 3

Sign: ABDOMINAL EFFUSION, Number of times reported: 3

Sign: ABORTION, Number of times reported: 3

Sign: ACIDIC URINE, Number of times reported: 3

Sign: ALKALOSIS, Number of times reported: 3

Sign: ANAL OEDEMA, Number of times reported: 3

Sign: ANAPHYLACTIC SHOCK, Number of times reported: 3

Sign: APNOEA, Number of times reported: 3

Sign: ASTHMA, Number of times reported: 3

Sign: BLINKING, Number of times reported: 3

Sign: BRONCHITIS, Number of times reported: 3

Sign: BULGING EYE, Number of times reported: 3

Sign: CELLULITIS, Number of times reported: 3

Sign: CENTRAL VESTIBULAR DISORDER, Number of times reported: 3

Sign: CEREBRAL VASCULAR ACCIDENT, Number of times reported: 3

Sign: CHLORIDE HIGH, BLOOD, Number of times reported: 3

Sign: CHRONIC RENAL FAILURE, Number of times reported: 3

Sign: CLAW / HOOF / NAIL DISORDER NOS, Number of times reported: 3

Sign: COGNITIVE IMPAIRMENT, Number of times reported: 3

Sign: CONGESTIVE HEART FAILURE, Number of times reported: 3

Sign: CONSTRICTED PUPILS, Number of times reported: 3

Sign: COPPER TOXICITY SIGNS, Number of times reported: 3

Sign: COPROPHAGIA, Number of times reported: 3

Sign: COUGH, PRODUCTIVE, Number of times reported: 3

Sign: DECREASED PERCENTAGE OF RETICULOCYTES, Number of times reported: 3

Sign: DENTAL CALCULUS, Number of times reported: 3

Sign: DENTAL DISEASE, Number of times reported: 3

Sign: DEPRESSED REFLEXES, Number of times reported: 3

Sign: DERMAL MASS, Number of times reported: 3

Sign: DERMATOSIS NOS, Number of times reported: 3

Sign: DESQUAMATION, Number of times reported: 3

Sign: DROWSINESS, Number of times reported: 3

Sign: EAR TWITCHING, Number of times reported: 3

Sign: ELEVATED C-REACTIVE PROTEIN, Number of times reported: 3

Sign: ERUCTATION, Number of times reported: 3

Sign: EXCESSIVE APPETITE, Number of times reported: 3

Sign: EXOPHTHALMIA, Number of times reported: 3

Sign: FACIAL RASH, Number of times reported: 3

Sign: FIT, Number of times reported: 3

Sign: GALL BLADDER INFLAMMATION, Number of times reported: 3

Sign: GASTRIC BLOAT, Number of times reported: 3

Sign: GENITAL TRACT PRURITUS, Number of times reported: 3

Sign: HAEMANGIOSARCOMA, Number of times reported: 3

Sign: HAIR STANDING ON END, Number of times reported: 3

Sign: HARSH LUNG SOUNDS, Number of times reported: 3

Sign: HEAD PRESSING, Number of times reported: 3

Sign: HEART POUNDING, Number of times reported: 3

Sign: HEMIPARESIS (WEAKNESS L OR R SIDE), Number of times reported: 3

Sign: HEPATO-BILIARY DISORDER NOS, Number of times reported: 3

Sign: HYPERAEMIC MUCOUS MEMBRANE, Number of times reported: 3

Sign: HYPEREXTENSION, Number of times reported: 3

Sign: HYPERKALAEMIA, Number of times reported: 3

Sign: HYPOCHLORAEMIA, Number of times reported: 3

Sign: HYPOREFLEXIA, Number of times reported: 3

Sign: HYPOXIA, Number of times reported: 3

Sign: IMPAIRED SWALLOWING, Number of times reported: 3

Sign: INCREASED COAGULATION TIME, Number of times reported: 3

Sign: INCREASED LUNG SOUNDS, Number of times reported: 3

Sign: INCREASED RED BLOOD CELL COUNT, Number of times reported: 3

Sign: INEFFECTIVE, COCCIDIA, Number of times reported: 3

Sign: INJECTED SCLERA, Number of times reported: 3

Sign: INJECTION SITE INFLAMMATION, Number of times reported: 3

Sign: INTENTION TREMOR, Number of times reported: 3

Sign: LARYNGEAL PARALYSIS, Number of times reported: 3

Sign: LICHENIFICATION, Number of times reported: 3

Sign: LIP DISORDER NOS, Number of times reported: 3

Sign: LIVER TUMOUR, Number of times reported: 3

Sign: MAGNESIUM HIGH, BLOOD, Number of times reported: 3

Sign: MONOCYTOPENIA, Number of times reported: 3

Sign: MRI SCAN ABNORMAL, Number of times reported: 3

Sign: MUCOSA PETECHIAE, Number of times reported: 3

Sign: MUSCLE RIGIDITY, Number of times reported: 3

Sign: MUSCLE STIFFNESS, Number of times reported: 3

Sign: MYOCLONUS, Number of times reported: 3

Sign: MYOGLOBINURIA, Number of times reported: 3

Sign: NEPHROPATHY, Number of times reported: 3

Sign: NEUROMUSCULAR DISORDER NOS, Number of times reported: 3

Sign: NEUROPATHY NOS, Number of times reported: 3

Sign: NT - CHRONIC INTERSTITIAL NEPHRITIS, Number of times reported: 3

Sign: NT - HYPERTROPHIC CONCENTRIC CARDIOMYOPATHY, Number of times reported: 3

Sign: ORGAN PETECHIAE, Number of times reported: 3

Sign: PANNICULITIS, Number of times reported: 3

Sign: PERINATAL MORTALITY, Number of times reported: 3

Sign: PETIT MAL EPILEPSY, Number of times reported: 3

Sign: PLATELET DISORDER NOS, Number of times reported: 3

Sign: POOR COAT CONDITION, Number of times reported: 3

Sign: PR-ADRENAL(S), LESION(S), Number of times reported: 3

Sign: PR-LYMPH NODE(S), LESION(S), Number of times reported: 3

Sign: PROTRUSION MEMBRANA NICTITANS, Number of times reported: 3

Sign: PR-PANCREAS, LESION(S), Number of times reported: 3

Sign: QUIET, Number of times reported: 3

Sign: RENAL VASCULAR DISORDER, Number of times reported: 3

Sign: RESPIRATORY SOUND, Number of times reported: 3

Sign: SCALY CONDITION NOS, Number of times reported: 3

Sign: SENSATION LOSS, Number of times reported: 3

Sign: SEPTICAEMIA, Number of times reported: 3

Sign: SKIN PETECHIAE, Number of times reported: 3

Sign: SKIN TUMOUR NOS, Number of times reported: 3

Sign: SKIN VASCULAR DISORDER NOS, Number of times reported: 3

Sign: SQUINTING, Number of times reported: 3

Sign: STARING, Number of times reported: 3

Sign: STILLBIRTH, Number of times reported: 3

Sign: THIRD EYELID PROTRUSION, Number of times reported: 3

Sign: THROAT IRRITATION, Number of times reported: 3

Sign: THYROID GLAND DISORDER NOS, Number of times reported: 3

Sign: TONIC SEIZURE, Number of times reported: 3

Sign: TOOTH DISORDER, Number of times reported: 3

Sign: ULCERATION NOS, Number of times reported: 3

Sign: VISUAL FIELD DEFECT, Number of times reported: 3

Sign: VOICE ALTERATION, Number of times reported: 3

Sign: ABN COLOR, URINE, Number of times reported: 2

Sign: ACID-BASE DISORDER, Number of times reported: 2

Sign: ACNE, Number of times reported: 2

Sign: ACTH STIMULATION ABNORMAL, Number of times reported: 2

Sign: ACTING TENSE, Number of times reported: 2

Sign: ALBUMIN/GLOBULIN RATIO HI, BLD, Number of times reported: 2

Sign: ANAL AND RECTAL DISORDER NOS, Number of times reported: 2

Sign: ANAPHYLACTOID REACTION, Number of times reported: 2

Sign: ANTERIOR UVEITIS, Number of times reported: 2

Sign: AORTIC STENOSIS, Number of times reported: 2

Sign: APPLICATION SITE BURN, Number of times reported: 2

Sign: APPLICATION SITE ERYTHEMA, Number of times reported: 2

Sign: APPLICATION SITE SCAB, Number of times reported: 2

Sign: ATOPIC ALLERGY NOS, Number of times reported: 2

Sign: BILIRUBIN(DIRECT) HIGH, BLOOD, Number of times reported: 2

Sign: BILIRUBIN(INDIRECT) HIGH, BLD, Number of times reported: 2

Sign: BITING -AGGRESSION, Number of times reported: 2

Sign: BLOOD IN TRACHEA, Number of times reported: 2

Sign: BLOTCHY RASH, Number of times reported: 2

Sign: BLUE EYE, Number of times reported: 2

Sign: BRAIN DISORDER NOS, Number of times reported: 2

Sign: BULLOUS DISORDER NOS, Number of times reported: 2

Sign: CARDIAC MURMUR, Number of times reported: 2

Sign: CARDIAC TAMPONADE, Number of times reported: 2

Sign: CARDIORESPIRATORY ARREST, Number of times reported: 2

Sign: CEREBRAL OEDEMA, Number of times reported: 2

Sign: CHOKE, Number of times reported: 2

Sign: CHOLANGIOHEPATITIS, Number of times reported: 2

Sign: CIRCLING - BEHAVIOURAL DISORDER, Number of times reported: 2

Sign: CIRCULATORY SHOCK, Number of times reported: 2

Sign: CLEFT PALATE, Number of times reported: 2

Sign: COAGULOPATHY, Number of times reported: 2

Sign: COLIC, Number of times reported: 2

Sign: CONGENITAL MUSCULO-SKELETAL DISORDER, Number of times reported: 2

Sign: CONJUNCTIVAL OEDEMA, Number of times reported: 2

Sign: COUGHING BLOOD, Number of times reported: 2

Sign: CRACKLES ON AUSCULTATION, Number of times reported: 2

Sign: CYSTITIS, Number of times reported: 2

Sign: DECREASED NUMBER OF SPERMATOZOA, Number of times reported: 2

Sign: DECUBITUS, Number of times reported: 2

Sign: DETERIORATION OF MUSCLE FUNCTION, Number of times reported: 2

Sign: DIABETIC KETOACIDOSIS, Number of times reported: 2

Sign: DIABETIC KETONURIA, Number of times reported: 2

Sign: DIFFICULTY CHEWING, Number of times reported: 2

Sign: DIFFICULTY IN MICTURITION, Number of times reported: 2

Sign: DIGESTIVE TRACT HAEMORRHAGE NOS, Number of times reported: 2

Sign: DIGESTIVE TRACT HYPOMOTILITY, Number of times reported: 2

Sign: DIGESTIVE TRACT STENOSIS AND OBSTRUCTION NOS, Number of times reported: 2

Sign: DISORDER OF RED BLOOD CELL NOS, Number of times reported: 2

Sign: DISSEMINATED INTRAVASCULAR COAGULATION, Number of times reported: 2

Sign: DROOPY EAR, Number of times reported: 2

Sign: DROOPY LOWER LIP, Number of times reported: 2

Sign: DYSURIA, Number of times reported: 2

Sign: ECTROPION, Number of times reported: 2

Sign: ELEVATED SDMA (SYMMETRICAL DIMETHYLARGININE), Number of times reported: 2

Sign: ENCEPHALITIS, Number of times reported: 2

Sign: ENDOCRINE NEOPLASM, Number of times reported: 2

Sign: ENLARGED LYMPH NODE, Number of times reported: 2

Sign: ERYTHEMA MULTIFORME, Number of times reported: 2

Sign: EYE PARALYSIS, Number of times reported: 2

Sign: EYEBALL PROTRUSION, Number of times reported: 2

Sign: FACIAL PALSY, Number of times reported: 2

Sign: FLATULENCE, BLOATING AND DISTENSION, Number of times reported: 2

Sign: FLUID FROM NOSE, Number of times reported: 2

Sign: FRACTURE, Number of times reported: 2

Sign: GASTRIC DILATION, Number of times reported: 2

Sign: GASTRIC ULCER, Number of times reported: 2

Sign: GASTRIC VOLVULUS, Number of times reported: 2

Sign: GOOSE STEPPING, Number of times reported: 2

Sign: GROANING, Number of times reported: 2

Sign: HAEMOGLOBINURIA, Number of times reported: 2

Sign: HAEMOTHORAX, Number of times reported: 2

Sign: HEARING DECREASED, Number of times reported: 2

Sign: HEMOGLOBIN(HB) HIGH, BLOOD, Number of times reported: 2

Sign: HEPATIC FIBROSIS, Number of times reported: 2

Sign: HEPATIC TOXICOSIS, Number of times reported: 2

Sign: HEPATIC VASCULAR DISORDER, Number of times reported: 2

Sign: HICCUP, Number of times reported: 2

Sign: HIGH BLOOD PRESSURE, Number of times reported: 2

Sign: HYDROCEPHALUS, Number of times reported: 2

Sign: HYPERCHLORAEMIA, Number of times reported: 2

Sign: HYPERREFLEXIA, Number of times reported: 2

Sign: HYPERSENSITIVITY TO LIGHT, Number of times reported: 2

Sign: HYPERSENSITIVITY TO MOVEMENT, Number of times reported: 2

Sign: HYPOADRENOCORTICISM, Number of times reported: 2

Sign: HYPOSTHENURIA, Number of times reported: 2

Sign: ILLNESS NOS, Number of times reported: 2

Sign: IMPLANT SITE PRURITUS, Number of times reported: 2

Sign: INCORRECT DOSE ADMINISTERED, Number of times reported: 2

Sign: INCREASED SENSITIVITY TO LIGHT, Number of times reported: 2

Sign: INDIGESTION, Number of times reported: 2

Sign: INEFFECTIVE, TAPES, Number of times reported: 2

Sign: INJECTION SITE ABSCESS, Number of times reported: 2

Sign: INTERSTITIAL NEPHRITIS, Number of times reported: 2

Sign: INTESTINAL PERFORATION, Number of times reported: 2

Sign: INTESTINAL STASIS, Number of times reported: 2

Sign: INTUSSUSCEPTION, Number of times reported: 2

Sign: ISOSTHENURIA, Number of times reported: 2

Sign: JOINT INFLAMMATION, Number of times reported: 2

Sign: JOINT OEDEMA, Number of times reported: 2

Sign: KNUCKLING, Number of times reported: 2

Sign: LACK OF EFFICACY (ROUNDWORM), Number of times reported: 2

Sign: LESS SOCIAL, Number of times reported: 2

Sign: LICK GRANULOMA, Number of times reported: 2

Sign: LIPOMA, Number of times reported: 2

Sign: LOCOMOTOR DISTURBANCE, Number of times reported: 2

Sign: MOUTH ULCER, Number of times reported: 2

Sign: MUCOCUTANEOUS ULCER, Number of times reported: 2

Sign: MUCUS IN EYE, Number of times reported: 2

Sign: MUSCLE CONTRACTURE, Number of times reported: 2

Sign: MUSCLE PAIN, Number of times reported: 2

Sign: MYOSITIS, Number of times reported: 2

Sign: NASAL BLEEDING, Number of times reported: 2

Sign: NASAL CONGESTION, Number of times reported: 2

Sign: NEPHRITIS, Number of times reported: 2

Sign: NERVOUS SYSTEM DISORDER NOS, Number of times reported: 2

Sign: NO SIGN, Number of times reported: 2

Sign: NOT URINATING, Number of times reported: 2

Sign: NT - ENDOCARDIOSIS, Number of times reported: 2

Sign: NT - EOSINOPHILIC ENTERITIS, Number of times reported: 2

Sign: NT - HEPATIC LIPIDOSIS (STEATOSIS), Number of times reported: 2

Sign: NT - LYMPHOPLASMACYTIC ENTERITIS, Number of times reported: 2

Sign: NT - NECROTIC HEPATITIS, Number of times reported: 2

Sign: OEDEMATOUS ERYTHEMA, Number of times reported: 2

Sign: OESOPHAGITIS, Number of times reported: 2

Sign: OESOPHAGUS OBSTRUCTION, Number of times reported: 2

Sign: OPTIC DISC OEDEMA, Number of times reported: 2

Sign: OPTIC NERVE DISORDER, Number of times reported: 2

Sign: ORAL MASS, Number of times reported: 2

Sign: ORAL PAIN, Number of times reported: 2

Sign: OTHER COAGULATION ABNORMALITY, Number of times reported: 2

Sign: OTHER METABOLIC DISORDER, Number of times reported: 2

Sign: PALPABLE MASS NOS, Number of times reported: 2

Sign: PALPEBRAL DISORDER NOS, Number of times reported: 2

Sign: PALPITATION, Number of times reported: 2

Sign: PANCYTOPENIA, Number of times reported: 2

Sign: PARAPARESIS, Number of times reported: 2

Sign: PILOERECTION, Number of times reported: 2

Sign: PINNAL HAEMORRHAGE, Number of times reported: 2

Sign: POLYRADICULONEURITIS, Number of times reported: 2

Sign: PORTACAVAL SHUNT, Number of times reported: 2

Sign: PR-ASCITES, Number of times reported: 2

Sign: PREMATURE PARTURITION, Number of times reported: 2

Sign: PROLONGED ACTIVATED PARTIAL THROMBIN TIME (APTT), Number of times reported: 2

Sign: PROLONGED BLEEDING NOS, Number of times reported: 2

Sign: PROLONGED ONE STAGE PROTHROMBIN TIME (OSPT), Number of times reported: 2

Sign: PROSTATIC DISORDER NOS, Number of times reported: 2

Sign: PULMONARY THROMBOEMBOLISM, Number of times reported: 2

Sign: PURPURA, Number of times reported: 2

Sign: PYELONEPHRITIS, Number of times reported: 2

Sign: PYURIA, Number of times reported: 2

Sign: RED BLOOD CELLS(RBC) ABNORMAL, Number of times reported: 2

Sign: REDUCED GLOBULINS, Number of times reported: 2

Sign: RENAL DEGENERATION, Number of times reported: 2

Sign: RESPIRATORY TRACT INFECTION NOS, Number of times reported: 2

Sign: RETINAL DISORDER NOS, Number of times reported: 2

Sign: SCROTAL IRRITATION NOS, Number of times reported: 2

Sign: SIGHT AFFECTED, Number of times reported: 2

Sign: SKIN NECROSIS, Number of times reported: 2

Sign: SKIN OEDEMA, Number of times reported: 2

Sign: SLOW REFLEXES, Number of times reported: 2

Sign: SORE LIP, Number of times reported: 2

Sign: SPLEEN HYPERTROPHY, Number of times reported: 2

Sign: STERILE, Number of times reported: 2

Sign: STERNOABDOMINAL RECUMBENCY, Number of times reported: 2

Sign: STOMACH CRAMP, Number of times reported: 2

Sign: SUBMANDIBULAR OEDEMA, Number of times reported: 2

Sign: SUSPECTED INFECTIOUS AGENT TRANSMISSION, Number of times reported: 2

Sign: TEAR FLOW INCREASED, Number of times reported: 2

Sign: TEETH GRINDING, Number of times reported: 2

Sign: TEMPORARY BLINDNESS, Number of times reported: 2

Sign: TETANY, Number of times reported: 2

Sign: THICKENED EAR CANAL(S), Number of times reported: 2

Sign: THROAT PAIN, Number of times reported: 2

Sign: THROMBOEMBOLI, Number of times reported: 2

Sign: TONGUE OEDEMA, Number of times reported: 2

Sign: TOOTH LOSS, Number of times reported: 2

Sign: TRAUMA NOS, Number of times reported: 2

Sign: TUMBLING CIRCLING DISEASE, Number of times reported: 2

Sign: UNABLE TO FOCUS, Number of times reported: 2

Sign: UNCLASSIFIABLE ADVERSE EVENT, Number of times reported: 2

Sign: UNILATERAL PARESIS, Number of times reported: 2

Sign: URAEMIA, Number of times reported: 2

Sign: URINARY TENESMUS, Number of times reported: 2

Sign: VAGINAL HAEMORRHAGE, Number of times reported: 2

Sign: VAGINAL OEDEMA, Number of times reported: 2

Sign: VAGINITIS, Number of times reported: 2

Sign: VENTRICULAR ARRHYTHMIA, Number of times reported: 2

Sign: VULVITIS, Number of times reported: 2

Sign: WOBBLER, Number of times reported: 2

Sign: ABNORMAL ECG, Number of times reported: 1

Sign: ABNORMAL OESTRUS NOS, Number of times reported: 1

Sign: ABNORMAL VISION, Number of times reported: 1

Sign: ABORTION SPONTANEOUS, Number of times reported: 1

Sign: ABSENCE SEIZURE, Number of times reported: 1

Sign: ALBUMIN HIGH, URINE, Number of times reported: 1

Sign: ALLERGIC OEDEMA, Number of times reported: 1

Sign: ALT HIGH, Number of times reported: 1

Sign: ANISOCYTOSIS, Number of times reported: 1

Sign: APPLICATION SITE BLEEDING, Number of times reported: 1

Sign: APPLICATION SITE CRUST, Number of times reported: 1

Sign: APPLICATION SITE PAPULE, Number of times reported: 1

Sign: APPLICATION SITE PRURITUS, Number of times reported: 1

Sign: APPLICATION SITE PUSTULE, Number of times reported: 1

Sign: APPLICATION SITE REACTION NOS, Number of times reported: 1

Sign: ARTHROPATHY NOS, Number of times reported: 1

Sign: ASPHYXIA, Number of times reported: 1

Sign: ATTENTION-SEEKING BEHAVIOUR, Number of times reported: 1

Sign: BILE ACIDS HIGH, BLOOD, Number of times reported: 1

Sign: BILIRUBIN(TOTAL) HIGH, BLOOD, Number of times reported: 1

Sign: BIRTH DEFECT, Number of times reported: 1

Sign: BITING - PRURITUS, Number of times reported: 1

Sign: BLISTERING OF MOUTH, Number of times reported: 1

Sign: BLOOD DYSCRASIA NOS, Number of times reported: 1

Sign: BONE MARROW DISORDER NOS, Number of times reported: 1

Sign: BOWEL TORSION, Number of times reported: 1

Sign: BRAIN DAMAGE NOS, Number of times reported: 1

Sign: BRONCHIAL OEDEMA, Number of times reported: 1

Sign: BRONCHIAL SECRETION, Number of times reported: 1

Sign: BRONCHOPNEUMONIA, Number of times reported: 1

Sign: BRONCHOPULMONARY INFLAMMATION, Number of times reported: 1

Sign: BURN, Number of times reported: 1

Sign: CALCULI, Number of times reported: 1

Sign: CARBON DIOXIDE LOW, BLOOD, Number of times reported: 1

Sign: CARDIAC NEOPLASM, Number of times reported: 1

Sign: CARDIOPATHY, Number of times reported: 1

Sign: CENTRAL NERVOUS SYSTEM DEPRESSION, Number of times reported: 1

Sign: CERVICAL VENTROFLEXION, Number of times reported: 1

Sign: CHEMOSIS, Number of times reported: 1

Sign: CHEWING DISORDER, Number of times reported: 1

Sign: CHOLESTEROL LOW, BLOOD, Number of times reported: 1

Sign: CILIARY BODY AND CHOROID DISORDER NOS, Number of times reported: 1

Sign: CIRCULATORY COLLAPSE, Number of times reported: 1

Sign: CLAW / HOOF / NAIL LOSS, Number of times reported: 1

Sign: CLONIC MUSCLE SPASM, Number of times reported: 1

Sign: CLONIC SEIZURE, Number of times reported: 1

Sign: COGNITIVE AND ATTENTION DISORDERS NOS, Number of times reported: 1

Sign: COGNITIVE DISORDER NOS, Number of times reported: 1

Sign: COGNITIVE DISTURBANCE, Number of times reported: 1

Sign: COLD FEELING OF EXTREMITY, Number of times reported: 1

Sign: CONGENITAL HEPATO-BILIARY DISORDER, Number of times reported: 1

Sign: CONTACT DERMATITIS, Number of times reported: 1

Sign: CONVULSIVE DISORDER NOS, Number of times reported: 1

Sign: CORNEAL OEDEMA, Number of times reported: 1

Sign: CORTISOL HIGH, SERUM, Number of times reported: 1

Sign: CRANIAL NERVE DISORDER, Number of times reported: 1

Sign: CRANIAL NERVE PARALYSIS, Number of times reported: 1

Sign: CREATININE HIGH, BLOOD, Number of times reported: 1

Sign: CYANOTIC SPORTS/ BLOTCHY SKIN, Number of times reported: 1

Sign: CYSTIC ENDOMETRIAL HYPERPLASIA, Number of times reported: 1

Sign: DEAFNESS NOS, Number of times reported: 1

Sign: DECREASED HEART RATE, Number of times reported: 1

Sign: DECREASED INTRA-OCULAR PRESSURE, Number of times reported: 1

Sign: DECREASED PULSE OXYGENATION, Number of times reported: 1

Sign: DECREASED RESPIRATORY RATE, Number of times reported: 1

Sign: DEPENDENT OEDEMA, Number of times reported: 1

Sign: DEPRESSED OCULAR REFLEX, Number of times reported: 1

Sign: DERMATOPHYTOSIS, Number of times reported: 1

Sign: DIGESTIVE TRACT NEOPLASM NOS, Number of times reported: 1

Sign: DIGESTIVE TRACT TYMPANY, Number of times reported: 1

Sign: DISCUS PROLAPSE, Number of times reported: 1

Sign: DROWSINESS - NEUROLOGICAL DISORDER, Number of times reported: 1

Sign: DUODENAL ULCER, Number of times reported: 1

Sign: DUODENITIS, Number of times reported: 1

Sign: DYSMETRIA, Number of times reported: 1

Sign: DYSOREXIA, Number of times reported: 1

Sign: EAR FLAP HAEMORRHAGE, Number of times reported: 1

Sign: ELEVATED LACTIC ACID DEHYDROGENASE (LDH), Number of times reported: 1

Sign: ELEVATED PROTEIN:CREATININE RATIO, Number of times reported: 1

Sign: EMPROSTHOTONUS, Number of times reported: 1

Sign: ENCEPHALOPATHY NOS, Number of times reported: 1

Sign: ENDOCARDITIS, Number of times reported: 1

Sign: ENLARGED LYMPH NODE (LOCALISED), Number of times reported: 1

Sign: ENLARGED LYMPH NODES (GENERALISED), Number of times reported: 1

Sign: ENVIRONMENTAL ADVERSE EVENT, Number of times reported: 1

Sign: EPISTAXIS (BILATERAL), Number of times reported: 1

Sign: EROSION, Number of times reported: 1

Sign: EXCESS TEAR FLOW, Number of times reported: 1

Sign: EXPIRED DRUG ADMINISTERED, Number of times reported: 1

Sign: EXTENSOR RIGIDITY, Number of times reported: 1

Sign: EYE HAEMORRHAGE, Number of times reported: 1

Sign: EYE INFLAMED, Number of times reported: 1

Sign: EYELID INFLAMMATION, Number of times reported: 1

Sign: FANCONI SYNDROME, Number of times reported: 1

Sign: FASCIITIS, Number of times reported: 1

Sign: FEET SHIFTING, Number of times reported: 1

Sign: FEMALE REPRODUCTIVE TRACT DISORDER NOS, Number of times reported: 1

Sign: FIXED PUPIL, Number of times reported: 1

Sign: FLACCID PARALYSIS, Number of times reported: 1

Sign: FOAM IN THE NOSE, Number of times reported: 1

Sign: FOAM IN THE TRACHEA, Number of times reported: 1

Sign: FOCUSING DIFFICULT, Number of times reported: 1

Sign: FOETAL RESORPTION, Number of times reported: 1

Sign: GASTRIC IRRITATION, Number of times reported: 1

Sign: GENERALISED INFLAMMATION OF EYE, Number of times reported: 1

Sign: GENITAL TRACT LICKING, Number of times reported: 1

Sign: GIANT PLATELETS, Number of times reported: 1

Sign: GINGIVITIS, Number of times reported: 1

Sign: GLAUCOMA, Number of times reported: 1

Sign: GUT PAIN, Number of times reported: 1

Sign: GUT SOUNDS DECREASED, Number of times reported: 1

Sign: HAEMOLYSIS, Number of times reported: 1

Sign: HAEMOPTYSIS, Number of times reported: 1

Sign: HEAD SHY, Number of times reported: 1

Sign: HEART BLOCK 3RD DEGREE, Number of times reported: 1

Sign: HEAVY SWEATING, Number of times reported: 1

Sign: HEINZ BODY ANAEMIA, Number of times reported: 1

Sign: HEMOCONCENTRATION, Number of times reported: 1

Sign: HEPATIC CIRRHOSIS, Number of times reported: 1

Sign: HEPATIC FAILURE, Number of times reported: 1

Sign: HEPATIC JAUNDICE, Number of times reported: 1

Sign: HEPATIC TUMOUR, Number of times reported: 1

Sign: HISTIOCYTOMA, Number of times reported: 1

Sign: HORNER'S SYNDROME, Number of times reported: 1

Sign: HYPERADRENOCORTICISM, Number of times reported: 1

Sign: HYPERKALEMIA, Number of times reported: 1

Sign: HYPERSENSITIVITY TO PAIN, Number of times reported: 1

Sign: HYPERTHYROIDISM, Number of times reported: 1

Sign: HYPERTONIA, Number of times reported: 1

Sign: HYPERTRICHOSIS, Number of times reported: 1

Sign: HYPERTROPHIC OSTEODYSTROPHY, Number of times reported: 1

Sign: HYPOKALEMIA, Number of times reported: 1

Sign: HYPOPARATHYROIDISM, Number of times reported: 1

Sign: HYPOSENSITIVITY TO PAIN, Number of times reported: 1

Sign: HYPOTONIA, Number of times reported: 1

Sign: IDIOPATHIC VESTIBULAR DISEASE, Number of times reported: 1

Sign: IMPAIRED HEARING, Number of times reported: 1

Sign: IMPAIRED PROPRIOCEPTION, Number of times reported: 1

Sign: IMPLANT SITE MUCOPURULENT DISCHARGE, Number of times reported: 1

Sign: INAPPROPRIATE ELIMINATION NOS, Number of times reported: 1

Sign: INCREASED INTRA-OCULAR PRESSURE, Number of times reported: 1

Sign: INCREASED SEIZURE FREQUENCY, Number of times reported: 1

Sign: INCREASED WEIGHT, Number of times reported: 1

Sign: INEFFECTIVE, ASCARIDS, Number of times reported: 1

Sign: INEFFECTIVE, DELAYED EFFECT, Number of times reported: 1

Sign: INEFFECTIVE, OTHER DRUG(S), Number of times reported: 1

Sign: INEFFECTIVE, PROTOZOA, Number of times reported: 1

Sign: INEFFECTIVE, SARCOPTES MITES, Number of times reported: 1

Sign: INFECTIOUS DISEASE NOS, Number of times reported: 1

Sign: INFLAMED MUCOSAE, Number of times reported: 1

Sign: INJECTION SITE HAEMATOMA, Number of times reported: 1

Sign: INJECTION SITE HAIR LOSS, Number of times reported: 1

Sign: INJECTION SITE INFECTION, Number of times reported: 1

Sign: INJECTION SITE MUCOPURULENT DISCHARGE, Number of times reported: 1

Sign: INJECTION SITE PARAESTHESIA, Number of times reported: 1

Sign: INJECTION SITE PYODERMA, Number of times reported: 1

Sign: INJECTION SITE REDDENING, Number of times reported: 1

Sign: INJECTION SITE SEROSANGUINOUS DISCHARGE, Number of times reported: 1

Sign: INJECTION SITE WARMTH, Number of times reported: 1

Sign: INTERNAL EAR DISORDER, Number of times reported: 1

Sign: INTESTINAL CONGESTION, Number of times reported: 1

Sign: IRIS DISORDER, Number of times reported: 1

Sign: IRON DEFICIENCY ANAEMIA, Number of times reported: 1

Sign: JEJUNITIS, Number of times reported: 1

Sign: JOINT LIGAMENT DISORDER NOS, Number of times reported: 1

Sign: KERATITIS, Number of times reported: 1

Sign: KERATOCONJUNCTIVITIS SICCA, Number of times reported: 1

Sign: KETOSIS, Number of times reported: 1

Sign: LACK OF COORDINATION, Number of times reported: 1

Sign: LACK OF EFFICACY (MITE), Number of times reported: 1

Sign: LACK OF EFFICACY (PROTOZOA), Number of times reported: 1

Sign: LACK OF EFFICACY (TAPEWORM), Number of times reported: 1

Sign: LACRIMAL DISORDER NOS, Number of times reported: 1

Sign: LACRIMATION, Number of times reported: 1

Sign: LACRIMATION DECREASED, Number of times reported: 1

Sign: LARYNGEAL OEDEMA, Number of times reported: 1

Sign: LARYNGITIS, Number of times reported: 1

Sign: LENS OPACITY, Number of times reported: 1

Sign: LEUKAEMIA, Number of times reported: 1

Sign: LIP PARALYSIS, Number of times reported: 1

Sign: LOOSE BOWEL, Number of times reported: 1

Sign: LOSS OF CONCENTRATION, Number of times reported: 1

Sign: LOSS OF VOICE, Number of times reported: 1

Sign: LOW BLOOD PRESSURE, Number of times reported: 1

Sign: LOW TEAR FLOW, Number of times reported: 1

Sign: LUNG OEDEMA, Number of times reported: 1

Sign: LUNG SOUND, Number of times reported: 1

Sign: LUNG TUMOUR, Number of times reported: 1

Sign: LYMPHOSARCOMA, Number of times reported: 1

Sign: MACULO-PAPULAR RASH, Number of times reported: 1

Sign: MALE INFERTILITY NOS, Number of times reported: 1

Sign: MALE REPRODUCTIVE TRACT DISORDER NOS, Number of times reported: 1

Sign: MAMMARY GLAND DISORDER NOS, Number of times reported: 1

Sign: MAMMARY GLAND NEOPLASM NOS, Number of times reported: 1

Sign: MAMMARY GLAND OEDEMA, Number of times reported: 1

Sign: MENTAL FUNCTION DECREASED, Number of times reported: 1

Sign: METHAEMOGLOBINAEMIA, Number of times reported: 1

Sign: MOIST ECZEMA, Number of times reported: 1

Sign: MONOPARESIS (PARALYSIS OF LIMB), Number of times reported: 1

Sign: MOTOR DYSFUNCTION NOS, Number of times reported: 1

Sign: MOUTH IRRITATION, Number of times reported: 1

Sign: MULTI-ORGAN FAILURE NOS, Number of times reported: 1

Sign: MULTIPLE ORGAN HAEMORRHAGE, Number of times reported: 1

Sign: MUSCLE DEGENERATION, Number of times reported: 1

Sign: MUSCLE NECROSIS, Number of times reported: 1

Sign: MUSCULAR HYPERTONICITY, Number of times reported: 1

Sign: MUSCULOSKELETAL NEOPLASM NOS, Number of times reported: 1

Sign: MYELOPATHY NOS, Number of times reported: 1

Sign: NASAL CAVITY DISORDER NOS, Number of times reported: 1

Sign: NASAL DRYNESS, Number of times reported: 1

Sign: NERVE DAMAGE NOS, Number of times reported: 1

Sign: NT - (LUMINAL) ENTEROPATHY, Number of times reported: 1

Sign: NT - ADENOCARCINOMA, Number of times reported: 1

Sign: NT - AORTIC MINERALISATION, Number of times reported: 1

Sign: NT - HAEMORRHAGIC ENTERITIS, Number of times reported: 1

Sign: NT - HEPATIC OR BILIARY TUMOUR (HEPATOCARCINOMA/CHOLANGIOCARCINOMA/
ADENOMA/CHOLANGIOMA), Number of times reported: 1

Sign: NT - INTESTINAL TUMOUR (ADENOCARCINOMA/ADENOMA/GASTRO INTESTINAL STROMAL TUMOUR (GIST)),
Number of times reported: 1

Sign: NT - LYMPHANGIECTASIA, Number of times reported: 1

Sign: NT - NECROHEMORRHAGIC ENTERITIS, Number of times reported: 1

Sign: NT - RENAL CYSTS HYDRONEPHROSIS, Number of times reported: 1

Sign: NUMBNESS, Number of times reported: 1

Sign: OBSTRUCTIVE AIRWAY COUGH, Number of times reported: 1

Sign: OPEN MOUTH BREATHING, Number of times reported: 1

Sign: ORAL ABSCESS, Number of times reported: 1

Sign: ORAL SWELLING, Number of times reported: 1

Sign: OTHER IMMUNE SYSTEM DISORDER NOS, Number of times reported: 1

Sign: OTITIS MEDIA, Number of times reported: 1

Sign: PACKED CELL VOL(PCV) HIGH, BLD, Number of times reported: 1

Sign: PAINFUL DEFECATION, Number of times reported: 1

Sign: PAINFUL URINATION, Number of times reported: 1

Sign: PANOSTEITIS, Number of times reported: 1

Sign: PAPILOMA, Number of times reported: 1

Sign: PAWING, Number of times reported: 1

Sign: PEMPHIGUS, Number of times reported: 1

Sign: PENILE ERECTION, Number of times reported: 1

Sign: PERICARDIAL HAEMORRHAGE, Number of times reported: 1

Sign: PERIPHERAL NEUROPATHY, Number of times reported: 1

Sign: PERIPHERAL VASCULAR DISORDER, Number of times reported: 1

Sign: PERIVASCULAR DERMATITIS, Number of times reported: 1

Sign: PHARYNGEAL OEDEMA, Number of times reported: 1

Sign: PHOTSENSITIVITY, Number of times reported: 1

Sign: PIMPLE, Number of times reported: 1

Sign: PINNAL NECROSIS, Number of times reported: 1

Sign: POLYNEURITIS, Number of times reported: 1

Sign: POOR PERIPHERAL CIRCULATION, Number of times reported: 1

Sign: PR-BLADDER, LESION(S), Number of times reported: 1

Sign: PR-BLOOD VESSEL(S), LESION(S), Number of times reported: 1

Sign: PR-COLON, LESION(S), Number of times reported: 1

Sign: PR-EAR(S), LESION(S), Number of times reported: 1

Sign: PREMATURE VENTRICULAR CONTRACTIONS, Number of times reported: 1

Sign: PREPUTIAL DISCHARGE, Number of times reported: 1

Sign: PR-ESOPHAGUS, LESION(S), Number of times reported: 1

Sign: PR-GASTROINTESTINAL PARASITISM, Number of times reported: 1

Sign: PR-GI, LESION(S), Number of times reported: 1

Sign: PR-LUNG(S), EDEMA, Number of times reported: 1

Sign: PR-MENINGES, LESION(S), Number of times reported: 1

Sign: PR-MULTIPLE SITES, BLOOD, Number of times reported: 1

Sign: PR-MULTIPLE SITES, CONGESTION, Number of times reported: 1

Sign: PROLAPSE OF THE NICTITATING MEMBRANE, Number of times reported: 1

Sign: PR-PERITONEUM, LESION(S), Number of times reported: 1

Sign: PR-PLEURAL EFFUSION, Number of times reported: 1

Sign: PR-SPINAL CORD, LESION(S), Number of times reported: 1

Sign: PR-THYMUS, LESION(S), Number of times reported: 1

Sign: PR-THYROID, LESION(S), Number of times reported: 1

Sign: PR-TRACHEA, LESION(S), Number of times reported: 1

Sign: PSEUDOPREGNANCY, Number of times reported: 1

Sign: PULMONARY NEOPLASM, Number of times reported: 1

Sign: PYOMETRA, Number of times reported: 1

Sign: QUADRIPLEGIA, Number of times reported: 1

Sign: RAPID PULSE RATE, Number of times reported: 1

Sign: RED BLOOD CELLS(RBC) NUCLEATED, Number of times reported: 1

Sign: RED MUCOSAE, Number of times reported: 1

Sign: REDUCED GROWTH RATE, Number of times reported: 1

Sign: REDUCED SEXUAL INTEREST, Number of times reported: 1

Sign: RESPIRATORY DISCOMFORT, Number of times reported: 1

Sign: RESPIRATORY FAILURE, Number of times reported: 1

Sign: RETICULOCYTES LOW, BLOOD, Number of times reported: 1

Sign: RHINITIS, Number of times reported: 1

Sign: RIGHT VENTRICULAR DILATATION, Number of times reported: 1

Sign: RUBRA, Number of times reported: 1

Sign: SEMI-CONSCIOUS, Number of times reported: 1

Sign: SENSORY ABNORMALITY NOS, Number of times reported: 1

Sign: SENSORY LOSS, Number of times reported: 1

Sign: SKELETAL MUSCLE PARALYSIS, Number of times reported: 1

Sign: SKIN TEXTURAL CHANGE, Number of times reported: 1

Sign: SMELL DISORDER NOS, Number of times reported: 1

Sign: SMELLY BREATH, Number of times reported: 1

Sign: SNIFFING, Number of times reported: 1

Sign: SORE EYE, Number of times reported: 1

Sign: SPLEEN RUPTURE, Number of times reported: 1

Sign: SPONDYLOPATHY, Number of times reported: 1

Sign: STICKY EYE, Number of times reported: 1

Sign: STOMACH INFLAMMATION, Number of times reported: 1

Sign: SWOLLEN GUM, Number of times reported: 1

Sign: SWOLLEN JOINT, Number of times reported: 1

Sign: SWOLLEN LIMB, Number of times reported: 1

Sign: SYMPTOM NOS INVOLVING NEUROLOGICAL AND MUSCULAR SKELETAL SOCS, Number of times reported: 1

Sign: SYSTEMIC FUNGAL INFECTION, Number of times reported: 1

Sign: TAIL PARESIS, Number of times reported: 1

Sign: TESTICULAR ERYTHEMA, Number of times reported: 1
Sign: THIRD EYELID EXTRUSION, Number of times reported: 1
Sign: THORACIC CAVITY DISORDER NOS, Number of times reported: 1
Sign: TORN LIGAMENT, Number of times reported: 1
Sign: TOXICITY, Number of times reported: 1
Sign: TRACHEAL COLLAPSE, Number of times reported: 1
Sign: TRACHEITIS, Number of times reported: 1
Sign: TRANSIENT BLINDNESS, Number of times reported: 1
Sign: TRIGLYCERIDES HIGH, BLOOD, Number of times reported: 1
Sign: ULTRASOUND, ABNORMAL, Number of times reported: 1
Sign: UNCONTROLLED MICTURITION, Number of times reported: 1
Sign: URINARY TRACT BLEEDING, Number of times reported: 1
Sign: URINE ABNORMAL, SEDIMENT, Number of times reported: 1
Sign: UTERINE RUPTURE, Number of times reported: 1
Sign: VASCULAR DISORDER NOS, Number of times reported: 1
Sign: VESICLE, Number of times reported: 1
Sign: VESICULAR RASH, Number of times reported: 1
Sign: VITAMIN DEFICIENCY, Number of times reported: 1
Sign: VOCALIZING WHILE SLEEPING, Number of times reported: 1
Sign: VON WILLEBRANDS DISEASE, Number of times reported: 1
Sign: VULVAR OEDEMA, Number of times reported: 1
Sign: WBC, URINE, Number of times reported: 1
Sign: WIND, Number of times reported: 1

Species: Dog

Route of Administration: other

Sign: VOMITING, Number of times reported: 10
Sign: LETHARGY, Number of times reported: 7
Sign: DIARRHOEA, Number of times reported: 5
Sign: ITCHING, Number of times reported: 4
Sign: LACK OF EFFICACY, Number of times reported: 4
Sign: DRY SKIN, Number of times reported: 3
Sign: PRURITUS, Number of times reported: 3
Sign: AGITATION, Number of times reported: 2
Sign: APPETITE LOSS, Number of times reported: 2
Sign: FLAKING SKIN, Number of times reported: 2

Sign: NOT EATING, Number of times reported: 2

Sign: REDDENING OF THE SKIN, Number of times reported: 2

Sign: SKIN DISORDERS NOS, Number of times reported: 2

Sign: ABNORMAL POSTURE NOS, Number of times reported: 1

Sign: ANOREXIA, Number of times reported: 1

Sign: BLOATED, Number of times reported: 1

Sign: CONSTIPATION, Number of times reported: 1

Sign: DEATH, Number of times reported: 1

Sign: DERMAL THICKENING, Number of times reported: 1

Sign: HYDROCEPHALUS, Number of times reported: 1

Sign: INEFFECTIVE, TICKS, Number of times reported: 1

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 1

Sign: LICKING, Number of times reported: 1

Sign: LOCALISED RASH, Number of times reported: 1

Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 1

Sign: PAIN NOS, Number of times reported: 1

Sign: PANTING, Number of times reported: 1

Sign: PEELING SKIN, Number of times reported: 1

Sign: RED EYE, Number of times reported: 1

Sign: RETCHING, Number of times reported: 1

Sign: STOMACH UPSET, Number of times reported: 1

Sign: SYSTEMIC DISORDER NOS, Number of times reported: 1

Sign: TREMBLING, Number of times reported: 1

Sign: UNEXPLAINED DEATH, Number of times reported: 1

Sign: URINARY TRACT INFECTION, Number of times reported: 1

Species: Dog

Route of Administration: parenteral

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 3

Species: Dog

Route of Administration: perineural

Sign: VOMITING, Number of times reported: 1

Species: Dog

Route of Administration: Rectal

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 2

Sign: ANXIETY, Number of times reported: 1

Sign: LETHARGY, Number of times reported: 1

Sign: PANTING, Number of times reported: 1

Sign: SHAKING, Number of times reported: 1

Sign: VOMITING, Number of times reported: 1

Species: Dog

Route of Administration: subcutaneous

Sign: ANOREXIA, Number of times reported: 1

Sign: ENLARGED LYMPH NODE(S), Number of times reported: 1

Sign: FEVER, Number of times reported: 1

Species: Dog

Route of Administration: Topical

Sign: GINGIVAL DISORDER, Number of times reported: 1

Sign: PRURITUS, Number of times reported: 1

Sign: SKIN HYPERAEMIA, Number of times reported: 1

Species: Dog

Route of Administration: transplacental

Sign: ABNORMAL TEST RESULT, Number of times reported: 1

Sign: AORTIC STENOSIS, Number of times reported: 1

Sign: CONGENITAL DISORDER NOS, Number of times reported: 1

Sign: DEATH BY EUTHANASIA, Number of times reported: 1

Sign: DIARRHOEA, Number of times reported: 1

Sign: HEART MURMUR, Number of times reported: 1

Sign: LOW WEIGHT GAIN, Number of times reported: 1

Species: Dog

Route of Administration: unknown

Sign: SKIN DISORDERS NOS, Number of times reported: 391

Sign: VOMITING, Number of times reported: 245

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 209

Sign: LACK OF EFFICACY, Number of times reported: 201

Sign: DIARRHOEA, Number of times reported: 84

Sign: LETHARGY, Number of times reported: 84

Sign: PRURITUS, Number of times reported: 69

Sign: INEFFECTIVE, FLEAS, Number of times reported: 53

Sign: SCRATCHING, Number of times reported: 50

Sign: SEIZURE NOS, Number of times reported: 48

Sign: ITCHING, Number of times reported: 44

Sign: EMESIS, Number of times reported: 38

Sign: ANOREXIA, Number of times reported: 35

Sign: DEATH, Number of times reported: 33

Sign: INEFFECTIVE, TICKS, Number of times reported: 27

Sign: LACK OF EFFICACY (TICK), Number of times reported: 26

Sign: LACK OF EFFICACY (FLEA), Number of times reported: 24

Sign: SYSTEMIC DISORDER NOS, Number of times reported: 23

Sign: ERYTHEMA, Number of times reported: 20

Sign: HAIR LOSS NOS, Number of times reported: 19

Sign: GENERALISED ITCHING, Number of times reported: 18

Sign: PANTING, Number of times reported: 18

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 17

Sign: NOT EATING, Number of times reported: 14

Sign: RASH, Number of times reported: 13

Sign: SHAKING, Number of times reported: 12

Sign: ABNORMAL TEST RESULT, Number of times reported: 11

Sign: APATHY, Number of times reported: 11

Sign: APPETITE LOSS, Number of times reported: 11

Sign: DRY SKIN, Number of times reported: 10

Sign: HIVES, Number of times reported: 10

Sign: INAPPETENCE, Number of times reported: 10

Sign: WEIGHT LOSS, Number of times reported: 10

Sign: AGITATION, Number of times reported: 9

Sign: ALOPECIA NOS, Number of times reported: 9

Sign: RESTLESSNESS, Number of times reported: 9

Sign: SKIN LESION NOS, Number of times reported: 9

Sign: FEVER, Number of times reported: 8

Sign: FLAKING SKIN, Number of times reported: 8

Sign: LACK OF EFFICACY (BACTERIA NOS), Number of times reported: 8

Sign: REDDENING OF THE SKIN, Number of times reported: 8

Sign: WALKING DIFFICULTY, Number of times reported: 8

Sign: ALLERGIC REACTION, Number of times reported: 7

Sign: NAUSEA, Number of times reported: 7

Sign: SKIN SCAB, Number of times reported: 7

Sign: TREMOR, Number of times reported: 7

Sign: VOCALISATION, Number of times reported: 7

Sign: ANXIETY, Number of times reported: 6

Sign: BLOOD IN FAECES, Number of times reported: 6

Sign: BLOODY DIARRHOEA, Number of times reported: 6

Sign: DECREASED APPETITE, Number of times reported: 6

Sign: DIGESTIVE TRACT DISORDER NOS, Number of times reported: 6

Sign: ELEVATED ALT, Number of times reported: 6

Sign: GENERAL ILLNESS, Number of times reported: 6

Sign: HYPERACTIVITY, Number of times reported: 6

Sign: HYPERSALIVATION, Number of times reported: 6

Sign: INJECTION SITE PAIN, Number of times reported: 6

Sign: LOOSE STOOL, Number of times reported: 6

Sign: MALAISE, Number of times reported: 6

Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 6

Sign: POLYDIPSIA, Number of times reported: 6

Sign: WEAKNESS, Number of times reported: 6

Sign: ALLERGY NOS, Number of times reported: 5

Sign: CONVULSION, Number of times reported: 5

Sign: DISORIENTATION, Number of times reported: 5

Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 5

Sign: HYPERTHERMIA, Number of times reported: 5

Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 5

Sign: NOT SLEEPING, Number of times reported: 5

Sign: PYODERMA, Number of times reported: 5

Sign: SELF TRAUMA, Number of times reported: 5

Sign: TIREDNESS, Number of times reported: 5

Sign: ADIPSIA, Number of times reported: 4

Sign: ATAXIA, Number of times reported: 4

Sign: COUGH, Number of times reported: 4

Sign: CRUST, Number of times reported: 4

Sign: DROOLING, Number of times reported: 4

Sign: ERYTHEMATOUS RASH, Number of times reported: 4

Sign: HAEMORRHAGIC DIARRHOEA, Number of times reported: 4

Sign: HYPEREXCITATION, Number of times reported: 4

Sign: INCOORDINATION, Number of times reported: 4

Sign: ITCHY SKIN, Number of times reported: 4

Sign: LEUCOCYTOSIS, Number of times reported: 4

Sign: MALODOUR, Number of times reported: 4

Sign: MUSCLE TREMOR, Number of times reported: 4

Sign: MYDRIASIS, Number of times reported: 4

Sign: PICA NOS, Number of times reported: 4

Sign: SKIN IRRITATION, Number of times reported: 4

Sign: SKIN SORE, Number of times reported: 4

Sign: TACHYCARDIA, Number of times reported: 4

Sign: UNDERDOSE, Number of times reported: 4

Sign: AGGRESSION, Number of times reported: 3

Sign: ALOPECIA, Number of times reported: 3

Sign: AUTOIMMUNE DISORDER NOS, Number of times reported: 3

Sign: BLOOD IN VOMIT, Number of times reported: 3

Sign: BRADYCARDIA, Number of times reported: 3

Sign: DEATH BY EUTHANASIA, Number of times reported: 3

Sign: DECREASED ACTIVITY, Number of times reported: 3

Sign: DEHYDRATION, Number of times reported: 3

Sign: DERMATITIS, Number of times reported: 3

Sign: DISCOMFORT NOS, Number of times reported: 3

Sign: DISTENSION OF ABDOMEN, Number of times reported: 3

Sign: ELEVATED LIVER ENZYMES, Number of times reported: 3

Sign: EMESIS (MULTIPLE), Number of times reported: 3

Sign: FOAMING AT THE MOUTH, Number of times reported: 3

Sign: HEAD TREMOR, Number of times reported: 3

Sign: INJECTION SITE SWELLING, Number of times reported: 3

Sign: LAMENESS, Number of times reported: 3

Sign: LIMPING, Number of times reported: 3

Sign: MELAENA, Number of times reported: 3

Sign: NOT DRINKING, Number of times reported: 3

Sign: PACING, Number of times reported: 3

Sign: PAIN NOS, Number of times reported: 3

Sign: PROSTRATION, Number of times reported: 3

Sign: RECUMBENCY, Number of times reported: 3

Sign: RELUCTANT TO MOVE, Number of times reported: 3

Sign: SKIN WARMTH, Number of times reported: 3

Sign: TREMBLING, Number of times reported: 3

Sign: UNABLE TO STAND, Number of times reported: 3

Sign: URINARY INCONTINENCE, Number of times reported: 3

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 2

Sign: ANAPHYLAXIS, Number of times reported: 2

Sign: APPETITE DISORDER NOS, Number of times reported: 2

Sign: BACTERIAL SKIN INFECTION NOS, Number of times reported: 2

Sign: BARKING, Number of times reported: 2

Sign: DECUBITUS, Number of times reported: 2

Sign: DEPRESSION, Number of times reported: 2

Sign: DRY NOSE, Number of times reported: 2

Sign: EAR INFECTION NOS, Number of times reported: 2

Sign: ELEVATED SAP, Number of times reported: 2

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 2

Sign: FACIAL SWELLING, Number of times reported: 2

Sign: FLATULENCE, Number of times reported: 2

Sign: HAEMATEMESIS, Number of times reported: 2

Sign: HAIR SHEDDING, Number of times reported: 2

Sign: HEART MURMUR, Number of times reported: 2

Sign: HIDING, Number of times reported: 2

Sign: HIND LIMB ATAXIA, Number of times reported: 2

Sign: HIND LIMB PARALYSIS, Number of times reported: 2

Sign: HYPOTHERMIA, Number of times reported: 2

Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 2

Sign: IMPAIRED VISION, Number of times reported: 2

Sign: INAPPROPRIATE URINATION, Number of times reported: 2

Sign: INEFFECTIVE, ECTOPARASITE(S), Number of times reported: 2

Sign: INEFFECTIVE, SARCOPTES MITES, Number of times reported: 2

Sign: JAUNDICE, Number of times reported: 2

Sign: LABOURED BREATHING, Number of times reported: 2

Sign: LACK OF RESPONSE TO OWNER, Number of times reported: 2

Sign: LICKING, Number of times reported: 2

Sign: LIMB WEAKNESS, Number of times reported: 2

Sign: LIVER FAILURE, Number of times reported: 2

Sign: LOCALISED PAIN NOS, Number of times reported: 2

Sign: LOSS OF CONSCIOUSNESS, Number of times reported: 2

Sign: LOW PLATELET COUNT, Number of times reported: 2

Sign: LUMP, Number of times reported: 2

Sign: MUSCLE SPASM NOS, Number of times reported: 2

Sign: NEUTROPHILIA, Number of times reported: 2

Sign: PARALYSIS, Number of times reported: 2

Sign: PERIORBITAL OEDEMA, Number of times reported: 2

Sign: POLYURIA, Number of times reported: 2

Sign: PROTEINURIA, Number of times reported: 2

Sign: RENAL DISORDER NOS, Number of times reported: 2

Sign: RENAL FAILURE, Number of times reported: 2

Sign: RETCHING, Number of times reported: 2

Sign: STAGGERING, Number of times reported: 2

Sign: STAR-GAZING, Number of times reported: 2

Sign: STROKE, Number of times reported: 2

Sign: SUCKLING DISORDER NOS, Number of times reported: 2

Sign: SWELLING AROUND EYE, Number of times reported: 2

Sign: TACHYPNOEA, Number of times reported: 2

Sign: TARRY OR BLACK STOOL, Number of times reported: 2

Sign: TENSE ABDOMEN, Number of times reported: 2

Sign: UNRELATED DEATH, Number of times reported: 2

Sign: URINATION, Number of times reported: 2

Sign: WEAKNESS OF LIMB, Number of times reported: 2

Sign: WHEAL, Number of times reported: 2

Sign: WHEEZING, Number of times reported: 2

Sign: ABDOMINAL MASS, Number of times reported: 1

Sign: ABNORMAL POSTURE, Number of times reported: 1

Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 1

Sign: ABNORMAL URINE ODOUR, Number of times reported: 1

Sign: ABORTION, Number of times reported: 1

Sign: ALKALINE URINE, Number of times reported: 1

Sign: ALLERGIC PRURITUS, Number of times reported: 1

Sign: ALLERGIC SKIN REACTION, Number of times reported: 1

Sign: ALOPECIA GENERAL, Number of times reported: 1

Sign: ALOPECIA LOCAL, Number of times reported: 1

Sign: ANAEMIA NOS, Number of times reported: 1

Sign: ANAPHYLACTIC-TYPE REACTION, Number of times reported: 1

Sign: ASTHENIA, Number of times reported: 1

Sign: BALANCE PROBLEM, Number of times reported: 1

Sign: BILIRUBINURIA, Number of times reported: 1

Sign: BLISTERING, Number of times reported: 1

Sign: BLOOD IN URINE, Number of times reported: 1

Sign: BREATHLESSNESS, Number of times reported: 1

Sign: BRONCHITIS, Number of times reported: 1

Sign: CARDIORESPIRATORY ARREST, Number of times reported: 1

Sign: CIRCLING, Number of times reported: 1

Sign: COLIC, Number of times reported: 1

Sign: COLLAPSE, Number of times reported: 1

Sign: CONGENITAL REPRODUCTIVE TRACT DISORDER NOS, Number of times reported: 1

Sign: CONJUNCTIVITIS, Number of times reported: 1

Sign: CONSTIPATION, Number of times reported: 1

Sign: CONVULSIVE DISORDER NOS, Number of times reported: 1

Sign: COUGHING UP BLOOD, Number of times reported: 1

Sign: CRYING, Number of times reported: 1

Sign: DECREASED DRINKING, Number of times reported: 1

Sign: DECREASED HAEMOGLOBIN, Number of times reported: 1

Sign: DECREASED PULSE OXYGENATION, Number of times reported: 1

Sign: DECREASED URINE CONCENTRATION, Number of times reported: 1

Sign: DERMAL THICKENING, Number of times reported: 1

Sign: DERMOID CYST, Number of times reported: 1

Sign: DIGESTIVE TRACT STENOSIS AND OBSTRUCTION NOS, Number of times reported: 1

Sign: DISCOLOURED URINE, Number of times reported: 1

Sign: DISORIENTED STATE, Number of times reported: 1

Sign: DISTRESS, Number of times reported: 1

Sign: DRINKING A LOT, Number of times reported: 1

Sign: DROWSINESS, Number of times reported: 1

Sign: DRUG DOSE ADMINISTRATION INTERVAL TOO SHORT, Number of times reported: 1

Sign: DRUG DOSE OMISSION, Number of times reported: 1

Sign: DULL, Number of times reported: 1

Sign: DYSPNOEA, Number of times reported: 1

Sign: DYSURIA, Number of times reported: 1

Sign: ELEVATED BUN, Number of times reported: 1

Sign: ELEVATED TEMPERATURE, Number of times reported: 1

Sign: ENLARGED LIVER, Number of times reported: 1

Sign: EXERCISE INTOLERANCE, Number of times reported: 1

Sign: EYE DISORDER NOS, Number of times reported: 1

Sign: EYELID LUMP, Number of times reported: 1

Sign: EYELID OEDEMA, Number of times reported: 1

Sign: FALLING, Number of times reported: 1

Sign: FLACCID PARALYSIS, Number of times reported: 1

Sign: FLY BITING BEHAVIOUR, Number of times reported: 1

Sign: FOUND DEAD, Number of times reported: 1

Sign: GASTRIC DISTENSION, Number of times reported: 1

Sign: GENERAL HAIR LOSS, Number of times reported: 1

Sign: GENERALISED RASH, Number of times reported: 1

Sign: GENERALISED RED SPOT, Number of times reported: 1

Sign: GENERALISED WEAKNESS, Number of times reported: 1

Sign: GINGIVAL DISORDER, Number of times reported: 1

Sign: HAEMATOCHYZIA, Number of times reported: 1

Sign: HAEMATURIA, Number of times reported: 1

Sign: HAEMOLYTIC ANAEMIA, Number of times reported: 1

Sign: HAEMORRHAGE NOS, Number of times reported: 1

Sign: HAIR CHANGE, Number of times reported: 1

Sign: HAIR COAT DISCOLOURATION, Number of times reported: 1

Sign: HEAD BOBBING, Number of times reported: 1

Sign: HEAD SHAKE - BEHAVIOURAL DISORDER, Number of times reported: 1

Sign: HEAD SHAKE - EAR DISORDER, Number of times reported: 1

Sign: HEART FAILURE, Number of times reported: 1

Sign: HEART VALVE DISORDER, Number of times reported: 1

Sign: HEPATOPATHY, Number of times reported: 1

Sign: HIND LIMB PARESIS, Number of times reported: 1

Sign: HORIZONTAL NYSTAGMUS, Number of times reported: 1

Sign: HYPERPHOSPHATAEMIA, Number of times reported: 1

Sign: HYPERPIGMENTATION, Number of times reported: 1

Sign: HYPERVENTILATION, Number of times reported: 1

Sign: HYPOGLYCAEMIA, Number of times reported: 1

Sign: HYPOPROTEINAEMIA, Number of times reported: 1

Sign: HYPOTENSION, Number of times reported: 1

Sign: HYPOXIA, Number of times reported: 1

Sign: ICTERUS, Number of times reported: 1

Sign: IMPAIRED CONSCIOUSNESS, Number of times reported: 1

Sign: INAPPROPRIATE DEFECATION, Number of times reported: 1

Sign: INCREASED BORBORYGMUS, Number of times reported: 1

Sign: INCREASED HEART RATE, Number of times reported: 1

Sign: INCREASED RESPIRATORY RATE, Number of times reported: 1

Sign: INJECTION SITE INFLAMMATION, Number of times reported: 1

Sign: INJECTION SITE MASS, Number of times reported: 1

Sign: INJECTION SITE OEDEMA, Number of times reported: 1

Sign: INJECTION SITE PRURITUS, Number of times reported: 1

Sign: INJECTION SITE WARMTH, Number of times reported: 1

Sign: ITCHY RASH, Number of times reported: 1

Sign: LACK OF EFFICACY (ECTOPARASITE NOS), Number of times reported: 1

Sign: LACK OF EFFICACY (ENDOPARASITES), Number of times reported: 1

Sign: LACK OF EFFICACY (MITE), Number of times reported: 1

Sign: LACK OF EFFICACY (TAPEWORM), Number of times reported: 1

Sign: LATERAL RECUMBENCY, Number of times reported: 1

Sign: LEUCOPENIA, Number of times reported: 1

Sign: LIMPNESS, Number of times reported: 1

Sign: LIP LICKING, Number of times reported: 1

Sign: LIVER DISORDER NOS, Number of times reported: 1

Sign: LOCALISED RASH, Number of times reported: 1

Sign: LOCALISED SKIN REACTION, Number of times reported: 1

Sign: LOOSE BOWEL, Number of times reported: 1

Sign: LOSS OF CONDITION, Number of times reported: 1

Sign: LOSS OF HEARING, Number of times reported: 1

Sign: LUNG SOUND, Number of times reported: 1

Sign: LYMPHOMA, Number of times reported: 1

Sign: LYMPHOPENIA, Number of times reported: 1

Sign: MALFORMATION NOS, Number of times reported: 1

Sign: MONOCYTOSIS, Number of times reported: 1

Sign: MUCOUS STOOL, Number of times reported: 1

Sign: MULTI-ORGAN FAILURE NOS, Number of times reported: 1

Sign: MURMUR, Number of times reported: 1

Sign: MUSCLE DEGENERATION, Number of times reported: 1

Sign: NASAL BLEEDING, Number of times reported: 1

Sign: NASAL CAVITY DISORDER NOS, Number of times reported: 1

Sign: NEUROLOGICAL SYMPTOMS NOS, Number of times reported: 1

Sign: NEUTROPENIA, Number of times reported: 1

Sign: OCULAR DISCHARGE, Number of times reported: 1

Sign: OTITIS NOS, Number of times reported: 1

Sign: PACKED CELL VOL(PCV) HIGH, BLD, Number of times reported: 1

Sign: PALE MUCOUS MEMBRANE, Number of times reported: 1

Sign: PALPABLE MASS NOS, Number of times reported: 1

Sign: PANCREAS DISORDER, Number of times reported: 1

Sign: PAPULE, Number of times reported: 1

Sign: PARTIAL LACK OF EFFICACY, Number of times reported: 1

Sign: PIMPLES, Number of times reported: 1

Sign: PINNAE DISORDER, Number of times reported: 1

Sign: PODODERMATITIS, Number of times reported: 1

Sign: POLYPNOEA, Number of times reported: 1

Sign: PRURITIC RASH, Number of times reported: 1

Sign: PULMONARY HAEMORRHAGE, Number of times reported: 1

Sign: PULMONARY OEDEMA, Number of times reported: 1

Sign: PURULENT LESION(S), Number of times reported: 1

Sign: PUSTULES, Number of times reported: 1

Sign: PYOMETRA, Number of times reported: 1

Sign: PYREXIA, Number of times reported: 1

Sign: RECTAL BLEEDING, Number of times reported: 1

Sign: REGENERATIVE ANAEMIA, Number of times reported: 1

Sign: REGURGITATION, Number of times reported: 1

Sign: RENAL INSUFFICIENCY, Number of times reported: 1

Sign: RESPIRATORY SIGNS, Number of times reported: 1

Sign: RESPIRATORY TRACT DISORDER NOS, Number of times reported: 1

Sign: REVERSE SNEEZING, Number of times reported: 1

Sign: ROLLING, Number of times reported: 1

Sign: SCALE, Number of times reported: 1

Sign: SEBORRHOEA, Number of times reported: 1

Sign: SICKNESS, Number of times reported: 1

Sign: SKIN AND TISSUE INFECTION NOS, Number of times reported: 1

Sign: SKIN HYPERAEMIA, Number of times reported: 1

Sign: SKIN INFLAMMATION NOS, Number of times reported: 1

Sign: SKIN SWELLING, Number of times reported: 1

Sign: SKIN ULCER, Number of times reported: 1

Sign: SLEEPINESS, Number of times reported: 1

Sign: SNEEZING, Number of times reported: 1

Sign: STOMACH INFLAMMATION, Number of times reported: 1

Sign: STOMACH PAIN, Number of times reported: 1

Sign: STOMACH UPSET, Number of times reported: 1

Sign: SWOLLEN EYE, Number of times reported: 1

Sign: SWOLLEN MOUTH, Number of times reported: 1

Sign: TEAR FLOW INCREASED, Number of times reported: 1

Sign: TENSE MUSCLES, Number of times reported: 1

Sign: THROMBOCYTOPENIA, Number of times reported: 1

Sign: TITER DATA ABNORMAL, Number of times reported: 1

Sign: TWITCHING, Number of times reported: 1

Sign: UNCLASSIFIABLE ADVERSE EVENT, Number of times reported: 1

Sign: UNCOMFORTABLE, Number of times reported: 1

Sign: UNCONSCIOUS, Number of times reported: 1

Sign: UNEXPLAINED DEATH, Number of times reported: 1

Sign: UNRESPONSIVE TO STIMULI, Number of times reported: 1

Sign: URINARY BLADDER DISORDER NOS, Number of times reported: 1

Sign: URINARY TRACT DISORDER NOS, Number of times reported: 1

Sign: URINARY TRACT INFECTION, Number of times reported: 1

Sign: URINE ABNORMALITIES NOS, Number of times reported: 1

Sign: URTICARIA, Number of times reported: 1

Sign: VAGAL SHOCK, Number of times reported: 1

Sign: VAGINITIS, Number of times reported: 1

Sign: VESTIBULAR DISORDER NOS, Number of times reported: 1

Sign: WEIGHT GAIN, Number of times reported: 1

Sign: WELT, Number of times reported: 1

Species: Fox**Route of Administration: oral**

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 1

Sign: HYPERACTIVITY, Number of times reported: 1

Sign: RESTLESSNESS, Number of times reported: 1

Species: Horse**Route of Administration: oral**

Sign: NOT DRINKING, Number of times reported: 1

Sign: NOT EATING, Number of times reported: 1

Sign: VOMITING, Number of times reported: 1

Species: Human**Route of Administration: MISSING**

Sign: PRURITUS, Number of times reported: 1

Sign: PUSTULES, Number of times reported: 1

Species: Human**Route of Administration: oral**

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 2

Sign: EMESIS, Number of times reported: 1

Sign: HEADACHE, Number of times reported: 1

Sign: NAUSEA, Number of times reported: 1

Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 1

Sign: VOMITING, Number of times reported: 1

Species: Human**Route of Administration: other**

Sign: RASH, Number of times reported: 5

Sign: PRURITUS, Number of times reported: 3

Sign: ITCHING, Number of times reported: 2

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 1

Sign: BAD TASTE, Number of times reported: 1

Sign: BLISTERING, Number of times reported: 1

Sign: BURNING SENSATION (SKIN), Number of times reported: 1

Sign: CONTACT DERMATITIS, Number of times reported: 1

Sign: DIFFICULTY SLEEPING, Number of times reported: 1

Sign: ECZEMA, Number of times reported: 1

Sign: HIVES, Number of times reported: 1

Sign: HYPERTENSION, Number of times reported: 1

Sign: JOINT SWELLING, Number of times reported: 1

Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 1

Sign: NAUSEA, Number of times reported: 1

Sign: PEELING SKIN, Number of times reported: 1

Sign: REDDENING OF THE SKIN, Number of times reported: 1

Sign: SKIN IRRITATION, Number of times reported: 1

Sign: SNEEZING, Number of times reported: 1

Sign: WELT, Number of times reported: 1

Species: Human

Route of Administration: Topical

Sign: ALLERGIC REACTION, Number of times reported: 1

Sign: BURNING MOUTH SENSATION, Number of times reported: 1

Sign: EYE IRRITATION, Number of times reported: 1

Sign: HIVES, Number of times reported: 1

Sign: MENTAL CONFUSION, Number of times reported: 1

Sign: RASH, Number of times reported: 1

Sign: THROAT IRRITATION, Number of times reported: 1

Sign: TINGLING SENSATION, Number of times reported: 1

Sign: TONGUE PARAESTHESIA, Number of times reported: 1

Sign: WELT, Number of times reported: 1

Species: Human

Route of Administration: unknown

Sign: HIVES, Number of times reported: 6

Sign: RASH, Number of times reported: 5

Sign: PRURITUS, Number of times reported: 3

Sign: ALLERGIC REACTION, Number of times reported: 2

Sign: DERMATITIS, Number of times reported: 2

Sign: DIARRHOEA, Number of times reported: 2

Sign: SWOLLEN LIP, Number of times reported: 2

Sign: WELT, Number of times reported: 2

Sign: ABDOMINAL PAIN, Number of times reported: 1
Sign: ACCIDENTAL EXPOSURE, Number of times reported: 1
Sign: ALLERGY NOS, Number of times reported: 1
Sign: ANAPHYLAXIS, Number of times reported: 1
Sign: ASTHMA, Number of times reported: 1
Sign: BURNING SENSATION OF EYE, Number of times reported: 1
Sign: COUGH, Number of times reported: 1
Sign: DIFFICULTY SLEEPING, Number of times reported: 1
Sign: ERYTHEMA, Number of times reported: 1
Sign: EYELID OEDEMA, Number of times reported: 1
Sign: GENERALISED ITCHING, Number of times reported: 1
Sign: ITCHING, Number of times reported: 1
Sign: LACRIMATION, Number of times reported: 1
Sign: LOCALISED RASH, Number of times reported: 1
Sign: NASAL IRRITATION, Number of times reported: 1
Sign: NAUSEA, Number of times reported: 1
Sign: PANIC ATTACK, Number of times reported: 1
Sign: SEIZURE NOS, Number of times reported: 1
Sign: SKIN DRYNESS, Number of times reported: 1
Sign: SKIN LESION NOS, Number of times reported: 1
Sign: SNEEZING, Number of times reported: 1
Sign: SWELLING NOS, Number of times reported: 1
Sign: THROAT IRRITATION, Number of times reported: 1
Sign: VOICE ALTERATION, Number of times reported: 1
Sign: WHEEZING, Number of times reported: 1

Species: Not specified

Route of Administration: oral

Sign: INEFFECTIVE, TICKS, Number of times reported: 1
Sign: LACK OF EFFICACY, Number of times reported: 1
Sign: SKIN DISORDERS NOS, Number of times reported: 1

Species: Other

Route of Administration: oral

Sign: VOMITING, Number of times reported: 2
Sign: DIARRHOEA, Number of times reported: 1

Species: Other Canids

Route of Administration: oral

Sign: PRURITUS, Number of times reported: 1

Species: Spider

Route of Administration: unknown

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 1

Sign: DEATH, Number of times reported: 1

Species: Wolf

Route of Administration: oral

Sign: VOMITING, Number of times reported: 1