

CVM ADE Comprehensive Clinical Detail Report Listing

Cumulative Date Range : 18-Jan-2018 -thru- 31-Jul-2018

Included 1932a cases = : True

Included Medicated Feed cases = : False

DRUG: LOTILANER

Species: Dog

Route of Administration: oral

Sign: VOMITING, Number of times reported: 91

Sign: DIARRHOEA, Number of times reported: 30

Sign: LACK OF EFFICACY (FLEA), Number of times reported: 25

Sign: LACK OF EFFICACY (TICK), Number of times reported: 22

Sign: ITCHING, Number of times reported: 14

Sign: LETHARGY, Number of times reported: 14

Sign: DECREASED APPETITE, Number of times reported: 11

Sign: NOT EATING, Number of times reported: 10

Sign: UNPALATABLE, Number of times reported: 7

Sign: ABNORMAL TEST RESULT, Number of times reported: 6

Sign: SEIZURE NOS, Number of times reported: 6

Sign: ANXIETY, Number of times reported: 5

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 5

Sign: BLOODY DIARRHOEA, Number of times reported: 5

Sign: EMESIS, Number of times reported: 5

Sign: RASH, Number of times reported: 5

Sign: SCRATCHING, Number of times reported: 5

Sign: ANOREXIA, Number of times reported: 4

Sign: ATAXIA, Number of times reported: 4

Sign: DECREASED ACTIVITY, Number of times reported: 4

Sign: DEPRESSION, Number of times reported: 4

Sign: LOOSE STOOL, Number of times reported: 4

Sign: PANTING, Number of times reported: 4

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 3

Sign: ANAEMIA NOS, Number of times reported: 3

Sign: DEATH, Number of times reported: 3

Sign: ELEVATED BUN, Number of times reported: 3

Sign: FEVER, Number of times reported: 3

Sign: HYPERPHOSPHATAEMIA, Number of times reported: 3

Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 3

Sign: INAPPROPRIATE URINATION, Number of times reported: 3

Sign: LACK OF EFFICACY (TAPEWORM), Number of times reported: 3

Sign: MALAISE, Number of times reported: 3

Sign: NOT DRINKING, Number of times reported: 3

Sign: POLYDIPSIA, Number of times reported: 3

Sign: ANAPHYLACTIC-TYPE REACTION, Number of times reported: 2

Sign: APPETITE LOSS, Number of times reported: 2

Sign: DEATH BY EUTHANASIA, Number of times reported: 2

Sign: DEHYDRATION, Number of times reported: 2

Sign: DRINKING A LOT, Number of times reported: 2

Sign: DROOLING, Number of times reported: 2

Sign: DRY MUCOUS MEMBRANE, Number of times reported: 2

Sign: ELEVATED SDMA (SYMMETRICAL DIMETHYLARGININE), Number of times reported: 2

Sign: EMESIS (MULTIPLE), Number of times reported: 2

Sign: FLATULENCE, Number of times reported: 2

Sign: GAGGING, Number of times reported: 2

Sign: HAEMATURIA, Number of times reported: 2

Sign: HEART MURMUR, Number of times reported: 2

Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 2

Sign: HYPERACTIVITY, Number of times reported: 2

Sign: HYPERALBUMINAEMIA, Number of times reported: 2

Sign: HYPOCHLORAEMIA, Number of times reported: 2

Sign: LICKING, Number of times reported: 2

Sign: MUCOUS STOOL, Number of times reported: 2

Sign: OVERDOSE, Number of times reported: 2

Sign: PACING, Number of times reported: 2

Sign: PANCREATITIS, Number of times reported: 2

Sign: POLYURIA, Number of times reported: 2

Sign: RESTLESSNESS, Number of times reported: 2

Sign: SHAKING, Number of times reported: 2

Sign: THROMBOCYTOPENIA, Number of times reported: 2

Sign: TREMBLING, Number of times reported: 2

Sign: WEIGHT LOSS, Number of times reported: 2

Sign: ABDOMINAL DISCOMFORT, Number of times reported: 1

Sign: ABDOMINAL PAIN, Number of times reported: 1

Sign: ABNORMAL BREATHING, Number of times reported: 1

Sign: ABNORMAL NECROPSY FINDING, Number of times reported: 1

Sign: ABNORMAL POSTURE NOS, Number of times reported: 1

Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 1

Sign: ANAL AND RECTAL DISORDER NOS, Number of times reported: 1

Sign: ANAL SAC DISORDER, Number of times reported: 1

Sign: ANAPHYLAXIS, Number of times reported: 1

Sign: BANDS(NEUTROPHILS) HIGH, BLOOD, Number of times reported: 1

Sign: BASOPHILIA, Number of times reported: 1

Sign: BILIRUBINURIA, Number of times reported: 1

Sign: BLOOD CLOT, Number of times reported: 1

Sign: BLOOD IN FAECES, Number of times reported: 1

Sign: BLOOD IN VOMIT, Number of times reported: 1

Sign: BREATHING DIFFICULTY, Number of times reported: 1

Sign: CATARACT, Number of times reported: 1

Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 1

Sign: CONGENITAL RENAL AND URINARY TRACT DISORDER NOS, Number of times reported: 1

Sign: CONSTIPATION, Number of times reported: 1

Sign: CREATININE LOW, BLOOD, Number of times reported: 1

Sign: CRYING, Number of times reported: 1

Sign: CRYPTORCHIDISM, Number of times reported: 1

Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 1

Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 1

Sign: DECREASED URINE CONCENTRATION, Number of times reported: 1

Sign: DILATED PUPILS, Number of times reported: 1

Sign: DRY NOSE, Number of times reported: 1

Sign: EARDRUM RUPTURE, Number of times reported: 1

Sign: ELEVATED AMYLASE, Number of times reported: 1

Sign: ELEVATED CREATININE, Number of times reported: 1

Sign: ELEVATED GAMMA-GLUTAMYL TRANSFERASE (GGT), Number of times reported: 1

Sign: ELEVATED LIPASE, Number of times reported: 1

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 1

Sign: ENLARGED LYMPH NODES (GENERALISED), Number of times reported: 1

Sign: EOSINOPENIA, Number of times reported: 1

Sign: EYE DISORDER NOS, Number of times reported: 1

Sign: FACIAL SWELLING, Number of times reported: 1

Sign: FALLING, Number of times reported: 1

Sign: FOUND DEAD, Number of times reported: 1

Sign: FREQUENT URINATION, Number of times reported: 1

Sign: GENERALISED RED SPOT, Number of times reported: 1

Sign: GLAZED EYE, Number of times reported: 1

Sign: GUT SOUNDS INCREASED, Number of times reported: 1

Sign: HAEMOCONCENTRATION, Number of times reported: 1

Sign: HAEMOGLOBINURIA, Number of times reported: 1

Sign: HAEMOLYTIC ANAEMIA, Number of times reported: 1

Sign: HAEMORRHAGIC DIARRHOEA, Number of times reported: 1

Sign: HAIR STANDING ON END, Number of times reported: 1

Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 1

Sign: HEARING DECREASED, Number of times reported: 1

Sign: HIDING, Number of times reported: 1

Sign: HIVES, Number of times reported: 1

Sign: HYPERCALCAEMIA, Number of times reported: 1

Sign: HYPERSALIVATION, Number of times reported: 1

Sign: HYPONATREMIA, Number of times reported: 1

Sign: HYPOTHERMIA, Number of times reported: 1

Sign: IMMUNE MEDIATED THROMBOCYTOPENIA, Number of times reported: 1

Sign: INAPPROPRIATE DEFECATION, Number of times reported: 1

Sign: INCREASED BOWEL MOVEMENTS (FREQUENCY), Number of times reported: 1

Sign: INEFFECTIVE, DEMODEX MITES, Number of times reported: 1

Sign: INEFFECTIVE, HOOKS, Number of times reported: 1

Sign: INTESTINAL DISORDER NOS, Number of times reported: 1

Sign: JOINT PAIN, Number of times reported: 1

Sign: LACK OF EFFICACY, Number of times reported: 1

Sign: LACK OF RESPONSE TO OWNER, Number of times reported: 1

Sign: LEUCOCYTOSIS, Number of times reported: 1

Sign: LIMPING, Number of times reported: 1

Sign: LISTLESS, Number of times reported: 1

Sign: LOCAL SWELLING (NOT APPLICATION SITE), Number of times reported: 1

Sign: LOCALISED PAIN NOS, Number of times reported: 1

Sign: LOW PLATELET COUNT, Number of times reported: 1

Sign: MENTAL IMPAIRMENT NOS, Number of times reported: 1

Sign: MONOCYTOSIS, Number of times reported: 1

Sign: MUCOSA PETECHIAE, Number of times reported: 1

Sign: NAUSEA, Number of times reported: 1

Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 1

Sign: NEUTROPHILIA, Number of times reported: 1

Sign: NYSTAGMUS, Number of times reported: 1

Sign: PALE MUCOUS MEMBRANE, Number of times reported: 1

Sign: PICA NOS, Number of times reported: 1

Sign: POLLAKIURIA, Number of times reported: 1

Sign: PRURITUS, Number of times reported: 1

Sign: PULMONARY OEDEMA, Number of times reported: 1

Sign: PULMONARY THROMBOEMBOLISM, Number of times reported: 1

Sign: PYURIA, Number of times reported: 1

Sign: REGENERATIVE ANAEMIA, Number of times reported: 1

Sign: ROLLING, Number of times reported: 1

Sign: RUBBING, Number of times reported: 1

Sign: SICKNESS, Number of times reported: 1

Sign: SKIN DISORDERS NOS, Number of times reported: 1

Sign: SKIN PETECHIAE, Number of times reported: 1

Sign: SKIN SCAB, Number of times reported: 1

Sign: SOMNOLENCE, Number of times reported: 1

Sign: SPLENOMEGALY, Number of times reported: 1

Sign: STARING, Number of times reported: 1

Sign: TENSE ABDOMEN, Number of times reported: 1

Sign: TWITCHING, Number of times reported: 1

Sign: UNABLE TO JUMP, Number of times reported: 1

Sign: UNCOMFORTABLE, Number of times reported: 1

Sign: UNDERDOSE, Number of times reported: 1

Sign: UNSTEADY GAIT, Number of times reported: 1

Sign: UNUSUAL STOOL COLOUR, Number of times reported: 1

Sign: URINARY TRACT DISORDER NOS, Number of times reported: 1

Sign: URINE ABNORMALITIES NOS, Number of times reported: 1

Sign: WEAKNESS, Number of times reported: 1

Sign: WELT, Number of times reported: 1

Sign: WRONG STRENGTH DISPENSED, Number of times reported: 1

Species: Dog

Route of Administration: unknown

Sign: DIARRHOEA, Number of times reported: 1