

CVM ADE Comprehensive Clinical Detail Report Listing

Cumulative Date Range : 25-May-2014 -thru- 31-Jul-2018

Included 1932a cases = : True

Included Medicated Feed cases = : False

DRUG: FLURALANER

Species: Bobcat

Route of Administration: Topical

Sign: APPLICATION SITE REDDENING, Number of times reported: 2

Sign: APPLICATION SITE HAIR LOSS, Number of times reported: 1

Sign: APPLICATION SITE IRRITATION, Number of times reported: 1

Species: Cat

Route of Administration: oral

Sign: VOMITING, Number of times reported: 11

Sign: HYPERSALIVATION, Number of times reported: 9

Sign: DIARRHOEA, Number of times reported: 7

Sign: LETHARGY, Number of times reported: 7

Sign: EMESIS (MULTIPLE), Number of times reported: 6

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 6

Sign: MEDICATION ERROR, Number of times reported: 6

Sign: APPLICATION SITE HAIR LOSS, Number of times reported: 5

Sign: INEFFECTIVE, FLEAS, Number of times reported: 5

Sign: APPLICATION SITE SCRATCHING, Number of times reported: 3

Sign: LEUCOCYTOSIS, Number of times reported: 3

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 2

Sign: DILATED PUPILS, Number of times reported: 2

Sign: HYPERGLYCAEMIA, Number of times reported: 2

Sign: LOCALISED PAIN NOS, Number of times reported: 2

Sign: PRODUCT PROBLEM, Number of times reported: 2

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 1

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 1

Sign: ANAEMIA NOS, Number of times reported: 1

Sign: ANOREXIA, Number of times reported: 1

Sign: APPLICATION SITE SCAB, Number of times reported: 1

Sign: ARRHYTHMIA, Number of times reported: 1

Sign: ATAXIA, Number of times reported: 1

Sign: BALANCE IMPAIRED, Number of times reported: 1

Sign: BLOODY DIARRHOEA, Number of times reported: 1

Sign: DEATH, Number of times reported: 1

Sign: DEATH BY EUTHANASIA, Number of times reported: 1

Sign: DECREASED ACTIVITY, Number of times reported: 1

Sign: DECREASED APPETITE, Number of times reported: 1

Sign: DECREASED BODY TEMPERATURE, Number of times reported: 1

Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 1

Sign: DEHYDRATION, Number of times reported: 1

Sign: DROOLING, Number of times reported: 1

Sign: DRUG ADMINISTRATION ERROR, Number of times reported: 1

Sign: ELEVATED ALT, Number of times reported: 1

Sign: ELEVATED BUN, Number of times reported: 1

Sign: ELEVATED TEMPERATURE, Number of times reported: 1

Sign: FEVER, Number of times reported: 1

Sign: FLATULENCE, Number of times reported: 1

Sign: FOUND DEAD, Number of times reported: 1

Sign: GAGGING, Number of times reported: 1

Sign: GLAZED EYE, Number of times reported: 1

Sign: HIDING, Number of times reported: 1

Sign: HIND LIMB PARESIS, Number of times reported: 1

Sign: INAPPROPRIATE URINATION, Number of times reported: 1

Sign: INEFFECTIVE, DEMODEX MITES, Number of times reported: 1

Sign: INEFFECTIVE, TICKS, Number of times reported: 1

Sign: ITCHING, Number of times reported: 1

Sign: LOCALISED HAIR LOSS, Number of times reported: 1

Sign: LYMPHOCYTOSIS, Number of times reported: 1

Sign: MONOCYTOSIS, Number of times reported: 1

Sign: MYDRIASIS, Number of times reported: 1

Sign: NEUTROPHILIA, Number of times reported: 1

Sign: NOT EATING, Number of times reported: 1

Sign: PANTING, Number of times reported: 1

Sign: PRURITUS, Number of times reported: 1

Sign: QUIET, Number of times reported: 1

Sign: RECUMBENCY, Number of times reported: 1

Sign: RESPIRATORY SIGNS, Number of times reported: 1

Sign: TIREDNESS, Number of times reported: 1

Sign: TREMOR, Number of times reported: 1

Sign: VOCALISATION, Number of times reported: 1

Sign: WEAKNESS, Number of times reported: 1

Sign: WEIGHT LOSS, Number of times reported: 1

Sign: WHEEZING, Number of times reported: 1

Species: Cat

Route of Administration: other

Sign: HYPERSALIVATION, Number of times reported: 1

Sign: MEDICATION ERROR, Number of times reported: 1

Species: Cat

Route of Administration: subcutaneous

Sign: ABNORMAL MENACE REFLEX TEST, Number of times reported: 1

Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 1

Sign: ATAXIA, Number of times reported: 1

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 1

Sign: BRAIN DISORDER NOS, Number of times reported: 1

Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 1

Sign: DEATH, Number of times reported: 1

Sign: DECREASED APPETITE, Number of times reported: 1

Sign: DECREASED PERCENTAGE OF RETICULOCYTES, Number of times reported: 1

Sign: DISORIENTATION, Number of times reported: 1

Sign: ELEVATED ALT, Number of times reported: 1

Sign: ELEVATED AST, Number of times reported: 1

Sign: ELEVATED CREATINE-KINASE (CK), Number of times reported: 1

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 1

Sign: FALLING, Number of times reported: 1

Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 1

Sign: HIDING, Number of times reported: 1

Sign: HYPOCALCAEMIC CONDITION, Number of times reported: 1

Sign: LOSS OF VISION, Number of times reported: 1

Sign: MALAISE, Number of times reported: 1

Sign: SOMNOLENCE, Number of times reported: 1

Sign: THROMBOCYTOPENIA, Number of times reported: 1

Sign: VOCALISATION, Number of times reported: 1

Sign: WALKING DIFFICULTY, Number of times reported: 1

Sign: WEAKNESS, Number of times reported: 1

Species: Cat

Route of Administration: Topical

Sign: APPLICATION SITE HAIR LOSS, Number of times reported: 395

Sign: LETHARGY, Number of times reported: 285

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 188

Sign: EMESIS (MULTIPLE), Number of times reported: 166

Sign: APPLICATION SITE ALOPECIA, Number of times reported: 158

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 111

Sign: APPLICATION SITE GREASY FUR, Number of times reported: 99

Sign: LACK OF EFFICACY (FLEA), Number of times reported: 95

Sign: VOMITING, Number of times reported: 95

Sign: HYPERSALIVATION, Number of times reported: 94

Sign: DECREASED APPETITE, Number of times reported: 90

Sign: APPLICATION SITE SCAB, Number of times reported: 89

Sign: FOAMING AT THE MOUTH, Number of times reported: 79

Sign: DROOLING, Number of times reported: 77

Sign: DIARRHOEA, Number of times reported: 76

Sign: ANOREXIA, Number of times reported: 73

Sign: HIDING, Number of times reported: 70

Sign: APPLICATION SITE REDDENING, Number of times reported: 66

Sign: APPLICATION SITE SCRATCHING, Number of times reported: 58

Sign: HYPERACTIVITY, Number of times reported: 57

Sign: ATAXIA, Number of times reported: 52

Sign: VOCALISATION, Number of times reported: 49

Sign: NOT EATING, Number of times reported: 46

Sign: INEFFECTIVE, FLEAS, Number of times reported: 45

Sign: LACK OF EFFICACY (TICK), Number of times reported: 44

Sign: PRURITUS, Number of times reported: 44

Sign: FEVER, Number of times reported: 43

Sign: PANTING, Number of times reported: 42

Sign: WEIGHT LOSS, Number of times reported: 41

Sign: DEATH BY EUTHANASIA, Number of times reported: 40

Sign: INAPPETENCE, Number of times reported: 36

Sign: SCRATCHING, Number of times reported: 35

Sign: DEATH, Number of times reported: 34

Sign: AGITATION, Number of times reported: 33

Sign: APPLICATION SITE HAIR CHANGE, Number of times reported: 33

Sign: APPLICATION SITE RESIDUE, Number of times reported: 33

Sign: APPLICATION SITE ERYTHEMA, Number of times reported: 31

Sign: APPLICATION SITE IRRITATION, Number of times reported: 31

Sign: ABNORMAL TEST RESULT, Number of times reported: 30

Sign: DEHYDRATION, Number of times reported: 28

Sign: LACK OF EFFICACY (ECTOPARASITE NOS), Number of times reported: 28

Sign: SEIZURE NOS, Number of times reported: 28

Sign: TWITCHING, Number of times reported: 28

Sign: EXCESSIVE LICKING AND/OR GROOMING, Number of times reported: 26

Sign: NOT DRINKING, Number of times reported: 26

Sign: SKIN SCAB, Number of times reported: 26

Sign: ELEVATED BUN, Number of times reported: 25

Sign: APPLICATION SITE ITCHING, Number of times reported: 24

Sign: HYPERGLYCAEMIA, Number of times reported: 24

Sign: APPLICATION SITE PRURITUS, Number of times reported: 23

Sign: ELEVATED CREATININE, Number of times reported: 22

Sign: APPLICATION SITE LESION, Number of times reported: 20

Sign: AGGRESSION, Number of times reported: 19

Sign: GENERAL HAIR LOSS, Number of times reported: 19

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 18

Sign: DECREASED ACTIVITY, Number of times reported: 18

Sign: LOCALISED HAIR LOSS, Number of times reported: 18

Sign: HAIR LOSS NOS, Number of times reported: 17

Sign: LEUCOCYTOSIS, Number of times reported: 17

Sign: APPLICATION SITE BURN, Number of times reported: 16

Sign: APPLICATION SITE ULCER, Number of times reported: 16

Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 16

Sign: DILATED PUPILS, Number of times reported: 16

Sign: ITCHING, Number of times reported: 16

Sign: APPLICATION SITE SELF TRAUMA, Number of times reported: 15

Sign: LICKING AT APPLICATION SITE, Number of times reported: 15

Sign: INAPPROPRIATE URINATION, Number of times reported: 14

Sign: LICKING, Number of times reported: 14

Sign: TREMOR, Number of times reported: 14

Sign: ELEVATED ALT, Number of times reported: 13

Sign: ALOPECIA, Number of times reported: 12

Sign: APPLICATION SITE CRUST, Number of times reported: 12

Sign: APPLICATION SITE PAIN, Number of times reported: 12

Sign: DECREASED DRINKING, Number of times reported: 12

Sign: FALLING, Number of times reported: 12

Sign: GENERALISED ITCHING, Number of times reported: 12

Sign: WEAKNESS, Number of times reported: 12

Sign: INEFFECTIVE, TICKS, Number of times reported: 11

Sign: MONOCYTOSIS, Number of times reported: 11

Sign: RESTLESSNESS, Number of times reported: 11

Sign: THROMBOCYTOPENIA, Number of times reported: 11

Sign: ABNORMAL BREATHING, Number of times reported: 10

Sign: COUGH, Number of times reported: 10

Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 10

Sign: LOW PLATELET COUNT, Number of times reported: 10

Sign: PALE MUCOUS MEMBRANE, Number of times reported: 10

Sign: RETCHING, Number of times reported: 10

Sign: TACHYCARDIA, Number of times reported: 10

Sign: TACHYPNOEA, Number of times reported: 10

Sign: APPLICATION SITE BLISTER, Number of times reported: 9

Sign: APPLICATION SITE RASH, Number of times reported: 9

Sign: BLOOD IN VOMIT, Number of times reported: 9

Sign: BLOODY DIARRHOEA, Number of times reported: 9

Sign: HEAD SHAKE - BEHAVIOURAL DISORDER, Number of times reported: 9

Sign: HEAD TREMOR, Number of times reported: 9

Sign: NEUTROPHILIA, Number of times reported: 9

Sign: SNEEZING, Number of times reported: 9

Sign: WALKING DIFFICULTY, Number of times reported: 9

Sign: ADIPSIA, Number of times reported: 8

Sign: ALOPECIA LOCAL, Number of times reported: 8

Sign: ANAEMIA NOS, Number of times reported: 8

Sign: APPLICATION SITE REACTION NOS, Number of times reported: 8

Sign: BALANCE IMPAIRED, Number of times reported: 8

Sign: ELEVATED AMYLASE, Number of times reported: 8

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 8

Sign: HYPERPHOSPHATAEMIA, Number of times reported: 8

Sign: INAPPROPRIATE DEFECATION, Number of times reported: 8

Sign: SKIN LESION NOS, Number of times reported: 8

Sign: UNCOMFORTABLE, Number of times reported: 8

Sign: ANISOCORIA, Number of times reported: 7

Sign: CONSTIPATION, Number of times reported: 7

Sign: CRUST, Number of times reported: 7

Sign: DECREASED HAEMOGLOBIN, Number of times reported: 7

Sign: DEPRESSION, Number of times reported: 7

Sign: DISCOMFORT NOS, Number of times reported: 7

Sign: HAIR SHEDDING, Number of times reported: 7

Sign: HYPOTHERMIA, Number of times reported: 7

Sign: LABOURED BREATHING, Number of times reported: 7

Sign: LISTLESS, Number of times reported: 7

Sign: NASAL DISCHARGE, Number of times reported: 7

Sign: OPEN MOUTH BREATHING, Number of times reported: 7

Sign: RELUCTANT TO MOVE, Number of times reported: 7

Sign: RENAL DISORDER NOS, Number of times reported: 7

Sign: SHAKING, Number of times reported: 7

Sign: SLEEPINESS - SYSTEMIC DISORDER, Number of times reported: 7

Sign: SQUINTING, Number of times reported: 7

Sign: ABNORMAL CYTOLOGY, Number of times reported: 6

Sign: ABNORMAL NECROPSY FINDING, Number of times reported: 6

Sign: APPLICATION SITE BLEEDING, Number of times reported: 6

Sign: APPLICATION SITE DRY SKIN, Number of times reported: 6

Sign: APPLICATION SITE INFLAMMATION, Number of times reported: 6

Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 6

Sign: DISORIENTATION, Number of times reported: 6

Sign: ELEVATED GLOBULINS, Number of times reported: 6

Sign: ELEVATED SDMA (SYMMETRICAL DIMETHYLARGININE), Number of times reported: 6

Sign: HYPERAESTHESIA, Number of times reported: 6

Sign: HYPERPROTEINAEMIA, Number of times reported: 6

Sign: HYPOCALCAEMIC CONDITION, Number of times reported: 6

Sign: INCREASED RESPIRATORY RATE, Number of times reported: 6

Sign: MYDRIASIS, Number of times reported: 6

Sign: POLYDIPSIA, Number of times reported: 6

Sign: REDDENING OF THE SKIN, Number of times reported: 6

Sign: TREMBLING, Number of times reported: 6

Sign: ANXIETY, Number of times reported: 5

Sign: APPLICATION SITE HOT SPOT, Number of times reported: 5

Sign: APPLICATION SITE SORE, Number of times reported: 5

Sign: CRYSTALLURIA, Number of times reported: 5

Sign: ELEVATED SAP, Number of times reported: 5

Sign: EOSINOPHILIA, Number of times reported: 5

Sign: ERYTHEMA, Number of times reported: 5

Sign: FLAKING SKIN, Number of times reported: 5

Sign: GAGGING, Number of times reported: 5

Sign: GAIT ABNORMALITY, Number of times reported: 5

Sign: HEART MURMUR, Number of times reported: 5

Sign: INTESTINAL DISORDER NOS, Number of times reported: 5

Sign: LACK OF EFFICACY, Number of times reported: 5

Sign: LATERAL RECUMBENCY, Number of times reported: 5

Sign: LOOSE STOOL, Number of times reported: 5

Sign: MALAISE, Number of times reported: 5

Sign: NYSTAGMUS, Number of times reported: 5

Sign: PACING, Number of times reported: 5

Sign: SELF TRAUMA, Number of times reported: 5

Sign: SKIN WARMTH, Number of times reported: 5

Sign: ABNORMAL POSTURE NOS, Number of times reported: 4

Sign: ABNORMAL RED BLOOD CELL, Number of times reported: 4

Sign: ALOPECIA GENERAL, Number of times reported: 4

Sign: APPLICATION SITE HAIR COAT DISCOLOURATION, Number of times reported: 4

Sign: APPLICATION SITE SKIN CHANGE NOS, Number of times reported: 4

Sign: APPLICATION SITE THICKENING, Number of times reported: 4

Sign: APPLICATION SITE WEEPING, Number of times reported: 4

Sign: BREATHING DIFFICULTY, Number of times reported: 4

Sign: CARDIAC DISORDER NOS, Number of times reported: 4

Sign: CIRCLING, Number of times reported: 4

Sign: CONJUNCTIVITIS, Number of times reported: 4

Sign: DULL, Number of times reported: 4

Sign: EAR TWITCHING, Number of times reported: 4

Sign: ELEVATED CREATINE-KINASE (CK), Number of times reported: 4

Sign: EYE DISORDER NOS, Number of times reported: 4

Sign: FASCICULATION, Number of times reported: 4

Sign: HAIR STANDING ON END, Number of times reported: 4

Sign: HEAD TILT - EAR DISORDER, Number of times reported: 4

Sign: HORIZONTAL NYSTAGMUS, Number of times reported: 4

Sign: HYPOCHLORAEMIA, Number of times reported: 4

Sign: HYPOGLYCAEMIA, Number of times reported: 4

Sign: INCOORDINATION, Number of times reported: 4

Sign: INCREASED HEART RATE, Number of times reported: 4

Sign: INCREASED SALIVATION, Number of times reported: 4

Sign: ITCHY SKIN, Number of times reported: 4

Sign: JAUNDICE, Number of times reported: 4

Sign: LACK OF EFFICACY (PROTOZOA), Number of times reported: 4

Sign: LIP LICKING, Number of times reported: 4

Sign: LIVER DISORDER NOS, Number of times reported: 4

Sign: MEDICATION ERROR, Number of times reported: 4

Sign: NAUSEA, Number of times reported: 4

Sign: PULMONARY OEDEMA, Number of times reported: 4

Sign: SKIN ULCER, Number of times reported: 4

Sign: STUMBLING GAIT, Number of times reported: 4

Sign: UNABLE TO STAND, Number of times reported: 4

Sign: URINARY TRACT INFECTION, Number of times reported: 4

Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 3

Sign: APPETITE LOSS, Number of times reported: 3

Sign: APPLICATION SITE DERMATITIS, Number of times reported: 3

Sign: APPLICATION SITE EXCORIATION, Number of times reported: 3

Sign: APPLICATION SITE PUSTULE, Number of times reported: 3

Sign: CHEWING - PRURITUS, Number of times reported: 3

Sign: COLLAPSE, Number of times reported: 3

Sign: COLLAPSE NOS, Number of times reported: 3

Sign: CONFUSED, Number of times reported: 3

Sign: CRYING, Number of times reported: 3

Sign: DECREASED BOWEL MOVEMENTS, Number of times reported: 3

Sign: DECREASED CHOLESTEROL (TOTAL), Number of times reported: 3

Sign: DIABETES MELLITUS, Number of times reported: 3

Sign: EAR INFECTION NOS, Number of times reported: 3

Sign: ELEVATED AST, Number of times reported: 3

Sign: ELEVATED LIPASE, Number of times reported: 3

Sign: EMESIS, Number of times reported: 3

Sign: EXCESSIVE THIRST, Number of times reported: 3

Sign: EXCORIATION, Number of times reported: 3

Sign: FACIAL SWELLING, Number of times reported: 3

Sign: HAEMATEMESIS, Number of times reported: 3

Sign: HAEMATURIA, Number of times reported: 3

Sign: HEAD BOBBING, Number of times reported: 3

Sign: HEAD SHAKE - EAR DISORDER, Number of times reported: 3

Sign: HIND LIMB ATAXIA, Number of times reported: 3

Sign: HYPERTHERMIA, Number of times reported: 3

Sign: HYPOALBUMINAEMIA, Number of times reported: 3

Sign: HYPOKALAEMIA, Number of times reported: 3

Sign: HYPOPHOSPHATAEMIA, Number of times reported: 3

Sign: ICTERUS, Number of times reported: 3

Sign: INCREASED PACKED CELL VOLUME (PCV), Number of times reported: 3

Sign: LAMENESS, Number of times reported: 3

Sign: LEUCOPENIA, Number of times reported: 3

Sign: LIMB WEAKNESS, Number of times reported: 3

Sign: LUMP, Number of times reported: 3

Sign: LYMPHOCYTOSIS, Number of times reported: 3

Sign: LYMPHOPENIA, Number of times reported: 3

Sign: MENTAL FUNCTION DECREASED, Number of times reported: 3

Sign: MOIST DERMATITIS, Number of times reported: 3

Sign: MUCOUS STOOL, Number of times reported: 3

Sign: MUSCLE TREMOR, Number of times reported: 3

Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 3

Sign: ORAL ULCERATION, Number of times reported: 3

Sign: PARTIAL ANOREXIA, Number of times reported: 3

Sign: PINNAL REDDENING, Number of times reported: 3

Sign: PLEURAL EFFUSION, Number of times reported: 3

Sign: POLYPHAGIA, Number of times reported: 3

Sign: PULMONARY DISORDER NOS, Number of times reported: 3

Sign: RECUMBENCY, Number of times reported: 3

Sign: RENAL FAILURE, Number of times reported: 3

Sign: RESPIRATORY DISTRESS, Number of times reported: 3

Sign: ROLLING, Number of times reported: 3

Sign: RUBBING, Number of times reported: 3

Sign: SKIN INFLAMMATION NOS, Number of times reported: 3

Sign: SKIN IRRITATION, Number of times reported: 3

Sign: SKIN SORE, Number of times reported: 3

Sign: TREMOR OF LIMB, Number of times reported: 3

Sign: ULCERATION NOS, Number of times reported: 3

Sign: ULCERATIVE DERMATITIS, Number of times reported: 3

Sign: UNABLE TO JUMP, Number of times reported: 3

Sign: UNSTEADY GAIT, Number of times reported: 3

Sign: URINE ABNORMALITIES NOS, Number of times reported: 3

Sign: WHEEZING, Number of times reported: 3

Sign: ABDOMINAL PAIN, Number of times reported: 2

Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 2

Sign: ACUTE RENAL FAILURE, Number of times reported: 2

Sign: ANAPHYLAXIS, Number of times reported: 2

Sign: APPETITE DISORDER NOS, Number of times reported: 2

Sign: APPLICATION SITE MUCOPURULENT DISCHARGE, Number of times reported: 2

Sign: APPLICATION SITE PAPULE, Number of times reported: 2

Sign: APPLICATION SITE SKIN SCALING, Number of times reported: 2

Sign: APPLICATION SITE SWELLING, Number of times reported: 2

Sign: APPLICATION SITE TWITCHING, Number of times reported: 2

Sign: ARTHRITIS, Number of times reported: 2

Sign: AZOTAEMIA, Number of times reported: 2

Sign: BITING, Number of times reported: 2

Sign: BLEPHAROSPASM, Number of times reported: 2

Sign: BLOOD IN FAECES, Number of times reported: 2

Sign: BLOOD IN URINE, Number of times reported: 2

Sign: CERVICAL VENTROFLEXION, Number of times reported: 2

Sign: CONFUSION, Number of times reported: 2

Sign: CONSTRICTED PUPILS, Number of times reported: 2

Sign: CONVULSION, Number of times reported: 2

Sign: CRACKLES ON AUSCULTATION, Number of times reported: 2

Sign: DECREASED BODY TEMPERATURE, Number of times reported: 2

Sign: DECREASED URINE CONCENTRATION, Number of times reported: 2

Sign: DERMATITIS, Number of times reported: 2

Sign: DRY SKIN, Number of times reported: 2

Sign: EAR CANAL DISORDER, Number of times reported: 2

Sign: EAR PRURITUS, Number of times reported: 2

Sign: ELECTROLYTE DISORDER, Number of times reported: 2

Sign: ELEVATED GAMMA-GLUTAMYL TRANSFERASE (GGT), Number of times reported: 2

Sign: ELEVATED LIVER ENZYMES, Number of times reported: 2

Sign: ELEVATED TRIGLYCERIDE, Number of times reported: 2

Sign: ENLARGED LYMPH NODE (LOCALISED), Number of times reported: 2

Sign: EROSION, Number of times reported: 2

Sign: EYE IRRITATION, Number of times reported: 2

Sign: FEBRILE, Number of times reported: 2

Sign: FREQUENT URINATION, Number of times reported: 2

Sign: GENERALISED WEAKNESS, Number of times reported: 2

Sign: HAIR CHANGE, Number of times reported: 2

Sign: HEPATIC DISORDER NOS, Number of times reported: 2

Sign: HIND LIMB PARESIS, Number of times reported: 2

Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 2

Sign: HYPERALBUMINAEMIA, Number of times reported: 2

Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 2

Sign: INCREASED PERCENTAGE RETICULOCYTES, Number of times reported: 2

Sign: INCREASED RED BLOOD CELL COUNT, Number of times reported: 2

Sign: INCREASED SKIN SENSITIVITY, Number of times reported: 2

Sign: INJECTION SITE PAIN, Number of times reported: 2

Sign: INTENTION TREMOR, Number of times reported: 2

Sign: INTERSTITIAL NEPHRITIS, Number of times reported: 2

Sign: ITCHY EARS, Number of times reported: 2

Sign: LACK OF RESPONSE TO OWNER, Number of times reported: 2

Sign: LESS SOCIAL, Number of times reported: 2

Sign: LIMPING, Number of times reported: 2

Sign: LOCAL SWELLING (NOT APPLICATION SITE), Number of times reported: 2

Sign: LOCALISED ITCHING, Number of times reported: 2

Sign: LOSS OF BOWEL CONTROL, Number of times reported: 2

Sign: LOSS OF CONDITION SCORE, Number of times reported: 2

Sign: LOSS OF VISION, Number of times reported: 2

Sign: LUMBAR PAIN, Number of times reported: 2

Sign: LUNG COLLAPSE, Number of times reported: 2

Sign: LYMPHOMA, Number of times reported: 2

Sign: MALODOUR, Number of times reported: 2

Sign: MENTAL IMPAIRMENT NOS, Number of times reported: 2

Sign: MILIARY DERMATITIS, Number of times reported: 2

Sign: MURMUR, Number of times reported: 2

Sign: MUSCLE SHAKING, Number of times reported: 2

Sign: NASAL BLEEDING, Number of times reported: 2

Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 2

Sign: NOT URINATING, Number of times reported: 2

Sign: OTHER EAR DISORDER NOS, Number of times reported: 2

Sign: OTITIS EXTERNA, Number of times reported: 2

Sign: OTITIS MEDIA, Number of times reported: 2

Sign: OTITIS NOS, Number of times reported: 2

Sign: PAIN NOS, Number of times reported: 2

Sign: PANCREATITIS, Number of times reported: 2

Sign: PAWING, Number of times reported: 2

Sign: PINNAE DISORDER, Number of times reported: 2

Sign: POLLAKIURIA, Number of times reported: 2

Sign: POLYURIA, Number of times reported: 2

Sign: POOR COAT CONDITION, Number of times reported: 2

Sign: PRODUCT PROBLEM, Number of times reported: 2

Sign: PROTEINURIA, Number of times reported: 2

Sign: PULMONARY CONGESTION, Number of times reported: 2

Sign: PYURIA, Number of times reported: 2

Sign: REGURGITATION, Number of times reported: 2

Sign: SCALE, Number of times reported: 2

Sign: STIFF GAIT, Number of times reported: 2

Sign: STIFFNESS NOS, Number of times reported: 2

Sign: SUDDEN DEATH, Number of times reported: 2

Sign: TENSE ABDOMEN, Number of times reported: 2

Sign: THIRD EYELID PROLAPSE, Number of times reported: 2

Sign: THROMBOCYTOSIS, Number of times reported: 2

Sign: TIREDNESS, Number of times reported: 2

Sign: TONGUE PROTRUSION, Number of times reported: 2

Sign: TRAUMA NOS, Number of times reported: 2

Sign: UNABLE TO RISE, Number of times reported: 2

Sign: UNCLASSIFIABLE ADVERSE EVENT, Number of times reported: 2

Sign: UNRESPONSIVE TO STIMULI, Number of times reported: 2

Sign: URINARY BLADDER DISORDER NOS, Number of times reported: 2

Sign: URINARY INCONTINENCE, Number of times reported: 2

Sign: WOUND, Number of times reported: 2

Sign: ABDOMINAL EFFUSION, Number of times reported: 1

Sign: ABDOMINAL MASS, Number of times reported: 1

Sign: ABNORMAL MENACE REFLEX TEST, Number of times reported: 1

Sign: ABNORMAL MOVEMENT NOS, Number of times reported: 1

Sign: ABNORMAL POSTURE, Number of times reported: 1

Sign: ABNORMAL STOOL COLOURATION, Number of times reported: 1

Sign: ABNORMAL URINE ODOUR, Number of times reported: 1

Sign: ABNORMAL VISION, Number of times reported: 1

Sign: ABRASION, Number of times reported: 1

Sign: ABSCESS NOS, Number of times reported: 1

Sign: ACIDOSIS, Number of times reported: 1

Sign: ACNE, Number of times reported: 1

Sign: ACTING TENSE, Number of times reported: 1

Sign: ADRENAL GLAND DISORDER NOS, Number of times reported: 1

Sign: ALKALOSIS, Number of times reported: 1

Sign: ALLERGIC REACTION, Number of times reported: 1

Sign: ANAL AND RECTAL DISORDER NOS, Number of times reported: 1

Sign: ANAL IRRITATION, Number of times reported: 1

Sign: ANAL SAC DISORDER, Number of times reported: 1

Sign: ANTERIOR UVEITIS, Number of times reported: 1

Sign: APLASTIC ANAEMIA, Number of times reported: 1

Sign: APPLICATION SITE INFECTION, Number of times reported: 1

Sign: APPLICATION SITE OEDEMA, Number of times reported: 1

Sign: APPLICATION SITE PARAESTHESIA, Number of times reported: 1

Sign: APPLICATION SITE SCAR, Number of times reported: 1

Sign: APPLICATION SITE SEROSANGUINOUS DISCHARGE, Number of times reported: 1

Sign: APPLICATION SITE SKIN DISCOLOURATION, Number of times reported: 1

Sign: APPLICATION SITE WARMTH, Number of times reported: 1

Sign: ARCHED BACK, Number of times reported: 1

Sign: ASTHMA, Number of times reported: 1

Sign: BALANCE PROBLEM, Number of times reported: 1

Sign: BITING - PRURITUS, Number of times reported: 1

Sign: BLINDNESS, Number of times reported: 1

Sign: BLISTERING, Number of times reported: 1

Sign: BLOOD AND LYMPHATIC SYSTEM DISORDER NOS, Number of times reported: 1

Sign: BLOOD CLOT, Number of times reported: 1

Sign: BONE AND JOINT DISORDER NOS, Number of times reported: 1

Sign: BONE MARROW SUPPRESSION, Number of times reported: 1

Sign: BRONCHITIS, Number of times reported: 1

Sign: BUMPING INTO WALLS, Number of times reported: 1

Sign: BURN, Number of times reported: 1

Sign: CARDIAC ENLARGEMENT, Number of times reported: 1

Sign: CARDIAC MURMUR, Number of times reported: 1

Sign: CHEMICAL BURN, Number of times reported: 1

Sign: CHOKE, Number of times reported: 1

Sign: CHRONIC PANCREATITIS, Number of times reported: 1

Sign: CHRONIC RENAL FAILURE, Number of times reported: 1

Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 1

Sign: CIRCULATORY COLLAPSE, Number of times reported: 1

Sign: CLUMSY, Number of times reported: 1

Sign: COLLAPSE OF LEG, Number of times reported: 1

Sign: COMA, Number of times reported: 1

Sign: CONJUNCTIVAL IRRITATION, Number of times reported: 1

Sign: CORNEAL ULCER, Number of times reported: 1

Sign: DEAFNESS, Number of times reported: 1

Sign: DECREASED SKIN TURGOR, Number of times reported: 1

Sign: DENTAL PLAQUE, Number of times reported: 1

Sign: DEPRESSED REFLEXES, Number of times reported: 1

Sign: DILATED RENAL PELVIS, Number of times reported: 1

Sign: DISORIENTED STATE, Number of times reported: 1

Sign: DISTRESS, Number of times reported: 1

Sign: DRINKING A LOT, Number of times reported: 1

Sign: DRY MOUTH, Number of times reported: 1

Sign: DRY MUCOUS MEMBRANE, Number of times reported: 1

Sign: DYSPHAGIA, Number of times reported: 1

Sign: DYSPHONIA, Number of times reported: 1

Sign: DYSPNOEA, Number of times reported: 1

Sign: EAR CANAL INFLAMMATION, Number of times reported: 1

Sign: EAR IRRITATION, Number of times reported: 1

Sign: EAR PAIN, Number of times reported: 1

Sign: ELEVATED TEMPERATURE, Number of times reported: 1

Sign: ENCEPHALITIS, Number of times reported: 1

Sign: ENLARGED KIDNEY(S), Number of times reported: 1

Sign: ENLARGED LYMPH NODE, Number of times reported: 1

Sign: EOSINOPENIA, Number of times reported: 1

Sign: EPILEPTIC SEIZURE, Number of times reported: 1

Sign: ERYTHEMATOUS RASH, Number of times reported: 1

Sign: EXCESS TEAR FLOW, Number of times reported: 1

Sign: EXCITATION, Number of times reported: 1

Sign: EXTERNAL EAR DISORDER NOS, Number of times reported: 1

Sign: EYELID ERYTHEMA, Number of times reported: 1

Sign: EYES ROLLING BACK, Number of times reported: 1

Sign: FACIAL NERVE DISORDER, Number of times reported: 1

Sign: FACIAL OEDEMA, Number of times reported: 1

Sign: FAECAL IMPACTION, Number of times reported: 1

Sign: FLACCID PARALYSIS, Number of times reported: 1

Sign: FLUID IN ABDOMEN NOS, Number of times reported: 1

Sign: FOAM IN THE MOUTH, Number of times reported: 1

Sign: GASTRITIS, Number of times reported: 1

Sign: GASTROINTESTINAL FOREIGN BODY NOS, Number of times reported: 1

Sign: GENERAL ILLNESS, Number of times reported: 1

Sign: GENERAL PAIN, Number of times reported: 1

Sign: GENITAL TRACT LICKING, Number of times reported: 1

Sign: GINGIVITIS, Number of times reported: 1

Sign: GLUCOSURIA, Number of times reported: 1

Sign: GRANULOMA, Number of times reported: 1

Sign: GREASY SKIN, Number of times reported: 1

Sign: GROOMING DISORDER, Number of times reported: 1

Sign: HAEMOCONCENTRATION, Number of times reported: 1

Sign: HAEMOLYTIC ANAEMIA, Number of times reported: 1

Sign: HALLUCINATION, Number of times reported: 1

Sign: HARSH LUNG SOUNDS, Number of times reported: 1

Sign: HEAD DOWN, Number of times reported: 1

Sign: HEPATITIS, Number of times reported: 1

Sign: HEPATOPATHY, Number of times reported: 1

Sign: HIND LIMB PARALYSIS, Number of times reported: 1

Sign: HIVES, Number of times reported: 1

Sign: HORNER'S SYNDROME, Number of times reported: 1

Sign: HYPERCALCAEMIA, Number of times reported: 1

Sign: HYPERNATREMIA, Number of times reported: 1

Sign: HYPERSENSITIVITY REACTION, Number of times reported: 1

Sign: HYPERSTHENURIA, Number of times reported: 1

Sign: HYPERTENSION, Number of times reported: 1

Sign: HYPERTHYROIDISM, Number of times reported: 1

Sign: HYPHAEMIA, Number of times reported: 1

Sign: HYPOKALEAEMIA, Number of times reported: 1

Sign: HYPONATREMIA, Number of times reported: 1

Sign: HYPOPROTEINAEMIA, Number of times reported: 1

Sign: HYPOTHYROIDISM, Number of times reported: 1

Sign: IMMEDIATE PAIN UPON APPLICATION, Number of times reported: 1

Sign: IMPAIRED SWALLOWING, Number of times reported: 1

Sign: IMPAIRED VISION, Number of times reported: 1

Sign: IMPAIRED VOCALISATION, Number of times reported: 1

Sign: INCREASED LUNG SOUNDS, Number of times reported: 1

Sign: INCREASED SENSITIVITY TO SOUND, Number of times reported: 1

Sign: INCREASED URINE CONCENTRATION, Number of times reported: 1

Sign: INEFFECTIVE, DEMODEX MITES, Number of times reported: 1

Sign: INFARCTION, Number of times reported: 1

Sign: INJECTED SCLERA, Number of times reported: 1

Sign: INJECTION SITE ALOPECIA, Number of times reported: 1

Sign: INJECTION SITE SCAB, Number of times reported: 1

Sign: INTERVERTEBRAL DISC DISEASE, Number of times reported: 1

Sign: INTESTINAL TORSION, Number of times reported: 1

Sign: IRIS DISORDER, Number of times reported: 1

Sign: JOINT STIFFNESS, Number of times reported: 1

Sign: KERATITIS, Number of times reported: 1

Sign: LACK OF COORDINATION, Number of times reported: 1

Sign: LACK OF EFFICACY (ENDOPARASITES), Number of times reported: 1

Sign: LACK OF EFFICACY (MITE), Number of times reported: 1

Sign: LICK GRANULOMA, Number of times reported: 1

Sign: LIMPNESS, Number of times reported: 1

Sign: LIP SMACKING, Number of times reported: 1

Sign: LIPAEMIA, Number of times reported: 1

Sign: LOCALISED PAIN NOS, Number of times reported: 1

Sign: LOCALISED RASH, Number of times reported: 1

Sign: LOSS OF VOLUNTARY MOVEMENT, Number of times reported: 1

Sign: LOW SODIUM-POTASSIUM RATIO (NA:K RATIO), Number of times reported: 1

Sign: LYMPHADENOPATHY, Number of times reported: 1

Sign: MAMMARY GLAND NEOPLASM NOS, Number of times reported: 1

Sign: MENINGITIS, Number of times reported: 1

Sign: MENTAL CONFUSION, Number of times reported: 1

Sign: METASTATIC NEOPLASIA, Number of times reported: 1

Sign: MIOSIS, Number of times reported: 1

Sign: MISCELLANEOUS EATING DISORDER NOS, Number of times reported: 1

Sign: MORIBUND, Number of times reported: 1

Sign: MOUTH ULCER, Number of times reported: 1

Sign: MRI SCAN ABNORMAL, Number of times reported: 1

Sign: MUSCLE WASTING, Number of times reported: 1

Sign: MUSCULOSKELETAL PAIN, Number of times reported: 1

Sign: MYOCLONIC JERK, Number of times reported: 1

Sign: MYOPATHY, Number of times reported: 1

Sign: NASAL CAVITY DISORDER NOS, Number of times reported: 1

Sign: NERVOUS SYSTEM DISORDER NOS, Number of times reported: 1

Sign: NEUROMUSCULAR DISORDER NOS, Number of times reported: 1

Sign: NEUTROPENIA, Number of times reported: 1

Sign: NOT SLEEPING, Number of times reported: 1

Sign: NT - (LUMINAL) ENTEROPATHY, Number of times reported: 1

Sign: NT - CHRONIC INTERSTITIAL NEPHRITIS, Number of times reported: 1

Sign: NT - ENDOCARDIOSIS, Number of times reported: 1

Sign: NT - GLOMERULOSCLEROSIS, Number of times reported: 1

Sign: NT - HEPATIC LIPIDOSIS (STEATOSIS), Number of times reported: 1

Sign: NT - RENAL CYSTS HYDRONEPHROSIS, Number of times reported: 1

Sign: NT - RENAL INFARCTS, Number of times reported: 1

Sign: OBSTRUCTIVE AIRWAY COUGH, Number of times reported: 1

Sign: OCULAR DISCHARGE, Number of times reported: 1

Sign: OEDEMA OF THE EXTREMITIES, Number of times reported: 1

Sign: OLIGURIA, Number of times reported: 1

Sign: ORAL CAVITY DISORDER NOS, Number of times reported: 1

Sign: ORAL DISCOMFORT, Number of times reported: 1

Sign: ORAL MASS, Number of times reported: 1

Sign: OTHER COAGULATION ABNORMALITY, Number of times reported: 1

Sign: PADDLING, Number of times reported: 1

Sign: PALLOR, Number of times reported: 1

Sign: PALPABLE MASS NOS, Number of times reported: 1

Sign: PANCREAS DISORDER, Number of times reported: 1

Sign: PANCYTOPENIA, Number of times reported: 1

Sign: PANNICULITIS, Number of times reported: 1

Sign: PARTIAL ADIPSIA, Number of times reported: 1

Sign: PINNAL ERYTHEMA, Number of times reported: 1

Sign: PINNAL ULCER, Number of times reported: 1

Sign: PLATELET DISORDER NOS, Number of times reported: 1

Sign: POLYCYTHAEMIA, Number of times reported: 1

Sign: PROFUSE BLEEDING, Number of times reported: 1

Sign: PROLONGED CAPILLARY REFILL TIME, Number of times reported: 1

Sign: PROPRIOCEPTION DEFICIT, Number of times reported: 1

Sign: PROTRUSION MEMBRANA NICTITANS, Number of times reported: 1

Sign: PRURITIC RASH, Number of times reported: 1

Sign: PULMONARY EMPHYSEMA, Number of times reported: 1

Sign: PULMONARY HAEMORRHAGE, Number of times reported: 1

Sign: PULMONARY NEOPLASM, Number of times reported: 1

Sign: PYREXIA, Number of times reported: 1

Sign: QUADRIPARESIS, Number of times reported: 1

Sign: RECTAL BLEEDING, Number of times reported: 1

Sign: RED EYE, Number of times reported: 1

Sign: REGENERATIVE ANAEMIA, Number of times reported: 1

Sign: RESPIRATORY ARREST, Number of times reported: 1

Sign: RESPIRATORY SIGNS, Number of times reported: 1

Sign: RESPIRATORY TRACT DISORDER NOS, Number of times reported: 1

Sign: RESPIRATORY TRACT INFECTION NOS, Number of times reported: 1

Sign: SEBORRHOEA, Number of times reported: 1

Sign: SEDATION, Number of times reported: 1

Sign: SELF MUTILATION, Number of times reported: 1

Sign: SHALLOW BREATHING, Number of times reported: 1

Sign: SHOCK, Number of times reported: 1

Sign: SICK EUTHYROID SYNDROME, Number of times reported: 1

Sign: SKIN ABSCESS, Number of times reported: 1

Sign: SKIN DISORDERS NOS, Number of times reported: 1

Sign: SKIN SLOUGH, Number of times reported: 1

Sign: SKIN SWELLING, Number of times reported: 1

Sign: SLEEP DISTURBANCE NOS, Number of times reported: 1

Sign: SMALL LIVER, Number of times reported: 1

Sign: SNIFFING, Number of times reported: 1

Sign: SPASM, Number of times reported: 1

Sign: SPLEEN AND RETICULO-ENDOTHELIAL SYSTEM DISORDER NOS, Number of times reported: 1

Sign: SPONDYLOSIS, Number of times reported: 1

Sign: STAGGERING, Number of times reported: 1

Sign: STIFFNESS LIMB, Number of times reported: 1

Sign: STRAINING TO DEFECATE, Number of times reported: 1

Sign: STRANGURIA, Number of times reported: 1

Sign: STRESS LEUKOGRAM, Number of times reported: 1

Sign: STRIDOR (UPPER RESPIRATORY; FOR LOWER RESPIRATORY SEE ALSO BRONCHIAL RALE), Number of times reported: 1

Sign: STROKE, Number of times reported: 1

Sign: STUPOR, Number of times reported: 1

Sign: SUPPURATIVE DERMATITIS, Number of times reported: 1

Sign: SWOLLEN FEET, Number of times reported: 1

Sign: SWOLLEN LYMPH NODE, Number of times reported: 1

Sign: SWOLLEN TONGUE, Number of times reported: 1

Sign: T4 HIGH, SERUM, Number of times reported: 1

Sign: TAIL PARALYSIS, Number of times reported: 1

Sign: TEETH GRINDING, Number of times reported: 1

Sign: THIRD EYELID PROTRUSION, Number of times reported: 1

Sign: THYROID GLAND DISORDER NOS, Number of times reported: 1

Sign: TONGUE DISORDER NOS, Number of times reported: 1

Sign: TONGUE ULCERATION, Number of times reported: 1

Sign: TOOTH LOSS, Number of times reported: 1

Sign: TYMPANIC OPACITY, Number of times reported: 1

Sign: UNABLE TO FOCUS, Number of times reported: 1

Sign: UNEQUAL PUPILS, Number of times reported: 1

Sign: UNEXPLAINED DEATH, Number of times reported: 1

Sign: URETERIC DISORDER, Number of times reported: 1

Sign: URINARY TENESMUS, Number of times reported: 1

Sign: URINARY TRACT BLEEDING, Number of times reported: 1

Sign: URINARY TRACT DISORDER NOS, Number of times reported: 1

Sign: URINATION, Number of times reported: 1

Sign: VASCULITIS, Number of times reported: 1

Sign: WEAK PULSE, Number of times reported: 1

Sign: YELLOW MUCOUS MEMBRANES, Number of times reported: 1

Species: Cat

Route of Administration: unknown

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 3

Sign: FOAMING AT THE MOUTH, Number of times reported: 1

Sign: PRURITUS, Number of times reported: 1

Sign: SEIZURE NOS, Number of times reported: 1

Species: Cattle

Route of Administration: oral

Sign: VOMITING, Number of times reported: 1

Species: Dog

Route of Administration: Intra-uterine

Sign: CONGENITAL CARDIOVASCULAR DISORDER NOS, Number of times reported: 1

Sign: CONGENITAL REPRODUCTIVE TRACT DISORDER NOS, Number of times reported: 1

Sign: CRYPTORCHIDISM, Number of times reported: 1

Sign: HEART MURMUR, Number of times reported: 1

Species: Dog

Route of Administration: MISSING

Sign: LETHARGY, Number of times reported: 6

Sign: VOMITING, Number of times reported: 5

Sign: ABNORMAL TEST RESULT, Number of times reported: 4

Sign: DEATH, Number of times reported: 3

Sign: DEATH BY EUTHANASIA, Number of times reported: 3

Sign: DIARRHOEA, Number of times reported: 3

Sign: EMESIS (MULTIPLE), Number of times reported: 3

Sign: SEIZURE NOS, Number of times reported: 3

Sign: ABNORMAL MENACE REFLEX TEST, Number of times reported: 2

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 2

Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 2

Sign: ANAEMIA NOS, Number of times reported: 2

Sign: ANOREXIA, Number of times reported: 2

Sign: ELEVATED BUN, Number of times reported: 2

Sign: ELEVATED CREATININE, Number of times reported: 2

Sign: HYPOALBUMINAEMIA, Number of times reported: 2

Sign: PR-LIVER, LESION(S), Number of times reported: 2

Sign: WEIGHT LOSS, Number of times reported: 2

Sign: ABDOMINAL EFFUSION, Number of times reported: 1

Sign: ABDOMINAL MASS, Number of times reported: 1

Sign: ABNORMAL NECROPSY FINDING, Number of times reported: 1

Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 1

Sign: ABNORMAL STOOL COLOURATION, Number of times reported: 1

Sign: AGGRESSION, Number of times reported: 1

Sign: ALLERGY NOS, Number of times reported: 1

Sign: APPETITE LOSS, Number of times reported: 1

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 1

Sign: BILIRUBINURIA, Number of times reported: 1

Sign: BLINDNESS, Number of times reported: 1

Sign: BLOOD IN URINE, Number of times reported: 1

Sign: BLOOD IN VOMIT, Number of times reported: 1

Sign: BLOODY DIARRHOEA, Number of times reported: 1

Sign: CONGESTIVE HEART FAILURE, Number of times reported: 1

Sign: CONJUNCTIVITIS, Number of times reported: 1

Sign: DECREASED APPETITE, Number of times reported: 1

Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 1

Sign: DEPRESSED REFLEXES, Number of times reported: 1

Sign: DEPRESSION, Number of times reported: 1

Sign: DERMATITIS, Number of times reported: 1

Sign: DRUG DOSE ADMINISTRATION INTERVAL TOO LONG, Number of times reported: 1

Sign: DRUG DOSE ADMINISTRATION INTERVAL TOO SHORT, Number of times reported: 1

Sign: ELEVATED ALT, Number of times reported: 1

Sign: ELEVATED AST, Number of times reported: 1

Sign: ELEVATED CREATININE-KINASE (CK), Number of times reported: 1

Sign: ELEVATED SAP, Number of times reported: 1

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 1

Sign: ENLARGED LYMPH NODE, Number of times reported: 1

Sign: EXCESSIVE LICKING AND/OR GROOMING, Number of times reported: 1

Sign: FEVER, Number of times reported: 1

Sign: FLATULENCE, Number of times reported: 1

Sign: GALL BLADDER & BILE DUCT DISORDER NOS, Number of times reported: 1

Sign: GENERAL PAIN, Number of times reported: 1

Sign: HAEMATURIA, Number of times reported: 1

Sign: HAEMORRHAGIC DIARRHOEA, Number of times reported: 1

Sign: HAIR LOSS NOS, Number of times reported: 1

Sign: HEPATIC NECROSIS, Number of times reported: 1

Sign: HEPATITIS, Number of times reported: 1

Sign: HEPATOMEGALY, Number of times reported: 1

Sign: HYPERGLOBULINEMIA, Number of times reported: 1

Sign: HYPERPHOSPHATAEMIA, Number of times reported: 1

Sign: HYPOCALCAEMIC CONDITION, Number of times reported: 1

Sign: HYPOGLYCAEMIA, Number of times reported: 1

Sign: HYPOKALEAEMIA, Number of times reported: 1

Sign: HYPOSTHENURIA, Number of times reported: 1

Sign: HYPOTHYROIDISM, Number of times reported: 1

Sign: ICTERUS, Number of times reported: 1

Sign: INEFFECTIVE, FLEAS, Number of times reported: 1

Sign: ISOSTHENURIA, Number of times reported: 1

Sign: LAMENESS, Number of times reported: 1

Sign: LENS DISORDER NOS, Number of times reported: 1

Sign: LIVER DISORDER NOS, Number of times reported: 1
Sign: LIVER FIBROSIS, Number of times reported: 1
Sign: MELAENA, Number of times reported: 1
Sign: MONOCYTOSIS, Number of times reported: 1
Sign: MUCOUS STOOL, Number of times reported: 1
Sign: MUSCLE WASTING, Number of times reported: 1
Sign: MYDRIASIS, Number of times reported: 1
Sign: NEOPLASIA NOS, Number of times reported: 1
Sign: OPEN MOUTH BREATHING, Number of times reported: 1
Sign: OPISTHOTONUS, Number of times reported: 1
Sign: PAIN NOS, Number of times reported: 1
Sign: PALPEBRAL DISORDER NOS, Number of times reported: 1
Sign: PANCREAS DISORDER, Number of times reported: 1
Sign: PIGMENTATION DISORDER, Number of times reported: 1
Sign: PR-LUNG(S), LESION(S), Number of times reported: 1
Sign: PROTEINURIA, Number of times reported: 1
Sign: PULMONARY HAEMORRHAGE, Number of times reported: 1
Sign: PYURIA, Number of times reported: 1
Sign: REDUCED RESPONSES, Number of times reported: 1
Sign: RETCHING, Number of times reported: 1
Sign: RETINAL DEGENERATION, Number of times reported: 1
Sign: SICKNESS, Number of times reported: 1
Sign: SKIN DISORDERS NOS, Number of times reported: 1
Sign: SKIN WARMTH, Number of times reported: 1
Sign: TACHYCARDIA, Number of times reported: 1
Sign: TACHYPNOEA, Number of times reported: 1
Sign: TITER DATA ABNORMAL, Number of times reported: 1
Sign: TONGUE DISORDER NOS, Number of times reported: 1
Sign: TREMOR, Number of times reported: 1
Sign: UNRESPONSIVE TO STIMULI, Number of times reported: 1

Species: Dog

Route of Administration: oral

Sign: VOMITING, Number of times reported: 8,622
Sign: LETHARGY, Number of times reported: 2,395
Sign: EMESIS (MULTIPLE), Number of times reported: 2,003

Sign: DIARRHOEA, Number of times reported: 1,919

Sign: LACK OF EFFICACY (FLEA), Number of times reported: 1,835

Sign: INEFFECTIVE, FLEAS, Number of times reported: 1,375

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 1,335

Sign: LACK OF EFFICACY (TICK), Number of times reported: 1,064

Sign: ANOREXIA, Number of times reported: 762

Sign: SEIZURE NOS, Number of times reported: 720

Sign: DECREASED APPETITE, Number of times reported: 638

Sign: ABNORMAL TEST RESULT, Number of times reported: 591

Sign: INEFFECTIVE, TICKS, Number of times reported: 553

Sign: PRURITUS, Number of times reported: 515

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 457

Sign: BLOODY DIARRHOEA, Number of times reported: 375

Sign: DEATH BY EUTHANASIA, Number of times reported: 358

Sign: SCRATCHING, Number of times reported: 333

Sign: NOT EATING, Number of times reported: 329

Sign: WEIGHT LOSS, Number of times reported: 329

Sign: INAPPETENCE, Number of times reported: 306

Sign: DEATH, Number of times reported: 305

Sign: POLYDIPSIA, Number of times reported: 305

Sign: ELEVATED ALT, Number of times reported: 294

Sign: ELEVATED SAP, Number of times reported: 289

Sign: LOOSE STOOL, Number of times reported: 274

Sign: ABNORMAL RADIOGRAPH FINDING, Number of times reported: 261

Sign: PANTING, Number of times reported: 258

Sign: SHAKING, Number of times reported: 258

Sign: ATAXIA, Number of times reported: 235

Sign: FEVER, Number of times reported: 212

Sign: LEUCOCYTOSIS, Number of times reported: 208

Sign: POLYURIA, Number of times reported: 200

Sign: ELEVATED BUN, Number of times reported: 187

Sign: LACK OF EFFICACY, Number of times reported: 182

Sign: HIVES, Number of times reported: 180

Sign: INAPPROPRIATE URINATION, Number of times reported: 164

Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 163

Sign: VOCALISATION, Number of times reported: 163

Sign: DEHYDRATION, Number of times reported: 162

Sign: ITCHING, Number of times reported: 162

Sign: NEUTROPHILIA, Number of times reported: 160

Sign: ELEVATED CREATININE, Number of times reported: 159

Sign: DRUG DOSE ADMINISTRATION INTERVAL TOO LONG, Number of times reported: 143

Sign: DROOLING, Number of times reported: 136

Sign: PRODUCT PROBLEM, Number of times reported: 135

Sign: NOT DRINKING, Number of times reported: 123

Sign: WEAKNESS, Number of times reported: 122

Sign: COUGH, Number of times reported: 120

Sign: RESTLESSNESS, Number of times reported: 118

Sign: PANCREATITIS, Number of times reported: 116

Sign: ANAEMIA NOS, Number of times reported: 115

Sign: ERYTHEMA, Number of times reported: 113

Sign: EMESIS, Number of times reported: 110

Sign: DRUG DOSE OMISSION, Number of times reported: 109

Sign: HYPERGLYCAEMIA, Number of times reported: 108

Sign: PICA NOS, Number of times reported: 108

Sign: FLATULENCE, Number of times reported: 107

Sign: ANXIETY, Number of times reported: 103

Sign: DEPRESSION, Number of times reported: 103

Sign: LACK OF EFFICACY (ECTOPARASITE NOS), Number of times reported: 103

Sign: OVERDOSE, Number of times reported: 103

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 102

Sign: HYPERPHOSPHATAEMIA, Number of times reported: 101

Sign: THROMBOCYTOPENIA, Number of times reported: 101

Sign: TREMBLING, Number of times reported: 100

Sign: TREMOR, Number of times reported: 99

Sign: HYPOALBUMINAEMIA, Number of times reported: 98

Sign: HYPERSALIVATION, Number of times reported: 97

Sign: WALKING DIFFICULTY, Number of times reported: 97

Sign: MONOCYTOSIS, Number of times reported: 95

Sign: DRUG ADMINISTRATION ERROR, Number of times reported: 94

Sign: FALLING, Number of times reported: 94

Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 92

Sign: ABDOMINAL PAIN, Number of times reported: 90

Sign: ALLERGIC REACTION, Number of times reported: 89

Sign: GENERALISED ITCHING, Number of times reported: 88

Sign: INAPPROPRIATE DEFECATION, Number of times reported: 87

Sign: NAUSEA, Number of times reported: 87

Sign: DISORIENTATION, Number of times reported: 86

Sign: ELEVATED LIPASE, Number of times reported: 85

Sign: PROTEINURIA, Number of times reported: 85

Sign: RELUCTANT TO MOVE, Number of times reported: 85

Sign: ELEVATED GAMMA-GLUTAMYL TRANSFERASE (GGT), Number of times reported: 84

Sign: DECREASED DRINKING, Number of times reported: 83

Sign: URINARY TRACT INFECTION, Number of times reported: 83

Sign: FACIAL SWELLING, Number of times reported: 82

Sign: BLOOD IN FAECES, Number of times reported: 81

Sign: LACK OF EFFICACY (BACTERIA NOS), Number of times reported: 81

Sign: DECREASED ACTIVITY, Number of times reported: 80

Sign: HIDING, Number of times reported: 80

Sign: RETCHING, Number of times reported: 79

Sign: REDDENING OF THE SKIN, Number of times reported: 78

Sign: SKIN SCAB, Number of times reported: 78

Sign: PALE MUCOUS MEMBRANE, Number of times reported: 77

Sign: ABNORMAL NECROPSY FINDING, Number of times reported: 75

Sign: LAMENESS, Number of times reported: 75

Sign: LICKING, Number of times reported: 75

Sign: MUCOUS STOOL, Number of times reported: 75

Sign: AGGRESSION, Number of times reported: 73

Sign: TWITCHING, Number of times reported: 72

Sign: URINARY INCONTINENCE, Number of times reported: 72

Sign: DRINKING A LOT, Number of times reported: 71

Sign: ELEVATED AMYLASE, Number of times reported: 71

Sign: HOT SPOT (PYOTRAUMATIC DERMATITIS), Number of times reported: 70

Sign: BLOOD IN VOMIT, Number of times reported: 69

Sign: ELEVATED AST, Number of times reported: 69

Sign: ADIPSIA, Number of times reported: 68

Sign: ELEVATED LIVER ENZYMES, Number of times reported: 68

Sign: HAIR LOSS NOS, Number of times reported: 68

Sign: LYMPHOPENIA, Number of times reported: 68

Sign: SKIN LESION NOS, Number of times reported: 67

Sign: MALAISE, Number of times reported: 66

Sign: INEFFECTIVE, LOSS OF EFFECT, Number of times reported: 65

Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 64

Sign: DERMATITIS, Number of times reported: 63

Sign: LATERAL RECUMBENCY, Number of times reported: 61

Sign: LIMB WEAKNESS, Number of times reported: 61

Sign: RECUMBENCY, Number of times reported: 60

Sign: HYPERACTIVITY, Number of times reported: 59

Sign: HYPOGLYCAEMIA, Number of times reported: 59

Sign: AGITATION, Number of times reported: 58

Sign: ELEVATED CHOLESTEROL (TOTAL), Number of times reported: 58

Sign: INTESTINAL DISORDER NOS, Number of times reported: 58

Sign: PYODERMA, Number of times reported: 58

Sign: HYPOPROTEINAEMIA, Number of times reported: 57

Sign: APPETITE LOSS, Number of times reported: 56

Sign: UNABLE TO STAND, Number of times reported: 56

Sign: ABNORMAL CYTOLOGY, Number of times reported: 55

Sign: BLINDNESS, Number of times reported: 55

Sign: DRUG DOSE ADMINISTRATION INTERVAL TOO SHORT, Number of times reported: 55

Sign: ALOPECIA LOCAL, Number of times reported: 54

Sign: DECREASED URINE CONCENTRATION, Number of times reported: 54

Sign: PACING, Number of times reported: 54

Sign: RENAL FAILURE, Number of times reported: 54

Sign: GENERAL HAIR LOSS, Number of times reported: 53

Sign: MEDICATION ERROR, Number of times reported: 53

Sign: GAIT ABNORMALITY, Number of times reported: 52

Sign: TACHYCARDIA, Number of times reported: 52

Sign: ABNORMAL STOOL COLOURATION, Number of times reported: 51

Sign: BLOOD IN URINE, Number of times reported: 51

Sign: OTITIS EXTERNA, Number of times reported: 51

Sign: BREATHING DIFFICULTY, Number of times reported: 50

Sign: LOCALISED PAIN NOS, Number of times reported: 50

Sign: OCULAR DISCHARGE, Number of times reported: 50

Sign: ALOPECIA, Number of times reported: 49

Sign: GAGGING, Number of times reported: 49

Sign: PAIN NOS, Number of times reported: 49

Sign: ELEVATED GLOBULINS, Number of times reported: 48

Sign: HAEMATURIA, Number of times reported: 48

Sign: LABOURED BREATHING, Number of times reported: 48

Sign: LIVER DISORDER NOS, Number of times reported: 48

Sign: LOCALISED HAIR LOSS, Number of times reported: 47

Sign: ABNORMAL BREATHING, Number of times reported: 46

Sign: CONSTIPATION, Number of times reported: 46

Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 46

Sign: SKIN SORE, Number of times reported: 46

Sign: CRUST, Number of times reported: 45

Sign: CRYING, Number of times reported: 45

Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 45

Sign: ITCHY SKIN, Number of times reported: 45

Sign: LOW PLATELET COUNT, Number of times reported: 45

Sign: PROPRIOCEPTION DEFICIT, Number of times reported: 45

Sign: UNDERDOSE, Number of times reported: 45

Sign: EXCESSIVE THIRST, Number of times reported: 44

Sign: INEFFECTIVE, DEMODEX MITES, Number of times reported: 44

Sign: LOCALISED RASH, Number of times reported: 44

Sign: SELF TRAUMA, Number of times reported: 44

Sign: STIFFNESS NOS, Number of times reported: 44

Sign: COLLAPSE, Number of times reported: 43

Sign: DISTENSION OF ABDOMEN, Number of times reported: 43

Sign: GENERAL PAIN, Number of times reported: 43

Sign: HYPONATREMIA, Number of times reported: 43

Sign: SKIN DISORDERS NOS, Number of times reported: 43

Sign: THROMBOCYTOSIS, Number of times reported: 43

Sign: BILIRUBINURIA, Number of times reported: 42

Sign: ERYTHEMATOUS RASH, Number of times reported: 42

Sign: LIMPING, Number of times reported: 42

Sign: PR-LIVER, LESION(S), Number of times reported: 42

Sign: SKIN IRRITATION, Number of times reported: 42

Sign: UNCOMFORTABLE, Number of times reported: 42

Sign: HYPOTHYROIDISM, Number of times reported: 41

Sign: FOAMING AT THE MOUTH, Number of times reported: 40

Sign: PUSTULES, Number of times reported: 40

Sign: STUMBLING GAIT, Number of times reported: 40

Sign: FLAKING SKIN, Number of times reported: 39

Sign: MUSCLE SHAKING, Number of times reported: 39

Sign: NYSTAGMUS, Number of times reported: 39

Sign: RASH, Number of times reported: 39

Sign: SHIVERING, Number of times reported: 39

Sign: DECREASED HAEMOGLOBIN, Number of times reported: 38

Sign: DRY MUCOUS MEMBRANE, Number of times reported: 38

Sign: HYPERPROTEINAEMIA, Number of times reported: 38

Sign: INCREASED PACKED CELL VOLUME (PCV), Number of times reported: 38

Sign: LISTLESS, Number of times reported: 38

Sign: URINE ABNORMALITIES NOS, Number of times reported: 38

Sign: DRY SKIN, Number of times reported: 37

Sign: HEAD TREMOR, Number of times reported: 37

Sign: HYPOCALCAEMIC CONDITION, Number of times reported: 37

Sign: LEUCOPENIA, Number of times reported: 37

Sign: PADDLING, Number of times reported: 37

Sign: RENAL DISORDER NOS, Number of times reported: 37

Sign: TARRY OR BLACK STOOL, Number of times reported: 36

Sign: UNRESPONSIVE TO STIMULI, Number of times reported: 36

Sign: DILATED PUPILS, Number of times reported: 35

Sign: ABNORMAL POSTURE NOS, Number of times reported: 34

Sign: LYMPHOMA, Number of times reported: 34

Sign: TENSE ABDOMEN, Number of times reported: 34

Sign: BACTERIAL SKIN INFECTION NOS, Number of times reported: 33

Sign: FREQUENT URINATION, Number of times reported: 33

Sign: HEART MURMUR, Number of times reported: 33

Sign: ICTERUS, Number of times reported: 33

Sign: LIP LICKING, Number of times reported: 33

Sign: LUMP, Number of times reported: 33

Sign: DIGESTIVE TRACT DISORDER NOS, Number of times reported: 32

Sign: TIREDNESS, Number of times reported: 32

Sign: UNABLE TO RISE, Number of times reported: 32

Sign: UNPALATABLE, Number of times reported: 32

Sign: WEIGHT GAIN, Number of times reported: 32

Sign: CIRCLING, Number of times reported: 31

Sign: EOSINOPHILIA, Number of times reported: 31

Sign: GLAZED EYE, Number of times reported: 31

Sign: HYPOTHERMIA, Number of times reported: 31

Sign: LOCALISED ITCHING, Number of times reported: 31

Sign: NEUROLOGICAL SIGNS NOS, Number of times reported: 31

Sign: COLLAPSE NOS, Number of times reported: 30

Sign: CRYSTALLURIA, Number of times reported: 30

Sign: HAEMATEMESIS, Number of times reported: 30

Sign: ABDOMINAL MASS, Number of times reported: 29

Sign: ABNORMAL MENACE REFLEX TEST, Number of times reported: 29

Sign: ABNORMAL RED BLOOD CELL, Number of times reported: 29

Sign: ELEVATED SDMA (SYMMETRICAL DIMETHYLARGININE), Number of times reported: 29

Sign: EYE DISORDER NOS, Number of times reported: 29

Sign: RUBBING, Number of times reported: 29

Sign: STAGGERING, Number of times reported: 29

Sign: TACHYPNOEA, Number of times reported: 29

Sign: DIABETES MELLITUS, Number of times reported: 28

Sign: GALL BLADDER & BILE DUCT DISORDER NOS, Number of times reported: 28

Sign: GENERALISED RASH, Number of times reported: 28

Sign: ABDOMINAL DISCOMFORT, Number of times reported: 27

Sign: ABNORMAL PUPIL LIGHT REFLEX, Number of times reported: 27

Sign: DISCOLOURED URINE, Number of times reported: 27

Sign: HYPERCALCAEMIA, Number of times reported: 27

Sign: MUSCULOSKELETAL PAIN, Number of times reported: 27

Sign: DECREASED CHOLESTEROL (TOTAL), Number of times reported: 26

Sign: HYPOPHOSPHATAEMIA, Number of times reported: 26

Sign: INCREASED PERCENTAGE RETICULOCYTES, Number of times reported: 26

Sign: PLEURAL EFFUSION, Number of times reported: 26

Sign: SPLENOMEGALY, Number of times reported: 26

Sign: DULLNESS, Number of times reported: 25

Sign: HEPATOMEGALY, Number of times reported: 25

Sign: HYPOKALEAEMIA, Number of times reported: 25

Sign: MOIST DERMATITIS, Number of times reported: 25

Sign: SKIN WARMTH, Number of times reported: 25

Sign: CATARACT, Number of times reported: 24

Sign: CONFUSION, Number of times reported: 24

Sign: ENLARGED LIVER, Number of times reported: 24

Sign: GLUCOSURIA, Number of times reported: 24

Sign: HEAD BOBBING, Number of times reported: 24

Sign: HEAD SHAKE - BEHAVIOURAL DISORDER, Number of times reported: 24

Sign: IMMUNE MEDIATED THROMBOCYTOPENIA, Number of times reported: 24

Sign: MELAENA, Number of times reported: 24

Sign: MUSCLE TREMOR, Number of times reported: 24

Sign: SUDDEN DEATH, Number of times reported: 24

Sign: BRADYCARDIA, Number of times reported: 23

Sign: COLITIS, Number of times reported: 23

Sign: DISCOMFORT NOS, Number of times reported: 23

Sign: EAR INFECTION NOS, Number of times reported: 23

Sign: HAIR SHEDDING, Number of times reported: 23

Sign: HIND LIMB ATAXIA, Number of times reported: 23

Sign: INCREASED BORBORYGMUS, Number of times reported: 23

Sign: INCREASED HEART RATE, Number of times reported: 23

Sign: LIVER FAILURE, Number of times reported: 23

Sign: MUSCLE WASTING, Number of times reported: 23

Sign: PYURIA, Number of times reported: 23

Sign: SLEEPINESS, Number of times reported: 23

Sign: TITER DATA ABNORMAL, Number of times reported: 23

Sign: UNCLASSIFIABLE ADVERSE EVENT, Number of times reported: 23

Sign: ARCHED BACK, Number of times reported: 22

Sign: AZOTAEMIA, Number of times reported: 22

Sign: BALANCE PROBLEM, Number of times reported: 22

Sign: ELEVATED BILE ACIDS, Number of times reported: 22

Sign: GENERAL ILLNESS, Number of times reported: 22

Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 22

Sign: HYPERALBUMINAEMIA, Number of times reported: 22

Sign: INCREASED BOWEL MOVEMENTS (FREQUENCY), Number of times reported: 22

Sign: MALODOUR, Number of times reported: 22

Sign: PAPULE, Number of times reported: 22

Sign: REGURGITATION, Number of times reported: 22

Sign: SKIN INFLAMMATION NOS, Number of times reported: 22

Sign: SNEEZING, Number of times reported: 22

Sign: ASCITES, Number of times reported: 21

Sign: CONJUNCTIVITIS, Number of times reported: 21

Sign: EPILEPTIC SEIZURE, Number of times reported: 21

Sign: EXCORIATION, Number of times reported: 21

Sign: GASTROENTERITIS, Number of times reported: 21

Sign: MYDRIASIS, Number of times reported: 21

Sign: STOMACH UPSET, Number of times reported: 21

Sign: UNABLE TO JUMP, Number of times reported: 21

Sign: DERMAL MASS, Number of times reported: 20

Sign: ELEVATED CREATINE-KINASE (CK), Number of times reported: 20

Sign: FOUND DEAD, Number of times reported: 20

Sign: GENERALISED WEAKNESS, Number of times reported: 20

Sign: HAIR CHANGE, Number of times reported: 20

Sign: HYPERKALEMIC CONDITION, Number of times reported: 20

Sign: JAUNDICE, Number of times reported: 20

Sign: LYMPHOCYTOSIS, Number of times reported: 20

Sign: MENTAL IMPAIRMENT NOS, Number of times reported: 20

Sign: MUSCLE WEAKNESS NOS, Number of times reported: 20

Sign: NASAL DISCHARGE, Number of times reported: 20

Sign: PR-KIDNEY(S), LESION(S), Number of times reported: 20

Sign: RESPIRATORY DISTRESS, Number of times reported: 20

Sign: SLEEPINESS - SYSTEMIC DISORDER, Number of times reported: 20

Sign: SMALL LIVER, Number of times reported: 20

Sign: STAR-GAZING, Number of times reported: 20

Sign: STIFFNESS LIMB, Number of times reported: 20

Sign: ARTHRITIS, Number of times reported: 19

Sign: BLISTERING, Number of times reported: 19

Sign: CARDIAC DISORDER NOS, Number of times reported: 19

Sign: CONVULSION, Number of times reported: 19

Sign: ELEVATED RENAL PARAMETERS, Number of times reported: 19

Sign: ELEVATED TRIGLYCERIDE, Number of times reported: 19

Sign: EXCESSIVE LICKING AND/OR GROOMING, Number of times reported: 19

Sign: FACIAL OEDEMA, Number of times reported: 19

Sign: HYPERTHERMIA, Number of times reported: 19

Sign: HYPOCHLORAEMIA, Number of times reported: 19

Sign: PULMONARY DISORDER NOS, Number of times reported: 19

Sign: ABDOMINAL EFFUSION, Number of times reported: 18

Sign: ALKALINE URINE, Number of times reported: 18

Sign: ANAL SAC DISORDER, Number of times reported: 18

Sign: BONE AND JOINT DISORDER NOS, Number of times reported: 18

Sign: DYSPNOEA, Number of times reported: 18

Sign: HEAD TILT, Number of times reported: 18

Sign: HEPATOPATHY, Number of times reported: 18

Sign: HIND LIMB PARESIS, Number of times reported: 18

Sign: HYPERNATREMIA, Number of times reported: 18

Sign: INCREASED RESPIRATORY RATE, Number of times reported: 18

Sign: NEOPLASIA NOS, Number of times reported: 18

Sign: URTICARIA, Number of times reported: 18

Sign: WHEEZING, Number of times reported: 18

Sign: ALOPECIA GENERAL, Number of times reported: 17

Sign: BRUISING, Number of times reported: 17

Sign: BUMPING INTO WALLS, Number of times reported: 17

Sign: CARDIAC ENLARGEMENT, Number of times reported: 17

Sign: DISORIENTED STATE, Number of times reported: 17

Sign: GASTROINTESTINAL FOREIGN BODY NOS, Number of times reported: 17

Sign: HAEMORRHAGIC GASTROENTERITIS, Number of times reported: 17

Sign: LOCAL SWELLING (NOT APPLICATION SITE), Number of times reported: 17

Sign: MUSCLE SPASM NOS, Number of times reported: 17

Sign: PR-LUNG(S), LESION(S), Number of times reported: 17

Sign: SPLENIC NEOPLASM, Number of times reported: 17

Sign: STIFF GAIT, Number of times reported: 17

Sign: STILLBIRTH, Number of times reported: 17

Sign: ABNORMAL MOVEMENT NOS, Number of times reported: 16

Sign: ALLERGIC DERMATITIS, Number of times reported: 16

Sign: BALANCE IMPAIRED, Number of times reported: 16

Sign: FLY BITING BEHAVIOUR, Number of times reported: 16

Sign: HAIR COAT DISCOLOURATION, Number of times reported: 16

Sign: HEPATIC DISORDER NOS, Number of times reported: 16

Sign: ISOSTHENURIA, Number of times reported: 16

Sign: LACK OF EFFICACY (MITE), Number of times reported: 16

Sign: PANCREAS DISORDER, Number of times reported: 16

Sign: SPLEEN AND RETICULO-ENDOTHELIAL SYSTEM DISORDER NOS, Number of times reported: 16

Sign: BIRTH DEFECT, Number of times reported: 15

Sign: BITING, Number of times reported: 15

Sign: BUN LOW, BLD, Number of times reported: 15

Sign: DECREASED BOWEL MOVEMENTS, Number of times reported: 15

Sign: DISORDER OF RED BLOOD CELL NOS, Number of times reported: 15

Sign: ELEVATED CREATININE-KINASE (CK), Number of times reported: 15

Sign: HAEMORRHAGE NOS, Number of times reported: 15

Sign: HYPERAESTHESIA, Number of times reported: 15

Sign: IMPAIRED VISION, Number of times reported: 15

Sign: INTERVERTEBRAL DISC DISEASE, Number of times reported: 15

Sign: NOT SLEEPING, Number of times reported: 15

Sign: PNEUMONIA, Number of times reported: 15

Sign: SWELLING AROUND EYE, Number of times reported: 15

Sign: BARKING, Number of times reported: 14

Sign: BASOPHILIA, Number of times reported: 14

Sign: CARDIAC ARREST, Number of times reported: 14

Sign: CHEWING - PRURITUS, Number of times reported: 14

Sign: COLLAPSE OF LEG, Number of times reported: 14

Sign: EOSINOPENIA, Number of times reported: 14

Sign: FLUID IN ABDOMEN NOS, Number of times reported: 14

Sign: GENERALISED SKIN REACTION, Number of times reported: 14

Sign: INEFFECTIVE, SARCOPTES MITES, Number of times reported: 14

Sign: LUMBAR PAIN, Number of times reported: 14

Sign: LYMPHADENOPATHY, Number of times reported: 14

Sign: MUSCLE ATROPHY, Number of times reported: 14

Sign: PINNAL ERYTHEMA, Number of times reported: 14

Sign: PR-SKIN, LESION(S), Number of times reported: 14

Sign: RETINAL DEGENERATION, Number of times reported: 14

Sign: RETINAL DISORDER NOS, Number of times reported: 14

Sign: SHALLOW BREATHING, Number of times reported: 14

Sign: SWOLLEN EYE, Number of times reported: 14

Sign: ABDOMINAL CAVITY DISORDER NOS, Number of times reported: 13

Sign: BRAIN DISORDER NOS, Number of times reported: 13

Sign: CHRONIC RENAL FAILURE, Number of times reported: 13

Sign: CULTURE/TITER DATA ABNORMAL, Number of times reported: 13

Sign: DISORDER OF GASTROINTESTINAL FLORA, Number of times reported: 13

Sign: ENLARGED LYMPH NODE(S), Number of times reported: 13

Sign: HALITOSIS, Number of times reported: 13

Sign: HEPATITIS, Number of times reported: 13

Sign: HIND LIMB PARALYSIS, Number of times reported: 13

Sign: HYPERGLOBULINEMIA, Number of times reported: 13

Sign: HYPERPIGMENTATION, Number of times reported: 13

Sign: INCOORDINATION, Number of times reported: 13

Sign: INVOLUNTARY MOVEMENT, Number of times reported: 13

Sign: JOINT PAIN, Number of times reported: 13

Sign: ORAL BLEEDING, Number of times reported: 13

Sign: POLYPHAGIA, Number of times reported: 13

Sign: PR-HEART, LESION(S), Number of times reported: 13

Sign: RED BLOOD CELL DISORDER, Number of times reported: 13

Sign: REDUCED RESPONSES, Number of times reported: 13

Sign: SCOOTING, Number of times reported: 13

Sign: SKIN ULCER, Number of times reported: 13

Sign: STRAINING TO DEFECATE, Number of times reported: 13

Sign: URINE LEAKAGE, Number of times reported: 13

Sign: WEAKNESS OF LIMB, Number of times reported: 13

Sign: WELT, Number of times reported: 13

Sign: ABDOMINAL CAVITY HAEMORRHAGE, Number of times reported: 12

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 12

Sign: ACUTE RENAL FAILURE, Number of times reported: 12

Sign: ADRENAL GLAND DISORDER NOS, Number of times reported: 12

Sign: DERMAL CYST(S), Number of times reported: 12

Sign: DULL, Number of times reported: 12

Sign: ENLARGED LYMPH NODE, Number of times reported: 12

Sign: EYE REDNESS, Number of times reported: 12

Sign: FASCICULATION, Number of times reported: 12

Sign: FEBRILE, Number of times reported: 12

Sign: GASTRITIS, Number of times reported: 12

Sign: HYPOSTHENURIA, Number of times reported: 12

Sign: INCREASED APPETITE, Number of times reported: 12

Sign: INFERTILITY NOS, Number of times reported: 12

Sign: KNUCKLING, Number of times reported: 12

Sign: LACK OF RESPONSE TO OWNER, Number of times reported: 12

Sign: LOSS OF CONSCIOUSNESS, Number of times reported: 12

Sign: METASTATIC NEOPLASIA, Number of times reported: 12

Sign: POLLAKIURIA, Number of times reported: 12

Sign: TENESMUS, Number of times reported: 12

Sign: TOOTH DISORDER, Number of times reported: 12

Sign: ANISOCORIA, Number of times reported: 11

Sign: ATOPIC ALLERGY NOS, Number of times reported: 11

Sign: BLOODSHOT EYE, Number of times reported: 11

Sign: FAECAL INCONTINENCE, Number of times reported: 11

Sign: HEAD SHAKE - EAR DISORDER, Number of times reported: 11

Sign: HYPOGLOBULINEMIA, Number of times reported: 11

Sign: HYPOKALEMIC CONDITION, Number of times reported: 11

Sign: INVOLUNTARY DEFECATION, Number of times reported: 11

Sign: LIPOMA, Number of times reported: 11

Sign: NEUTROPENIA, Number of times reported: 11

Sign: PAPULAR RASH, Number of times reported: 11

Sign: PINNAL OEDEMA, Number of times reported: 11

Sign: PINNAL REDDENING, Number of times reported: 11

Sign: PLATELET DISORDER NOS, Number of times reported: 11

Sign: PODODERMATITIS, Number of times reported: 11

Sign: PULMONARY CONGESTION, Number of times reported: 11

Sign: REGENERATIVE ANAEMIA, Number of times reported: 11

Sign: SKIN TUMOUR NOS, Number of times reported: 11

Sign: TREMOR OF LIMB, Number of times reported: 11

Sign: UNSTEADY GAIT, Number of times reported: 11

Sign: URINARY BLADDER DISORDER NOS, Number of times reported: 11

Sign: BRONCHOPNEUMONIA, Number of times reported: 10

Sign: CHATTERING OF TEETH, Number of times reported: 10

Sign: CHLORIDE LOW, BLOOD, Number of times reported: 10

Sign: CYANOSIS, Number of times reported: 10

Sign: DEAFNESS, Number of times reported: 10

Sign: DECREASED NUMBER OF SPERMATOZOA, Number of times reported: 10

Sign: DROOPING EYELID, Number of times reported: 10

Sign: ENTERITIS, Number of times reported: 10

Sign: EPIDERMAL COLLARETTE, Number of times reported: 10

Sign: EPISTAXIS, Number of times reported: 10

Sign: HAEMOCONCENTRATION, Number of times reported: 10

Sign: HEAD DOWN, Number of times reported: 10

Sign: HEPATIC NECROSIS, Number of times reported: 10

Sign: HYPERCHLORAEMIA, Number of times reported: 10

Sign: LOSS OF VISION, Number of times reported: 10

Sign: MISCELLANEOUS EATING DISORDER NOS, Number of times reported: 10

Sign: NEUROLOGICAL SYMPTOMS NOS, Number of times reported: 10

Sign: OTITIS NOS, Number of times reported: 10

Sign: PRURITIC RASH, Number of times reported: 10

Sign: RED EYE, Number of times reported: 10

Sign: RIGIDITY, Number of times reported: 10

Sign: RIGIDITY OF LIMBS, Number of times reported: 10

Sign: SEDATION, Number of times reported: 10

Sign: SMELLY BREATH, Number of times reported: 10

Sign: SWOLLEN FEET, Number of times reported: 10

Sign: SWOLLEN LIP, Number of times reported: 10

Sign: TENSE MUSCLES, Number of times reported: 10

Sign: TRAUMA NOS, Number of times reported: 10

Sign: VESTIBULAR DISORDER NOS, Number of times reported: 10

Sign: APPETITE DISORDER NOS, Number of times reported: 9

Sign: DENTAL DISEASE, Number of times reported: 9

Sign: DIGESTIVE TRACT NEOPLASM NOS, Number of times reported: 9

Sign: DRUNKEN GAIT, Number of times reported: 9

Sign: ECCHYMOSIS, Number of times reported: 9

Sign: ELECTROLYTE DISORDER, Number of times reported: 9

Sign: ELEVATED TEMPERATURE, Number of times reported: 9

Sign: ENLARGED KIDNEY(S), Number of times reported: 9

Sign: FUNGAL SKIN INFECTION NOS, Number of times reported: 9

Sign: HEAD PRESSING, Number of times reported: 9

Sign: HEART VALVE DISORDER, Number of times reported: 9

Sign: INCREASED SEIZURE FREQUENCY, Number of times reported: 9

Sign: INCREASED URINE CONCENTRATION, Number of times reported: 9

Sign: JAW DISORDER, Number of times reported: 9

Sign: JOINT SWELLING, Number of times reported: 9

Sign: LACK OF EFFICACY (HEARTWORM), Number of times reported: 9

Sign: LIMPNESS, Number of times reported: 9

Sign: MYOCLONIC JERK, Number of times reported: 9

Sign: NT - ENDOCARDIOSIS, Number of times reported: 9

Sign: PARALYSIS, Number of times reported: 9

Sign: PARTIAL ANOREXIA, Number of times reported: 9

Sign: PARTIAL LACK OF EFFICACY, Number of times reported: 9

Sign: POLYCYTHAEMIA, Number of times reported: 9

Sign: PR-SPLEEN, LESION(S), Number of times reported: 9

Sign: PR-STOMACH, LESION(S), Number of times reported: 9

Sign: TONIC-CLONIC SEIZURE, Number of times reported: 9

Sign: ULCERATIVE DERMATITIS, Number of times reported: 9

Sign: WEAK PULSE, Number of times reported: 9

Sign: ABNORMAL NUMBER OF OFFSPRING, Number of times reported: 8

Sign: ALLERGIC PRURITUS, Number of times reported: 8

Sign: ANAPHYLAXIS, Number of times reported: 8

Sign: ARRHYTHMIA, Number of times reported: 8

Sign: BANDS(NEUTROPHILS) HIGH, BLOOD, Number of times reported: 8

Sign: BITING -AGGRESSION, Number of times reported: 8

Sign: BLOATED STOMACH, Number of times reported: 8

Sign: BONE MARROW DISORDER NOS, Number of times reported: 8

Sign: CLOUDY EYE, Number of times reported: 8

Sign: DENTAL CALCULUS, Number of times reported: 8

Sign: DERMAL THICKENING, Number of times reported: 8

Sign: EPILEPSY, Number of times reported: 8

Sign: EXERCISE INTOLERANCE, Number of times reported: 8

Sign: EXPIRED DRUG ADMINISTERED, Number of times reported: 8

Sign: FACE AND NECK SWELLING, Number of times reported: 8

Sign: FOOD REFUSAL, Number of times reported: 8

Sign: INCREASED SALIVATION, Number of times reported: 8

Sign: INCREASED WEIGHT, Number of times reported: 8

Sign: LENS DISORDER NOS, Number of times reported: 8

Sign: LIVER TUMOUR, Number of times reported: 8

Sign: LOCALISED OEDEMA (NOT APPLICATION SITE), Number of times reported: 8

Sign: NASAL BLEEDING, Number of times reported: 8

Sign: OEDEMA OF THE EXTREMITIES, Number of times reported: 8

Sign: ORAL CAVITY DISORDER NOS, Number of times reported: 8

Sign: PROLONGED CAPILLARY REFILL TIME, Number of times reported: 8

Sign: PROLONGED ONE STAGE PROTHROMBIN TIME (OSPT), Number of times reported: 8

Sign: REDUCED GLOBULINS, Number of times reported: 8

Sign: RESPIRATORY TRACT DISORDER NOS, Number of times reported: 8

Sign: ROLLING, Number of times reported: 8

Sign: SEPTICAEMIA, Number of times reported: 8

Sign: SKIN OEDEMA, Number of times reported: 8

Sign: SKIN SWELLING, Number of times reported: 8

Sign: STARING, Number of times reported: 8

Sign: STRANGURIA, Number of times reported: 8

Sign: TONGUE DISORDER NOS, Number of times reported: 8

Sign: UNCONSCIOUS, Number of times reported: 8

Sign: UROLITHIASIS, Number of times reported: 8

Sign: WBC, URINE, Number of times reported: 8

Sign: ABNORMAL VISION, Number of times reported: 7

Sign: ADDISON'S DISEASE, Number of times reported: 7

Sign: ALLERGIC SKIN REACTION, Number of times reported: 7

Sign: ALOPECIA NOS, Number of times reported: 7

Sign: BLOATED, Number of times reported: 7

Sign: CARDIOMYOPATHY, Number of times reported: 7

Sign: CIRCLING - NEUROLOGICAL DISORDER, Number of times reported: 7

Sign: CLAW / HOOF / NAIL DISORDER NOS, Number of times reported: 7

Sign: CONFUSED, Number of times reported: 7

Sign: CONSTRICTED PUPILS, Number of times reported: 7

Sign: CORNEAL OEDEMA, Number of times reported: 7

Sign: CREATININE LOW, BLOOD, Number of times reported: 7

Sign: DIABETES, Number of times reported: 7

Sign: EAR DISCHARGE, Number of times reported: 7

Sign: EAR IRRITATION, Number of times reported: 7

Sign: ENLARGED LYMPH NODE (LOCALISED), Number of times reported: 7

Sign: FACIAL PARALYSIS, Number of times reported: 7

Sign: HAEMATOCHYZIA, Number of times reported: 7

Sign: HAEMORRHAGIC DIARRHOEA, Number of times reported: 7

Sign: HICCUP, Number of times reported: 7

Sign: HYPEREXCITATION, Number of times reported: 7

Sign: HYPERKALAEMIA, Number of times reported: 7

Sign: HYPOKALAEMIA, Number of times reported: 7

Sign: ILEUS, Number of times reported: 7

Sign: LACK OF EFFICACY (TAPEWORM), Number of times reported: 7

Sign: LESS SOCIAL, Number of times reported: 7

Sign: LOCALISED SKIN REACTION, Number of times reported: 7

Sign: NEPHROPATHY, Number of times reported: 7

Sign: NON-REGENERATIVE ANAEMIA, Number of times reported: 7

Sign: OPISTHOTONUS, Number of times reported: 7

Sign: PARTIAL BLINDNESS, Number of times reported: 7

Sign: PEELING SKIN, Number of times reported: 7

Sign: PERIORBITAL OEDEMA, Number of times reported: 7

Sign: POOR COAT CONDITION, Number of times reported: 7

Sign: PROLONGED ACTIVATED PARTIAL THROMBIN TIME (APTT), Number of times reported: 7

Sign: PROSTATE HYPERTROPHY, Number of times reported: 7

Sign: PR-PANCREAS, LESION(S), Number of times reported: 7

Sign: PULMONARY OEDEMA, Number of times reported: 7

Sign: RESPIRATORY ARREST, Number of times reported: 7

Sign: RESPIRATORY SIGNS, Number of times reported: 7

Sign: RESPIRATORY TRACT INFECTION NOS, Number of times reported: 7

Sign: SKIN PETECHIAE, Number of times reported: 7

Sign: STRESS LEUKOGRAM, Number of times reported: 7

Sign: SWELLING NOS, Number of times reported: 7

Sign: SWOLLEN FACE, Number of times reported: 7

Sign: SWOLLEN LYMPH NODE, Number of times reported: 7

Sign: UNUSUAL STOOL COLOUR, Number of times reported: 7

Sign: VASCULITIS, Number of times reported: 7

Sign: ABNORMAL POSTURE, Number of times reported: 6

Sign: ACIDOSIS, Number of times reported: 6

Sign: ALLERGY NOS, Number of times reported: 6

Sign: ANURIA, Number of times reported: 6

Sign: BELCHING, Number of times reported: 6

Sign: BLOOD AND LYMPHATIC SYSTEM DISORDER NOS, Number of times reported: 6

Sign: BLOTCHY RASH, Number of times reported: 6

Sign: CARDIAC NEOPLASM, Number of times reported: 6

Sign: CHEWING, Number of times reported: 6

Sign: CORNEAL ULCER, Number of times reported: 6

Sign: DISTRESS, Number of times reported: 6

Sign: DRY NOSE, Number of times reported: 6

Sign: ELEVATED PROTEIN:CREATININE RATIO, Number of times reported: 6

Sign: EYES ROLLING BACK, Number of times reported: 6

Sign: FLATULENCE, BLOATING AND DISTENSION, Number of times reported: 6

Sign: FOLLICULITIS, Number of times reported: 6

Sign: GALL BLADDER INFLAMMATION, Number of times reported: 6

Sign: HARSH LUNG SOUNDS, Number of times reported: 6

Sign: HEART FAILURE, Number of times reported: 6

Sign: HORIZONTAL NYSTAGMUS, Number of times reported: 6

Sign: HYPERAEMIC MUCOUS MEMBRANE, Number of times reported: 6

Sign: HYPERTENSION, Number of times reported: 6

Sign: HYPOTENSION, Number of times reported: 6

Sign: IMPAIRED VOCALISATION, Number of times reported: 6

Sign: INAPPROPRIATE SCHEDULE OF DRUG ADMINISTRATION, Number of times reported: 6

Sign: INCREASED RED BLOOD CELL COUNT, Number of times reported: 6

Sign: INFECTIOUS DISEASE NOS, Number of times reported: 6

Sign: INJECTED SCLERA, Number of times reported: 6

Sign: INJECTION SITE SWELLING, Number of times reported: 6

Sign: ITCHY EARS, Number of times reported: 6

Sign: LACK OF AWARENESS, Number of times reported: 6

Sign: LOOSE BOWEL, Number of times reported: 6

Sign: LOSS OF CONDITION, Number of times reported: 6

Sign: LOW VISION, Number of times reported: 6

Sign: MUCOSA PETECHIAE, Number of times reported: 6

Sign: NASAL CONGESTION, Number of times reported: 6

Sign: NERVOUS SYSTEM NEOPLASM, Number of times reported: 6

Sign: PHARYNGEAL DISORDER, Number of times reported: 6

Sign: PURULENT LESION(S), Number of times reported: 6

Sign: RENAL TUBULAR DISORDER, Number of times reported: 6

Sign: SCALE, Number of times reported: 6

Sign: SCALY CONDITION NOS, Number of times reported: 6

Sign: SKIN AND TISSUE INFECTION NOS, Number of times reported: 6

Sign: SKIN SLOUGH, Number of times reported: 6

Sign: SLEEP DISTURBANCE NOS, Number of times reported: 6

Sign: SPONDYLOSIS, Number of times reported: 6

Sign: STERNOABDOMINAL RECUMBENCY, Number of times reported: 6

Sign: TORN LIGAMENT, Number of times reported: 6

Sign: ULTRASOUND, LIVER ABNORMAL, Number of times reported: 6

Sign: VAGINAL HAEMORRHAGE, Number of times reported: 6

Sign: ABNORMAL ECG, Number of times reported: 5

Sign: ABSCESS NOS, Number of times reported: 5

Sign: ANAL AND RECTAL DISORDER NOS, Number of times reported: 5

Sign: ANAL IRRITATION, Number of times reported: 5

Sign: ANTERIOR UVEITIS, Number of times reported: 5

Sign: APNOEA, Number of times reported: 5

Sign: AUTOIMMUNE DISORDER NOS, Number of times reported: 5

Sign: BLADDER INCONTINENCE, Number of times reported: 5

Sign: CARDIAC MURMUR, Number of times reported: 5

Sign: COMA, Number of times reported: 5

Sign: CONGESTED MUCOUS MEMBRANE, Number of times reported: 5

Sign: CONGESTIVE HEART FAILURE, Number of times reported: 5

Sign: DECREASED BODY TEMPERATURE, Number of times reported: 5

Sign: DECREASED PULSE OXYGENATION, Number of times reported: 5

Sign: DRUG PRESCRIBING ERROR, Number of times reported: 5

Sign: EAR PAIN, Number of times reported: 5

Sign: ENLARGED LYMPH NODES (GENERALISED), Number of times reported: 5

Sign: EPIPHORA, Number of times reported: 5

Sign: EYE ITCHING, Number of times reported: 5

Sign: EYELID ERYTHEMA, Number of times reported: 5

Sign: EYELID LUMP, Number of times reported: 5

Sign: FACIAL RASH, Number of times reported: 5

Sign: FEMALE REPRODUCTIVE TRACT DISORDER NOS, Number of times reported: 5

Sign: HAEMANGIOSARCOMA, Number of times reported: 5

Sign: HALLUCINATION, Number of times reported: 5

Sign: HEAD TILT - EAR DISORDER, Number of times reported: 5

Sign: HEPATIC FIBROSIS, Number of times reported: 5

Sign: HEPATIC NEOPLASM, Number of times reported: 5

Sign: HYPERMETRIA, Number of times reported: 5

Sign: IMPAIRED CONSCIOUSNESS, Number of times reported: 5

Sign: INCORRECT DOSE ADMINISTERED, Number of times reported: 5

Sign: INCREASED INTRA-OCULAR PRESSURE, Number of times reported: 5

Sign: INEFFECTIVE, HEARTWORM LARVAE, Number of times reported: 5

Sign: INJECTION SITE PAIN, Number of times reported: 5

Sign: INTERSTITIAL NEPHRITIS, Number of times reported: 5

Sign: INTESTINAL CONGESTION, Number of times reported: 5

Sign: INVERSION OF ALBUMIN/GLOBULIN RATIO, Number of times reported: 5

Sign: IRRITABILITY, Number of times reported: 5

Sign: ITCHY RASH, Number of times reported: 5

Sign: JOINT PAIN NOS, Number of times reported: 5

Sign: JOINT STIFFNESS, Number of times reported: 5

Sign: LACERATION, Number of times reported: 5

Sign: LACK OF EFFICACY (ENDOPARASITE NOS), Number of times reported: 5

Sign: LIP ERYTHEMA, Number of times reported: 5

Sign: LIP OEDEMA, Number of times reported: 5

Sign: LIPAEMIA, Number of times reported: 5

Sign: LUNG COLLAPSE, Number of times reported: 5

Sign: MENINGITIS, Number of times reported: 5

Sign: MICROORGANISMS, URINE, Number of times reported: 5

Sign: MIOSIS, Number of times reported: 5

Sign: NASAL CAVITY DISORDER NOS, Number of times reported: 5

Sign: OPTIC NERVE DISORDER, Number of times reported: 5

Sign: ORAL MASS, Number of times reported: 5

Sign: ORAL ULCERATION, Number of times reported: 5

Sign: OTHER EAR DISORDER NOS, Number of times reported: 5

Sign: PALLOR, Number of times reported: 5

Sign: PARESIS, Number of times reported: 5

Sign: PETECHIAE NOS, Number of times reported: 5

Sign: PINNAE DISORDER, Number of times reported: 5

Sign: PR-BRAIN, LESION(S), Number of times reported: 5

Sign: PR-LUNG(S), EDEMA, Number of times reported: 5

Sign: PR-SMALL INTESTINE, LESION(S), Number of times reported: 5

Sign: PTYALISM, Number of times reported: 5

Sign: PULMONARY NEOPLASM, Number of times reported: 5

Sign: RECTAL BLEEDING, Number of times reported: 5

Sign: REVERSE SNEEZING, Number of times reported: 5

Sign: SKIN SCRAPING ABNORMAL, Number of times reported: 5

Sign: SPLEEN HYPERTROPHY, Number of times reported: 5

Sign: SPLEEN RUPTURE, Number of times reported: 5

Sign: SWALLOWING DIFFICULT, Number of times reported: 5

Sign: SWOLLEN LIMB, Number of times reported: 5

Sign: THIRD EYELID PROTRUSION, Number of times reported: 5

Sign: THORACIC CAVITY DISORDER NOS, Number of times reported: 5

Sign: THYROID GLAND DISORDER NOS, Number of times reported: 5

Sign: TONGUE PROTRUSION, Number of times reported: 5

Sign: TRACHEAL AND LARYNGEAL DISORDER NOS, Number of times reported: 5

Sign: UNEXPLAINED DEATH, Number of times reported: 5

Sign: URINATION, Number of times reported: 5

Sign: URTICARIAL ERYTHEMA, Number of times reported: 5

Sign: UVEITIS, Number of times reported: 5

Sign: VAGINAL DISCHARGE, Number of times reported: 5

Sign: ACIDIC URINE, Number of times reported: 4

Sign: ALBUMIN/GLOBULIN RATIO LO, BLD, Number of times reported: 4

Sign: ANAPHYLACTOID REACTION, Number of times reported: 4

Sign: BITING - PRURITUS, Number of times reported: 4

Sign: BLEPHAROSPASM, Number of times reported: 4

Sign: CENTRAL NERVOUS SYSTEM DISORDER NOS, Number of times reported: 4

Sign: CENTRAL VESTIBULAR DISORDER, Number of times reported: 4

Sign: CLEFT PALATE, Number of times reported: 4

Sign: COAGULOPATHY, Number of times reported: 4

Sign: COLD FEELING OF EXTREMITY, Number of times reported: 4

Sign: CONGENITAL DISORDER NOS, Number of times reported: 4

Sign: CORNEAL DISORDER NOS, Number of times reported: 4

Sign: COUGH, PRODUCTIVE, Number of times reported: 4

Sign: COUGHING BLOOD, Number of times reported: 4

Sign: CRANIAL NERVE DISORDER, Number of times reported: 4

Sign: CYSTITIS, Number of times reported: 4

Sign: DEPRESSED REFLEXES, Number of times reported: 4

Sign: DERMATOSIS NOS, Number of times reported: 4

Sign: DIABETES INSIPIDUS, Number of times reported: 4

Sign: DIABETIC KETONURIA, Number of times reported: 4

Sign: DIGESTIVE TRACT HYPERMOTILITY, Number of times reported: 4

Sign: DISSEMINATED INTRAVASCULAR COAGULATION, Number of times reported: 4

Sign: DYSTOCIA, Number of times reported: 4

Sign: ENCEPHALITIS, Number of times reported: 4

Sign: ERYTHEMA MULTIFORME, Number of times reported: 4

Sign: EXCESS TEAR FLOW, Number of times reported: 4

Sign: EXOCRINE PANCREATIC INSUFFICIENCY, Number of times reported: 4

Sign: EXTENSOR RIGIDITY, Number of times reported: 4

Sign: EYE INFLAMMATION NOS, Number of times reported: 4

Sign: EYELID INFLAMMATION, Number of times reported: 4

Sign: EYELID OEDEMA, Number of times reported: 4

Sign: FAINTING, Number of times reported: 4

Sign: FATIGUE, Number of times reported: 4

Sign: FIXED PUPIL, Number of times reported: 4

Sign: FOAM IN THE MOUTH, Number of times reported: 4

Sign: GASTRIC BLOAT, Number of times reported: 4

Sign: GASTRIC DISTENSION, Number of times reported: 4

Sign: GASTRIC ULCERATION NOS, Number of times reported: 4

Sign: GINGIVITIS, Number of times reported: 4

Sign: GLOMERULONEPHRITIS, Number of times reported: 4

Sign: GREASY SKIN, Number of times reported: 4

Sign: GROANING, Number of times reported: 4

Sign: GUM DISORDER NOS, Number of times reported: 4

Sign: HAEMOLYTIC ANAEMIA, Number of times reported: 4

Sign: HEAD SHAKE, Number of times reported: 4

Sign: HEMATOCRIT(HCT) HIGH, BLOOD, Number of times reported: 4

Sign: HEMOGLOBIN(HB) HIGH, BLOOD, Number of times reported: 4

Sign: HYPERADRENOCORTICISM, Number of times reported: 4

Sign: HYPERKERATOSIS, Number of times reported: 4

Sign: HYPHAEMIA, Number of times reported: 4

Sign: HYPOMAGNESAEMIC CONDITION, Number of times reported: 4

Sign: HYPOPIGMENTATION, Number of times reported: 4

Sign: IMPAIRED PROPRIOCEPTION, Number of times reported: 4

Sign: INCREASED LUNG SOUNDS, Number of times reported: 4

Sign: INCREASED SENSITIVITY TO SOUND, Number of times reported: 4

Sign: INCREASED SKIN SENSITIVITY, Number of times reported: 4

Sign: INJECTION SITE LUMP, Number of times reported: 4

Sign: IRREGULAR BREATHING, Number of times reported: 4

Sign: JOINT LIGAMENT DISORDER NOS, Number of times reported: 4

Sign: LACK OF EFFICACY (ENDOPARASITES), Number of times reported: 4

Sign: LIP DISORDER NOS, Number of times reported: 4

Sign: LIVER DEGENERATION, Number of times reported: 4

Sign: LOW BLOOD PRESSURE, Number of times reported: 4

Sign: LUNG TUMOUR, Number of times reported: 4

Sign: MALE INFERTILITY NOS, Number of times reported: 4

Sign: MAMMARY GLAND DISORDER NOS, Number of times reported: 4

Sign: MENTAL CONFUSION, Number of times reported: 4

Sign: MILIARY DERMATITIS, Number of times reported: 4

Sign: MISCARRIAGE, Number of times reported: 4

Sign: MOUTH ULCER, Number of times reported: 4

Sign: MUSCLE STIFFNESS, Number of times reported: 4

Sign: MYELOPATHY NOS, Number of times reported: 4

Sign: NEUROPATHY NOS, Number of times reported: 4

Sign: NOT URINATING, Number of times reported: 4

Sign: NT - HEPATIC LIPIDOSIS (STEATOSIS), Number of times reported: 4

Sign: OEDEMA NOS, Number of times reported: 4

Sign: OESOPHAGITIS, Number of times reported: 4

Sign: OPEN MOUTH BREATHING, Number of times reported: 4

Sign: OPTIC DISC OEDEMA, Number of times reported: 4

Sign: PANCYTOPENIA, Number of times reported: 4

Sign: PARALYSIS NOS, Number of times reported: 4

Sign: PARTIAL ADIPSIA, Number of times reported: 4

Sign: PARTIAL DEAFNESS, Number of times reported: 4

Sign: PERICARDIAL EFFUSION, Number of times reported: 4

Sign: PERITONITIS, Number of times reported: 4

Sign: PETIT MAL EPILEPSY, Number of times reported: 4

Sign: PIMPLES, Number of times reported: 4

Sign: POLYARTHRITIS, Number of times reported: 4

Sign: PR-INTEST, LESION(S), Number of times reported: 4

Sign: PR-LYMPH NODE(S), LESION(S), Number of times reported: 4

Sign: PROFUSE BLEEDING, Number of times reported: 4

Sign: PULMONARY HAEMORRHAGE, Number of times reported: 4

Sign: PYOMETRA, Number of times reported: 4

Sign: RECTAL HAEMORRHAGE, Number of times reported: 4

Sign: SICKNESS, Number of times reported: 4

Sign: SKIN ABSCESS, Number of times reported: 4

Sign: SLEEPINESS - NEUROLOGICAL DISORDER, Number of times reported: 4

Sign: SODIUM:POTASSIUM LOW, BLOOD, Number of times reported: 4

Sign: SQUINTING, Number of times reported: 4

Sign: STOMACH PAIN, Number of times reported: 4

Sign: STUPOR, Number of times reported: 4

Sign: TEMPORARY BLINDNESS, Number of times reported: 4

Sign: TRACHEITIS, Number of times reported: 4

Sign: ULCERATION NOS, Number of times reported: 4

Sign: URINARY TENESMUS, Number of times reported: 4

Sign: URINARY TRACT DISORDER NOS, Number of times reported: 4

Sign: ABNORMAL SPERMATOZOA, Number of times reported: 3

Sign: ABNORMAL URINE ODOUR, Number of times reported: 3

Sign: ABORTION SPONTANEOUS, Number of times reported: 3

Sign: ANAPHYLACTIC-TYPE REACTION, Number of times reported: 3

Sign: APPREHENSION, Number of times reported: 3

Sign: BILIRUBIN(INDIRECT) HIGH, BLD, Number of times reported: 3

Sign: BLOOD LOSS NOS, Number of times reported: 3

Sign: BRONCHITIS, Number of times reported: 3

Sign: CARDIOPATHY, Number of times reported: 3

Sign: CHOLELITHIASIS, Number of times reported: 3

Sign: CUTANEOUS CALCINOSIS, Number of times reported: 3

Sign: DECREASED RESPIRATORY RATE, Number of times reported: 3

Sign: DENTAL PLAQUE, Number of times reported: 3

Sign: DESTRUCTIVE BEHAVIOUR, Number of times reported: 3

Sign: DIABETIC KETOACIDOSIS, Number of times reported: 3

Sign: DROOPY LOWER LIP, Number of times reported: 3

Sign: DRUG DISPENSING ERROR, Number of times reported: 3

Sign: DRY MOUTH, Number of times reported: 3

Sign: DYSPHAGIA, Number of times reported: 3

Sign: DYSURIA, Number of times reported: 3

Sign: EAR FLAP OEDEMA, Number of times reported: 3

Sign: EAR PRURITUS, Number of times reported: 3

Sign: ELEVATED LACTIC ACID DEHYDROGENASE (LDH), Number of times reported: 3

Sign: EMPHYSEMA NOS, Number of times reported: 3

Sign: EROSION, Number of times reported: 3

Sign: ERUCTATION, Number of times reported: 3

Sign: EXCESSIVE SWEATING, Number of times reported: 3

Sign: EXOPHTHALMIA, Number of times reported: 3

Sign: EXTERNAL EAR DISORDER NOS, Number of times reported: 3

Sign: EYE PAIN, Number of times reported: 3

Sign: GASTRIC IRRITATION, Number of times reported: 3

Sign: GASTRIC ULCER, Number of times reported: 3

Sign: GENERALISED RED SPOT, Number of times reported: 3

Sign: HAEMOGLOBINURIA, Number of times reported: 3

Sign: HAEMOLYSIS, Number of times reported: 3

Sign: HAIR STANDING ON END, Number of times reported: 3

Sign: HEAD SHY, Number of times reported: 3

Sign: HEAT STROKE, Number of times reported: 3

Sign: HEPATO-BILIARY DISORDER NOS, Number of times reported: 3

Sign: HIGH BLOOD PRESSURE, Number of times reported: 3

Sign: INCREASED COAGULATION TIME, Number of times reported: 3

Sign: INTESTINAL PERFORATION, Number of times reported: 3

Sign: IRIS DISORDER, Number of times reported: 3

Sign: JOINT INFLAMMATION, Number of times reported: 3

Sign: JOINT OEDEMA, Number of times reported: 3

Sign: LACK OF COORDINATION, Number of times reported: 3

Sign: LARGE PLATELETS, Number of times reported: 3

Sign: LEUKAEMIA, Number of times reported: 3

Sign: LICHENIFICATION, Number of times reported: 3

Sign: LIP SMACKING, Number of times reported: 3

Sign: LOSS OF BOWEL CONTROL, Number of times reported: 3

Sign: LOSS OF VOLUNTARY MOVEMENT, Number of times reported: 3

Sign: LOW SODIUM-POTASSIUM RATIO (NA:K RATIO), Number of times reported: 3

Sign: LUNG OEDEMA, Number of times reported: 3

Sign: MOTOR DYSFUNCTION NOS, Number of times reported: 3

Sign: MOUTH PAIN, Number of times reported: 3

Sign: MULTI-ORGAN FAILURE NOS, Number of times reported: 3

Sign: MUSCLE DEGENERATION, Number of times reported: 3

Sign: MUSCLE RIGIDITY, Number of times reported: 3

Sign: MYOSITIS, Number of times reported: 3

Sign: NERVE DAMAGE NOS, Number of times reported: 3

Sign: OEDEMATOUS ERYTHEMA, Number of times reported: 3

Sign: OTHER IMMUNE SYSTEM DISORDER NOS, Number of times reported: 3

Sign: OTITIS INTERNA, Number of times reported: 3

Sign: PALPABLE MASS NOS, Number of times reported: 3

Sign: PARAPARESIS, Number of times reported: 3

Sign: PEMPFIGUS FOLIACEUS, Number of times reported: 3

Sign: PILOERECTION, Number of times reported: 3

Sign: PREMATURE BIRTH, Number of times reported: 3

Sign: PREPUTIAL DISCHARGE, Number of times reported: 3

Sign: PR-HEARTWORM DISEASE, Number of times reported: 3

Sign: PR-NEOPLASIA, Number of times reported: 3

Sign: PYELONEPHRITIS, Number of times reported: 3

Sign: PYREXIA, Number of times reported: 3

Sign: QUIET, Number of times reported: 3

Sign: REDUCED LEVEL OF CONSCIOUSNESS, Number of times reported: 3

Sign: RENAL INSUFFICIENCY, Number of times reported: 3

Sign: RETICULOCYTOSIS, Number of times reported: 3

Sign: SHOCK, Number of times reported: 3

Sign: SICK EUTHYROID SYNDROME, Number of times reported: 3

Sign: SKIN HYPERAEMIA, Number of times reported: 3

Sign: SLOW HEART RATE, Number of times reported: 3

Sign: SOMNOLENCE, Number of times reported: 3

Sign: SPASM, Number of times reported: 3

Sign: STATUS EPILEPTICUS, Number of times reported: 3

Sign: STOMACH INFLAMMATION, Number of times reported: 3

Sign: SUSPECTED INFECTIOUS AGENT TRANSMISSION, Number of times reported: 3

Sign: SWOLLEN JOINT, Number of times reported: 3

Sign: SYNCOPE, Number of times reported: 3

Sign: SYSTEMIC DISORDER NOS, Number of times reported: 3

Sign: T4 LOW, SERUM, Number of times reported: 3

Sign: TEETH GRINDING, Number of times reported: 3

Sign: THROAT IRRITATION, Number of times reported: 3

Sign: TONGUE ULCERATION, Number of times reported: 3

Sign: TRACHEAL COLLAPSE, Number of times reported: 3

Sign: UNCONTROLLED DIABETES, Number of times reported: 3

Sign: URTICARIAL RASH, Number of times reported: 3

Sign: VENTRICULAR ARRHYTHMIA, Number of times reported: 3

Sign: VOICE ALTERATION, Number of times reported: 3

Sign: WHEAL, Number of times reported: 3

Sign: ABNORMAL OESTRUS NOS, Number of times reported: 2

Sign: ABRASION, Number of times reported: 2

Sign: ACTING TENSE, Number of times reported: 2

Sign: ALKALOSIS, Number of times reported: 2

Sign: ANGIOEDEMA, Number of times reported: 2

Sign: ANISOCYTOSIS, Number of times reported: 2

Sign: AURAL HAEMATOMA, Number of times reported: 2

Sign: BOUNDING PULSE, Number of times reported: 2

Sign: BULGING EYE, Number of times reported: 2

Sign: BUN HIGH, BLOOD, Number of times reported: 2

Sign: BURN, Number of times reported: 2

Sign: CARDIORESPIRATORY ARREST, Number of times reported: 2

Sign: CAT SCAN ABNORMAL, Number of times reported: 2

Sign: CENTRAL NERVOUS SYSTEM DEPRESSION, Number of times reported: 2

Sign: CHOLANGIOHEPATITIS, Number of times reported: 2

Sign: CHRONIC PANCREATITIS, Number of times reported: 2

Sign: CIRRHOSIS, Number of times reported: 2

Sign: CLOSED EYELID, Number of times reported: 2

Sign: COGNITIVE DISORDER NOS, Number of times reported: 2

Sign: COGNITIVE IMPAIRMENT, Number of times reported: 2

Sign: CONGENITAL MUSCULO-SKELETAL DISORDER, Number of times reported: 2

Sign: CONGESTION OF MUCOUS MEMBRANE, Number of times reported: 2

Sign: COPPER TOXICITY SIGNS, Number of times reported: 2

Sign: CORTISOL HIGH, SERUM, Number of times reported: 2

Sign: COUGHING UP BLOOD, Number of times reported: 2

Sign: CRACKLES ON AUSCULTATION, Number of times reported: 2

Sign: CRYPTORCHIDISM, Number of times reported: 2

Sign: CUSHINGS DISEASE - ADRENAL DEPENDENT, Number of times reported: 2

Sign: CUSHINGS DISEASE NOS, Number of times reported: 2

Sign: DECREASED PERCENTAGE OF RETICULOCYTES, Number of times reported: 2

Sign: DEVITALISATION, Number of times reported: 2

Sign: DIFFICULTY CHEWING, Number of times reported: 2

Sign: DILATED RENAL PELVIS, Number of times reported: 2

Sign: DUODENITIS, Number of times reported: 2

Sign: DYSPHORIA, Number of times reported: 2

Sign: EAR CANAL DISORDER, Number of times reported: 2

Sign: EAR CANAL ERYTHEMA, Number of times reported: 2

Sign: EAR CANAL INFLAMMATION, Number of times reported: 2

Sign: EAR TWITCHING, Number of times reported: 2

Sign: ENDOCRINE NEOPLASM, Number of times reported: 2

Sign: ENTROPION, Number of times reported: 2

Sign: EXCESSIVE APPETITE, Number of times reported: 2

Sign: EYE HAEMORRHAGE, Number of times reported: 2

Sign: EYE IRRITATION, Number of times reported: 2

Sign: EYELID PTOSIS, Number of times reported: 2

Sign: FACIAL NERVE DISORDER, Number of times reported: 2

Sign: FAECAL IMPACTION, Number of times reported: 2

Sign: FATTY LIVER, Number of times reported: 2

Sign: FLACCID MUSCLES, Number of times reported: 2

Sign: FLUID FROM NOSE, Number of times reported: 2

Sign: FOAM IN THE NOSE, Number of times reported: 2

Sign: FOETAL MUMMIFICATION, Number of times reported: 2

Sign: FRACTURE, Number of times reported: 2

Sign: GASTRIC DILATION, Number of times reported: 2

Sign: GASTRIC PERFORATION, Number of times reported: 2

Sign: GASTRIC VOLVULUS, Number of times reported: 2

Sign: GENITAL TRACT LICKING, Number of times reported: 2

Sign: GUT SOUNDS INCREASED, Number of times reported: 2

Sign: HAEMOTHORAX, Number of times reported: 2

Sign: HAIR MODIFICATION NOS, Number of times reported: 2

Sign: HEARING DECREASED, Number of times reported: 2

Sign: HEART BLOCK 2ND DEGREE, Number of times reported: 2

Sign: HEMIPLEGIA, Number of times reported: 2

Sign: HEPATIC CIRRHOSIS, Number of times reported: 2

Sign: HEPATIC FAILURE, Number of times reported: 2

Sign: HYDROCEPHALUS, Number of times reported: 2

Sign: HYDRONEPHROSIS, Number of times reported: 2

Sign: HYPERAEMIA, Number of times reported: 2

Sign: HYPERCALCAEMIC CONDITION, Number of times reported: 2

Sign: HYPEREXTENSION, Number of times reported: 2

Sign: HYPERREFLEXIA, Number of times reported: 2

Sign: HYPERSENSITIVITY REACTION, Number of times reported: 2

Sign: HYPERSENSITIVITY TO PAIN, Number of times reported: 2

Sign: HYPERSTHENURIA, Number of times reported: 2

Sign: HYPOADRENOCORTICISM, Number of times reported: 2

Sign: HYPOPARATHYROIDISM, Number of times reported: 2

Sign: HYPOSENSITIVITY TO PAIN, Number of times reported: 2

Sign: IDIOPATHIC VESTIBULAR DISEASE, Number of times reported: 2

Sign: ILLNESS NOS, Number of times reported: 2

Sign: IMPAIRED GASTRIC FUNCTION, Number of times reported: 2

Sign: INCREASED TESTICLE SIZE, Number of times reported: 2

Sign: INCREASED YAWNING, Number of times reported: 2

Sign: INEFFECTIVE, TAPES, Number of times reported: 2

Sign: INJECTION SITE ABSCESS, Number of times reported: 2

Sign: INJECTION SITE BRUISING, Number of times reported: 2

Sign: INTERNAL EAR DISORDER, Number of times reported: 2

Sign: INTESTINAL HAEMORRHAGE, Number of times reported: 2

Sign: INTESTINAL OCCLUSION, Number of times reported: 2

Sign: INTESTINAL TORSION, Number of times reported: 2

Sign: IRON DEFICIENCY ANAEMIA, Number of times reported: 2

Sign: JAW PAIN, Number of times reported: 2

Sign: KERATITIS, Number of times reported: 2

Sign: KERATOCONJUNCTIVITIS SICCA, Number of times reported: 2

Sign: LACK OF EFFICACY (PROTOZOA), Number of times reported: 2

Sign: LACRIMATION, Number of times reported: 2

Sign: LICK GRANULOMA, Number of times reported: 2

Sign: LIGAMENT RUPTURE, Number of times reported: 2

Sign: LOSS OF SMELL, Number of times reported: 2

Sign: LUNG SOUND, Number of times reported: 2

Sign: LYMPHOSARCOMA, Number of times reported: 2

Sign: MACULAR RASH, Number of times reported: 2

Sign: MAGNESIUM HIGH, BLOOD, Number of times reported: 2

Sign: MAMMARY GLAND NEOPLASM NOS, Number of times reported: 2

Sign: MEGAOESOPHAGUS, Number of times reported: 2

Sign: METASTATIC TUMOUR, Number of times reported: 2

Sign: MILK PRODUCTION DECREASE, Number of times reported: 2

Sign: MONOCYTOPENIA, Number of times reported: 2

Sign: MRI SCAN ABNORMAL, Number of times reported: 2

Sign: MUCUS IN EYE, Number of times reported: 2

Sign: MURMUR, Number of times reported: 2

Sign: MUSCLE PAIN, Number of times reported: 2

Sign: NECROTIZING PANCREATITIS, Number of times reported: 2

Sign: NEPHRITIS, Number of times reported: 2

Sign: NERVOUS SYSTEM DISORDER NOS, Number of times reported: 2

Sign: NT - HAEMORRHAGIC ENTERITIS, Number of times reported: 2

Sign: NT - NECROTIC HEPATITIS, Number of times reported: 2

Sign: NT - RENAL LYMPHOMA, Number of times reported: 2

Sign: ORAL PAIN, Number of times reported: 2

Sign: ORGAN HAEMORRHAGE, Number of times reported: 2

Sign: PALPEBRAL DISORDER NOS, Number of times reported: 2

Sign: PANCREATIC ENZYMES HIGH, BLOOD, Number of times reported: 2

Sign: PASTY STOOL, Number of times reported: 2

Sign: PAWING, Number of times reported: 2

Sign: PENILE DISORDER NOS, Number of times reported: 2

Sign: PENILE ERECTION, Number of times reported: 2

Sign: PIGMENTATION DISORDER, Number of times reported: 2

Sign: PINNAL IRRITATION, Number of times reported: 2

Sign: POSITIVE TRACHEAL PINCH, Number of times reported: 2

Sign: PR-ASCITES, Number of times reported: 2

Sign: PR-BLADDER, LESION(S), Number of times reported: 2

Sign: PR-BONE MARROW, LESION(S), Number of times reported: 2

Sign: PR-COLON, LESION(S), Number of times reported: 2

Sign: PREMATURE PARTURITION, Number of times reported: 2

Sign: PREMATURE VENTRICULAR CONTRACTIONS, Number of times reported: 2

Sign: PR-ESOPHAGUS, LESION(S), Number of times reported: 2

Sign: PR-EYE(S)/LID(S), LESION(S), Number of times reported: 2

Sign: PR-MOUTH/LIP(S), LESION(S), Number of times reported: 2

Sign: PR-MUSCLE(S), LESION(S), Number of times reported: 2

Sign: PROLONGED BLEEDING NOS, Number of times reported: 2

Sign: PROSTATE HYPERPLASIA, Number of times reported: 2

Sign: PROSTATIC DISORDER NOS, Number of times reported: 2

Sign: PR-SPINAL CORD, LESION(S), Number of times reported: 2

Sign: PR-THYROID, LESION(S), Number of times reported: 2

Sign: PUSTULAR SKIN ERUPTION, Number of times reported: 2

Sign: QUADRIPARESIS, Number of times reported: 2

Sign: QUADRIPLEGIA, Number of times reported: 2

Sign: RED BLOOD CELLS(RBC) ABNORMAL, Number of times reported: 2

Sign: RED MUCOSAE, Number of times reported: 2

Sign: REDUCED CONCEPTION RATE, Number of times reported: 2

Sign: REDUCED SEXUAL INTEREST, Number of times reported: 2

Sign: RESPIRATORY DISCOMFORT, Number of times reported: 2

Sign: RETINAL DETACHMENT, Number of times reported: 2

Sign: ROTATORY NYSTAGMUS, Number of times reported: 2

Sign: SALIVARY GLAND DISORDER, Number of times reported: 2

Sign: SEBORRHOEA, Number of times reported: 2

Sign: SELF MUTILATION, Number of times reported: 2

Sign: SENSATION LOSS, Number of times reported: 2

Sign: SENSORY ABNORMALITY NOS, Number of times reported: 2

Sign: SKIN DRYNESS, Number of times reported: 2

Sign: SKIN NECROSIS, Number of times reported: 2

Sign: SKIN SARCOMA NOS, Number of times reported: 2

Sign: SKIN TEXTURAL CHANGE, Number of times reported: 2

Sign: SKIN VASCULAR DISORDER NOS, Number of times reported: 2

Sign: SNIFFING, Number of times reported: 2

Sign: SNORING, Number of times reported: 2

Sign: STEATITIS, Number of times reported: 2

Sign: STENOTIC EAR CANAL, Number of times reported: 2

Sign: STOMATITIS, Number of times reported: 2

Sign: STROKE, Number of times reported: 2

Sign: SUPPURATIVE DERMATITIS, Number of times reported: 2

Sign: SWOLLEN TONGUE, Number of times reported: 2

Sign: TRANSIENT BLINDNESS, Number of times reported: 2

Sign: TRIGEMINUS PARALYSIS, Number of times reported: 2

Sign: UNABLE TO FOCUS, Number of times reported: 2

Sign: UNRELATED DEATH, Number of times reported: 2

Sign: UNTHRIFTY, Number of times reported: 2

Sign: VAGINITIS, Number of times reported: 2

Sign: VALVULAR INSUFFICIENCY, Number of times reported: 2

Sign: WART, Number of times reported: 2

Sign: WIDE-BASE STANCE, Number of times reported: 2

Sign: WOUND, Number of times reported: 2

Sign: YELLOW MUCOUS MEMBRANES, Number of times reported: 2

Sign: ABDOMINAL CAVITY HERNIA, Number of times reported: 1

Sign: ABDOMINAL OEDEMA, Number of times reported: 1

Sign: ABNORMAL BIRTH WEIGHT, Number of times reported: 1

Sign: ABNORMAL PANCREATIC SPECIFIC LIPASE (PLI), Number of times reported: 1

Sign: ACTH STIMULATION ABNORMAL, Number of times reported: 1

Sign: ACUTE HAEMORRHAGIC PANCREATITIS, Number of times reported: 1

Sign: ALBUMIN/GLOBULIN RATIO HI, BLD, Number of times reported: 1

Sign: ALLERGY TO FOOD, Number of times reported: 1

Sign: ALT HIGH, Number of times reported: 1

Sign: ANAL OEDEMA, Number of times reported: 1

Sign: ANION GAP HI, BLD, Number of times reported: 1

Sign: APPLICATION SITE ALOPECIA, Number of times reported: 1

Sign: APPLICATION SITE DRY SKIN, Number of times reported: 1

Sign: APPLICATION SITE INFECTION, Number of times reported: 1

Sign: APPLICATION SITE ITCHING, Number of times reported: 1

Sign: APPLICATION SITE PRURITUS, Number of times reported: 1

Sign: APPLICATION SITE REDDENING, Number of times reported: 1

Sign: APPLICATION SITE SCRATCHING, Number of times reported: 1

Sign: APPLICATION SITE ULCER, Number of times reported: 1

Sign: APPLICATION SITE WEEPING, Number of times reported: 1

Sign: ARTERITIS, Number of times reported: 1

Sign: ARTHROPATHY NOS, Number of times reported: 1

Sign: ATTENTION-SEEKING BEHAVIOUR, Number of times reported: 1

Sign: BILIRUBIN(DIRECT) HIGH, BLOOD, Number of times reported: 1

Sign: BILIRUBIN(TOTAL) HIGH, BLOOD, Number of times reported: 1

Sign: BLADDER DISTENSION, Number of times reported: 1

Sign: BLEPHARITIS, Number of times reported: 1

Sign: BLINKING, Number of times reported: 1

Sign: BLOOD CLOT, Number of times reported: 1

Sign: BOIL, Number of times reported: 1

Sign: BONE MARROW APLASIA, Number of times reported: 1

Sign: BONE MARROW HYPOPLASIA, Number of times reported: 1

Sign: BONE MARROW SUPPRESSION, Number of times reported: 1

Sign: BRADYPNOEA, Number of times reported: 1

Sign: BRAIN DAMAGE NOS, Number of times reported: 1

Sign: BREATHLESSNESS, Number of times reported: 1

Sign: BRONCHIAL RALE, Number of times reported: 1

Sign: BRONCHOPULMONARY INFLAMMATION, Number of times reported: 1

Sign: BUCCAL ULCERATION, Number of times reported: 1

Sign: CACHEXIA, Number of times reported: 1

Sign: CALCULI, Number of times reported: 1

Sign: CARTILAGE DEGENERATION, Number of times reported: 1

Sign: CELLULITIS, Number of times reported: 1

Sign: CEREBROSPINAL FLUID ABNORMAL, Number of times reported: 1

Sign: CHANGE IN BLOOD PROTEIN NOS, Number of times reported: 1

Sign: CHAPPED SKIN, Number of times reported: 1

Sign: CHEMOSIS, Number of times reported: 1

Sign: CHEWING - ORAL CAVITY DISORDER, Number of times reported: 1

Sign: CHLORIDE HIGH, BLOOD, Number of times reported: 1

Sign: CHOLANGITIS, Number of times reported: 1

Sign: CHOLECYSTITIS, Number of times reported: 1

Sign: CILIARY BODY AND CHOROID DISORDER NOS, Number of times reported: 1

Sign: CIRCLING - BEHAVIOURAL DISORDER, Number of times reported: 1

Sign: CIRCULATORY DISORDER NOS, Number of times reported: 1

Sign: CIRCULATORY SHOCK, Number of times reported: 1

Sign: CLAW / HOOF / NAIL LOSS, Number of times reported: 1

Sign: COMPLICATION OF DIABETES, Number of times reported: 1

Sign: CONGENITAL CARDIOVASCULAR DISORDER NOS, Number of times reported: 1

Sign: CONGENITAL EYE DISORDER, Number of times reported: 1

Sign: CONGENITAL HEPATO-BILIARY DISORDER, Number of times reported: 1

Sign: CONGENITAL NEUROLOGICAL DISORDER NOS, Number of times reported: 1

Sign: CONGENITAL RENAL AND URINARY TRACT DISORDER NOS, Number of times reported: 1

Sign: CONGENITAL REPRODUCTIVE TRACT DISORDER NOS, Number of times reported: 1

Sign: CONGENITAL SKIN DISORDER NOS, Number of times reported: 1

Sign: CONJUNCTIVAL IRRITATION, Number of times reported: 1

Sign: CONJUNCTIVAL OEDEMA, Number of times reported: 1

Sign: CONTACT DERMATITIS, Number of times reported: 1

Sign: COOMBS TEST POSITIVE, Number of times reported: 1

Sign: COPROPHAGIA, Number of times reported: 1

Sign: CRANIAL NERVE PARALYSIS, Number of times reported: 1

Sign: CUSHINGS DISEASE - PITUITARY DEPENDENT, Number of times reported: 1

Sign: CUTANEOUS NECROSIS, Number of times reported: 1

Sign: DECREASED EJACULATE VOLUME, Number of times reported: 1

Sign: DECREASED HEART RATE, Number of times reported: 1

Sign: DECREASED INTRA-OCULAR PRESSURE, Number of times reported: 1

Sign: DECREASED SPERMATOZOA MOTILITY, Number of times reported: 1

Sign: DEPENDENT OEDEMA, Number of times reported: 1

Sign: DEPIGMENTATION OF NASAL PLANE, Number of times reported: 1

Sign: DIFFICULTY IN MICTURITION, Number of times reported: 1

Sign: DIGESTIVE TRACT HAEMORRHAGE NOS, Number of times reported: 1

Sign: DISCOLOURED TEETH, Number of times reported: 1

Sign: DISCUS PROLAPSE, Number of times reported: 1

Sign: DISTURBANCE IN ATTENTION, Number of times reported: 1

Sign: DROOPY EAR, Number of times reported: 1

Sign: DRUG ADMINISTRATION DURATION TOO LONG, Number of times reported: 1

Sign: DRY COAT, Number of times reported: 1

Sign: EAR CANAL OEDEMA, Number of times reported: 1

Sign: EAR FLAPPING/TWITCHING, Number of times reported: 1

Sign: ECZEMA, Number of times reported: 1

Sign: ELEVATED FIBRINOGEN LEVEL, Number of times reported: 1

Sign: ELEVATED INSULIN, Number of times reported: 1

Sign: ENDOCARDITIS, Number of times reported: 1

Sign: EPIDIDYMITIS, Number of times reported: 1

Sign: EQUILIBRIUM DISORDER, Number of times reported: 1

Sign: ERUPTION, Number of times reported: 1

Sign: EXCITATION, Number of times reported: 1

Sign: EYE INFLAMED, Number of times reported: 1

Sign: EYE SORE AND RED, Number of times reported: 1

Sign: EYESIGHT TROUBLE, Number of times reported: 1

Sign: FACIAL PALSY, Number of times reported: 1

Sign: FANCONI SYNDROME, Number of times reported: 1

Sign: FEET SHIFTING, Number of times reported: 1

Sign: FLACCID PARALYSIS, Number of times reported: 1

Sign: FLUID IN THORAX, Number of times reported: 1

Sign: FOCUSING DIFFICULT, Number of times reported: 1

Sign: FOETAL RESORPTION, Number of times reported: 1

Sign: GIANT PLATELETS, Number of times reported: 1

Sign: GINGIVAL DISORDER, Number of times reported: 1

Sign: GINGIVAL ERYTHEMA, Number of times reported: 1

Sign: GINGIVAL HYPERPLASIA, Number of times reported: 1

Sign: GINGIVAL SWELLING, Number of times reported: 1

Sign: GLAUCOMA, Number of times reported: 1

Sign: GRANULOMA, Number of times reported: 1

Sign: GROOMING DISORDER, Number of times reported: 1

Sign: HAEMORRHAGIC BLADDER, Number of times reported: 1

Sign: HEMIPARESIS (WEAKNESS L OR R SIDE), Number of times reported: 1

Sign: HEPATIC JAUNDICE, Number of times reported: 1

Sign: HEPATIC TOXICOSIS, Number of times reported: 1

Sign: HEPATIC TUMOUR, Number of times reported: 1

Sign: HEPATIC VASCULAR DISORDER, Number of times reported: 1

Sign: HERNIA NOS, Number of times reported: 1

Sign: HIATUS HERNIA, Number of times reported: 1

Sign: HIGH SODIUM-POTASSIUM RATIO (NA:K RATIO), Number of times reported: 1

Sign: HORNER'S SYNDROME, Number of times reported: 1

Sign: HYPERPARATHYROIDISM, Number of times reported: 1

Sign: HYPERPHOSPHATEMIA, Number of times reported: 1

Sign: HYPERSENSITIVITY NOS, Number of times reported: 1

Sign: HYPERSENSITIVITY TO LIGHT, Number of times reported: 1

Sign: HYPERTRICHOSIS, Number of times reported: 1

Sign: HYPERVENTILATION, Number of times reported: 1

Sign: HYPOREFLEXIA, Number of times reported: 1

Sign: HYPOXIA, Number of times reported: 1

Sign: ILEITIS, Number of times reported: 1

Sign: IMPAIRED HEARING, Number of times reported: 1

Sign: IMPAIRED SWALLOWING, Number of times reported: 1

Sign: INCREASED REFLEXES, Number of times reported: 1

Sign: INCREASED SWEATING, Number of times reported: 1

Sign: INEFFECTIVE, GLYCEMIC CONTROL, Number of times reported: 1

Sign: INEFFECTIVE, HOOKS, Number of times reported: 1

Sign: INEFFECTIVE, MITES, Number of times reported: 1

Sign: INEFFECTIVE, WORMS, Number of times reported: 1

Sign: INFLAMED MUCOSAE, Number of times reported: 1

Sign: INJECTION SITE ALOPECIA, Number of times reported: 1

Sign: INJECTION SITE BLEEDING, Number of times reported: 1

Sign: INJECTION SITE SEROSANGUINOUS DISCHARGE, Number of times reported: 1

Sign: INTENTION TREMOR, Number of times reported: 1

Sign: INTRAUTERINE DEATH, Number of times reported: 1

Sign: INTUSSUSCEPTION, Number of times reported: 1

Sign: ISCHAEMIA NOS, Number of times reported: 1

Sign: ISCHAEMIC NECROSIS, Number of times reported: 1

Sign: JEJUNITIS, Number of times reported: 1

Sign: JOINT ACHE, Number of times reported: 1

Sign: JOINT EFFUSION, Number of times reported: 1

Sign: JUVENILE CELLULITIS (PUPPY STRANGLES), Number of times reported: 1

Sign: KETOSIS, Number of times reported: 1

Sign: LACK OF EFFICACY (PARVOVIRUS), Number of times reported: 1

Sign: LACK OF EFFICACY (ROUNDWORM), Number of times reported: 1

Sign: LACK OF HAIR REGROWTH, Number of times reported: 1

Sign: LARYNGEAL PARALYSIS, Number of times reported: 1

Sign: LENS LUXATION, Number of times reported: 1

Sign: LENS OPACITY, Number of times reported: 1

Sign: LIVER FIBROSIS, Number of times reported: 1

Sign: LOCKJAW, Number of times reported: 1

Sign: LOSS OF CONDITION SCORE, Number of times reported: 1

Sign: LOSS OF HEARING, Number of times reported: 1

Sign: LOSS OF VOICE, Number of times reported: 1

Sign: LOW WEIGHT GAIN, Number of times reported: 1

Sign: LYMPHADENITIS, Number of times reported: 1

Sign: MALE REPRODUCTIVE TRACT DISORDER NOS, Number of times reported: 1

Sign: MASTITIS NOS, Number of times reported: 1

Sign: METABOLIC BONE DISORDER NOS, Number of times reported: 1

Sign: MILK DROP, Number of times reported: 1

Sign: MUCOCUTANEOUS ULCER, Number of times reported: 1

Sign: MUSCLE INFLAMMATION, Number of times reported: 1

Sign: MYOPATHY, Number of times reported: 1

Sign: NASAL CAVITY AND SINUS DISORDER NOS, Number of times reported: 1

Sign: NASAL IRRITATION, Number of times reported: 1

Sign: NEUROMUSCULAR DISORDER NOS, Number of times reported: 1

Sign: NO SIGN, Number of times reported: 1

Sign: NT - (LUMINAL) ENTEROPATHY, Number of times reported: 1

Sign: NT - ADENOCARCINOMA, Number of times reported: 1

Sign: NT - CHRONIC INTERSTITIAL NEPHRITIS, Number of times reported: 1

Sign: NT - EOSINOPHILIC ENTERITIS, Number of times reported: 1

Sign: NT - HEART TUMOUR (CHEMODECTOMA: TUMOUR OF THE AORTIC BODY), Number of times reported: 1

Sign: NT - HYPERTROPHIC DILATED CARDIOMYOPATHY, Number of times reported: 1

Sign: NT - INTESTINAL TUMOUR (ADENOCARCINOMA/ADENOMA/GASTRO INTESTINAL STROMAL TUMOUR (GIST)), Number of times reported: 1

Sign: NT - LUNG TUMOUR (ADENOCARCINOMA/ADENOMA/BRONCHIOLO/ALVEOLAR CARCINOMA/ADENOMA), Number of times reported: 1

Sign: NT - LYMPHANGIECTASIA, Number of times reported: 1

Sign: NT - LYMPHOMA/ LYMPHADENOMEGALY, Number of times reported: 1

Sign: NT - PROLIFERATIVE GLOMERULONEPHRITIS, Number of times reported: 1

Sign: NT - PULMONARY METASTASES, Number of times reported: 1

Sign: NT - RENAL CYSTS HYDRONEPHROSIS, Number of times reported: 1

Sign: NT - RENAL INFARCTS, Number of times reported: 1

Sign: OESOPHAGEAL ULCER, Number of times reported: 1

Sign: OESOPHAGUS OBSTRUCTION, Number of times reported: 1

Sign: ORAL ABSCESS, Number of times reported: 1

Sign: ORAL ERYTHEMA, Number of times reported: 1

Sign: ORAL HAEMORRHAGE, Number of times reported: 1

Sign: ORAL MUCOSAL BLISTERING, Number of times reported: 1

Sign: ORGAN PETECHIAE, Number of times reported: 1

Sign: OSTEOSARCOMA, Number of times reported: 1

Sign: OTHER BLOOD DISORDER NOS, Number of times reported: 1

Sign: OTHER COAGULATION ABNORMALITY, Number of times reported: 1

Sign: OTITIS MEDIA, Number of times reported: 1

Sign: PAINFUL DEFECATION, Number of times reported: 1

Sign: PANCREAS ENDOCRINE DISORDER NOS, Number of times reported: 1

Sign: PANLEUCOPENIA, Number of times reported: 1

Sign: PANNICULITIS, Number of times reported: 1

Sign: PAPILLARY NECROSIS, Number of times reported: 1

Sign: PAPILOMA, Number of times reported: 1

Sign: PARADOXICAL VESTIBULAR SYNDROME, Number of times reported: 1

Sign: PARALYTIC ILEUS, Number of times reported: 1

Sign: PARAPHIMOSIS, Number of times reported: 1

Sign: PARTIAL SIGHT, Number of times reported: 1

Sign: PERINATAL MORTALITY, Number of times reported: 1

Sign: PERINEAL FISTULA, Number of times reported: 1

Sign: PERIPHERAL NEUROPATHY, Number of times reported: 1

Sign: PERIPHERAL VASOCONSTRICTION, Number of times reported: 1

Sign: PERIVASCULAR DERMATITIS, Number of times reported: 1

Sign: PHARYNGEAL OEDEMA, Number of times reported: 1

Sign: PHOTOPHOBIA, Number of times reported: 1

Sign: PITUITARY DISORDER NOS, Number of times reported: 1

Sign: PLANTIGRADE POSTURE, Number of times reported: 1

Sign: PLATELETS, ABNORMAL, Number of times reported: 1

Sign: PNEUMONITIS, Number of times reported: 1

Sign: PNEUMOTHORAX, Number of times reported: 1

Sign: POLYARTHROPATHY, Number of times reported: 1

Sign: POLYCHROMASIA, Number of times reported: 1

Sign: POLYCYTHEMIA, Number of times reported: 1

Sign: PORTACAVAL SHUNT, Number of times reported: 1

Sign: PR-ADRENAL(S), LESION(S), Number of times reported: 1

Sign: PR-CEREBRUM, LESION(S), Number of times reported: 1

Sign: PREPUTIAL HAEMORRHAGE, Number of times reported: 1

Sign: PR-GI, LESION(S), Number of times reported: 1

Sign: PR-NERVE(S), LESION(S), Number of times reported: 1

Sign: PROLAPSE OF THE NICTITATING MEMBRANE, Number of times reported: 1

Sign: PROSTATITIS, Number of times reported: 1

Sign: PR-PERITONEAL EFFUSION, Number of times reported: 1

Sign: PR-PERITONEUM, LESION(S), Number of times reported: 1

Sign: PR-PHARYNX, LESION(S), Number of times reported: 1

Sign: PR-PLEURAL EFFUSION, Number of times reported: 1

Sign: PR-PROSTATE, LESION(S), Number of times reported: 1

Sign: PR-TONGUE, LESION(S), Number of times reported: 1

Sign: PR-TRACHEA, LESION(S), Number of times reported: 1

Sign: PR-WHOLE BODY, LESION(S), Number of times reported: 1

Sign: PSORIASIS, Number of times reported: 1

Sign: PULMONARY FIBROSIS, Number of times reported: 1

Sign: PULMONARY HYPERTENSION, Number of times reported: 1

Sign: PULMONARY THROMBOEMBOLISM, Number of times reported: 1

Sign: PUPIL DISORDER, Number of times reported: 1

Sign: PYLORIC ULCER, Number of times reported: 1

Sign: RADIOGRAPH(S) ABNORMAL, Number of times reported: 1

Sign: RAPID PULSE RATE, Number of times reported: 1

Sign: RECTAL OEDEMA, Number of times reported: 1

Sign: RECTAL PROLAPSE, Number of times reported: 1

Sign: REDUCED GROWTH RATE, Number of times reported: 1

Sign: REDUCED TESTICLE SIZE, Number of times reported: 1

Sign: RENAL DEGENERATION, Number of times reported: 1

Sign: RENAL VASCULAR DISORDER, Number of times reported: 1

Sign: RESPIRATORY DEPRESSION, Number of times reported: 1

Sign: RESPIRATORY SOUND, Number of times reported: 1

Sign: RETINAL ATROPHY, Number of times reported: 1

Sign: RIGHT VENTRICULAR DILATATION, Number of times reported: 1

Sign: RINGWORM, Number of times reported: 1

Sign: RUNT, Number of times reported: 1

Sign: SALIVARY STAINING, Number of times reported: 1

Sign: SCAR, Number of times reported: 1

Sign: SCROTAL DISORDER NOS, Number of times reported: 1

Sign: SCROTAL OEDEMA, Number of times reported: 1

Sign: SEMI-CONSCIOUS, Number of times reported: 1

Sign: SEROMA, Number of times reported: 1

Sign: SINUS CONGESTION, Number of times reported: 1

Sign: SKIN HAEMATOMA, Number of times reported: 1

Sign: SLOW REFLEXES, Number of times reported: 1

Sign: SNUFFLE, Number of times reported: 1

Sign: SORE TONGUE, Number of times reported: 1

Sign: SPASTICITY, Number of times reported: 1

Sign: SPHEROCYTOSIS, Number of times reported: 1

Sign: SPONDYLITIS, Number of times reported: 1

Sign: SPONDYLOPATHY, Number of times reported: 1

Sign: STERILE, Number of times reported: 1

Sign: STRABISMUS, Number of times reported: 1

Sign: STRIDOR (UPPER RESPIRATORY; FOR LOWER RESPIRATORY SEE ALSO BRONCHIAL RALE), Number of times reported: 1

Sign: SUBDUED, Number of times reported: 1

Sign: SUBMANDIBULAR OEDEMA, Number of times reported: 1

Sign: SUCKLING DISORDER NOS, Number of times reported: 1

Sign: SUNKEN EYES, Number of times reported: 1

Sign: SWALLOWING DISORDER NOS, Number of times reported: 1

Sign: SWOLLEN GUM, Number of times reported: 1

Sign: SYMPTOM NOS INVOLVING NEUROLOGICAL AND MUSCULAR SKELETAL SOCS, Number of times reported: 1

Sign: SYSTEMIC FUNGAL INFECTION, Number of times reported: 1

Sign: TAIL PARALYSIS, Number of times reported: 1

Sign: TAIL PARESIS, Number of times reported: 1

Sign: THICKENED EAR CANAL(S), Number of times reported: 1

Sign: THIRD EYELID EXTRUSION, Number of times reported: 1

Sign: THIRD EYELID PROLAPSE, Number of times reported: 1

Sign: THORACIC PAIN, Number of times reported: 1

Sign: THROMBOEMBOLI, Number of times reported: 1

Sign: THROMBOSIS, Number of times reported: 1

Sign: THYROIDITIS, Number of times reported: 1

Sign: TONGUE INFLAMMATION, Number of times reported: 1

Sign: TONGUE NECROSIS, Number of times reported: 1

Sign: TONGUE OEDEMA, Number of times reported: 1

Sign: TONIC MUSCLE SPASM, Number of times reported: 1

Sign: TONIC SEIZURE, Number of times reported: 1

Sign: TONSILLITIS, Number of times reported: 1

Sign: TOOTH LOSS, Number of times reported: 1

Sign: TORTICOLLIS, Number of times reported: 1

Sign: TRACHEAL BLEEDING, Number of times reported: 1

Sign: UNEQUAL PUPILS, Number of times reported: 1

Sign: URETERIC DISORDER, Number of times reported: 1

Sign: URIC ACID CRYSTALS, Number of times reported: 1

Sign: URINARY RETENTION, Number of times reported: 1

Sign: URINARY TRACT NEOPLASM, Number of times reported: 1

Sign: URINE ABNORMAL, SEDIMENT, Number of times reported: 1

Sign: UROBILINOGEN HIGH, URINE, Number of times reported: 1

Sign: UTERINE DISORDER NOS, Number of times reported: 1

Sign: VALVULAR DISORDER, Number of times reported: 1

Sign: VESICULAR RASH, Number of times reported: 1

Sign: VITAMIN DEFICIENCY, Number of times reported: 1

Sign: VITAMIN DISORDER, Number of times reported: 1

Sign: VOCALIZING WHILE SLEEPING, Number of times reported: 1

Species: Dog

Route of Administration: other

Sign: DEATH, Number of times reported: 2

Sign: ABDOMINAL MASS, Number of times reported: 1

Sign: ABDOMINAL PAIN, Number of times reported: 1

Sign: ABNORMAL ULTRASOUND FINDING, Number of times reported: 1

Sign: ANOREXIA, Number of times reported: 1

Sign: BIRTH DEFECT, Number of times reported: 1

Sign: DEATH BY EUTHANASIA, Number of times reported: 1

Sign: DIARRHOEA, Number of times reported: 1

Sign: ENLARGED LIVER, Number of times reported: 1

Sign: FLATULENCE, Number of times reported: 1

Sign: LIVER DISORDER NOS, Number of times reported: 1

Sign: MUSCULOSKELETAL DISORDER NOS, Number of times reported: 1

Sign: VOMITING, Number of times reported: 1

Species: Dog

Route of Administration: Topical

Sign: LACK OF EFFICACY (TICK), Number of times reported: 13

Sign: LACK OF EFFICACY (FLEA), Number of times reported: 7

Sign: DIARRHOEA, Number of times reported: 5

Sign: EMESIS (MULTIPLE), Number of times reported: 4

Sign: LETHARGY, Number of times reported: 3

Sign: ALOPECIA, Number of times reported: 2

Sign: APPLICATION SITE HAIR CHANGE, Number of times reported: 2

Sign: DECREASED APPETITE, Number of times reported: 2

Sign: DERMATITIS, Number of times reported: 2

Sign: INEFFECTIVE, FLEAS, Number of times reported: 2

Sign: SEIZURE NOS, Number of times reported: 2

Sign: SKIN SORE, Number of times reported: 2

Sign: VOMITING, Number of times reported: 2

Sign: ABNORMAL TEST RESULT, Number of times reported: 1

Sign: ADIPSIA, Number of times reported: 1

Sign: ANOREXIA, Number of times reported: 1

Sign: APPLICATION SITE GREASY FUR, Number of times reported: 1

Sign: APPLICATION SITE HAIR LOSS, Number of times reported: 1

Sign: APPLICATION SITE RESIDUE, Number of times reported: 1

Sign: ATAXIA, Number of times reported: 1

Sign: ATOPIC ALLERGY NOS, Number of times reported: 1

Sign: DEATH BY EUTHANASIA, Number of times reported: 1

Sign: DENTAL DISEASE, Number of times reported: 1

Sign: DISORDER OF GASTROINTESTINAL FLORA, Number of times reported: 1

Sign: DISORIENTATION, Number of times reported: 1

Sign: DRUG ADMINISTRATION ERROR, Number of times reported: 1

Sign: FLAKING SKIN, Number of times reported: 1

Sign: HAIR COAT DISCOLOURATION, Number of times reported: 1

Sign: HEAD TILT - NEUROLOGICAL DISORDER, Number of times reported: 1

Sign: HEART MURMUR, Number of times reported: 1

Sign: HYPERGLYCAEMIA, Number of times reported: 1

Sign: INCREASED SEIZURE FREQUENCY, Number of times reported: 1

Sign: INEFFECTIVE, DEMODEX MITES, Number of times reported: 1

Sign: MOIST DERMATITIS, Number of times reported: 1

Sign: NOT DRINKING, Number of times reported: 1

Sign: NOT EATING, Number of times reported: 1

Sign: POLYDIPSIA, Number of times reported: 1

Sign: PRURITUS, Number of times reported: 1

Sign: REDDENING OF THE SKIN, Number of times reported: 1

Sign: RIGIDITY OF LIMBS, Number of times reported: 1

Sign: SCRATCHING, Number of times reported: 1

Sign: SKIN SCAB, Number of times reported: 1

Sign: STERNOABDOMINAL RECUMBENCY, Number of times reported: 1

Sign: TENSE MUSCLES, Number of times reported: 1

Sign: TREMOR, Number of times reported: 1

Sign: UNABLE TO RISE, Number of times reported: 1

Sign: UNCONTROLLED DIABETES, Number of times reported: 1

Sign: UNPALATABLE, Number of times reported: 1

Sign: WEAKNESS, Number of times reported: 1

Species: Dog

Route of Administration: transplacental

Sign: BIRTH DEFECT, Number of times reported: 5

Sign: DEATH BY EUTHANASIA, Number of times reported: 5

Sign: CLEFT PALATE, Number of times reported: 4

Sign: ABNORMAL NECROPSY FINDING, Number of times reported: 3

Sign: CULTURE/TITER DATA ABNORMAL, Number of times reported: 3

Sign: PULMONARY OEDEMA, Number of times reported: 3

Sign: BRONCHOPNEUMONIA, Number of times reported: 2

Sign: DEATH, Number of times reported: 2

Sign: PR-LUNG(S), LESION(S), Number of times reported: 2

Sign: ABNORMAL TEST RESULT, Number of times reported: 1

Sign: ANOREXIA, Number of times reported: 1

Sign: CONGENITAL NEUROLOGICAL DISORDER NOS, Number of times reported: 1

Sign: ELEVATED BUN, Number of times reported: 1

Sign: ELEVATED CREATININE, Number of times reported: 1

Sign: ENLARGED LIVER, Number of times reported: 1

Sign: HEPATOPATHY, Number of times reported: 1

Sign: LETHARGY, Number of times reported: 1

Sign: LOSS OF CONDITION SCORE, Number of times reported: 1

Sign: MALAISE, Number of times reported: 1

Sign: MALFORMATION NOS, Number of times reported: 1

Sign: NT - HEPATIC LIPIDOSIS (STEATOSIS), Number of times reported: 1

Sign: PERINATAL MORTALITY, Number of times reported: 1

Sign: PR-LIVER, LESION(S), Number of times reported: 1

Sign: PR-LUNG(S), EDEMA, Number of times reported: 1

Sign: PR-THYMUS, LESION(S), Number of times reported: 1

Sign: PULMONARY CONGESTION, Number of times reported: 1

Sign: RENAL FAILURE, Number of times reported: 1

Sign: STILLBIRTH, Number of times reported: 1

Sign: SUCKLING DISORDER NOS, Number of times reported: 1

Sign: SUDDEN DEATH, Number of times reported: 1

Sign: UNEXPLAINED DEATH, Number of times reported: 1

Sign: WEIGHT LOSS, Number of times reported: 1

Species: Dog

Route of Administration: unknown

Sign: VOMITING, Number of times reported: 7

Sign: LACK OF EFFICACY (FLEA), Number of times reported: 5

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 4

Sign: DIARRHOEA, Number of times reported: 3

Sign: LETHARGY, Number of times reported: 3

Sign: DECREASED APPETITE, Number of times reported: 2

Sign: INEFFECTIVE, FLEAS, Number of times reported: 2

Sign: LACK OF EFFICACY (TICK), Number of times reported: 2

Sign: SEIZURE NOS, Number of times reported: 2

Sign: UNCLASSIFIABLE ADVERSE EVENT, Number of times reported: 2

Sign: ABNORMAL TEST RESULT, Number of times reported: 1

Sign: ACUTE RENAL FAILURE, Number of times reported: 1

Sign: APPETITE LOSS, Number of times reported: 1

Sign: BLOODY DIARRHOEA, Number of times reported: 1

Sign: CONVULSION, Number of times reported: 1

Sign: DEATH, Number of times reported: 1

Sign: DEATH BY EUTHANASIA, Number of times reported: 1

Sign: DECREASED DRINKING, Number of times reported: 1

Sign: DECREASED HAEMOGLOBIN, Number of times reported: 1

Sign: DECREASED PACKED CELL VOLUME (PCV), Number of times reported: 1

Sign: DECREASED RED BLOOD CELL COUNT, Number of times reported: 1

Sign: EMESIS, Number of times reported: 1

Sign: ERYTHEMA MULTIFORME, Number of times reported: 1

Sign: GENERALISED RASH, Number of times reported: 1

Sign: HYPERGLYCAEMIA, Number of times reported: 1

Sign: IMMUNE MEDIATED HAEMOLYTIC ANAEMIA, Number of times reported: 1

Sign: INEFFECTIVE, TICKS, Number of times reported: 1

Sign: LACK OF EFFICACY, Number of times reported: 1

Sign: LIVER DISORDER NOS, Number of times reported: 1

Sign: LYMPHOMA, Number of times reported: 1

Sign: MUSCULOSKELETAL NEOPLASM NOS, Number of times reported: 1

Sign: PANCREATITIS, Number of times reported: 1

Sign: PSEUDOPREGNANCY, Number of times reported: 1

Sign: SENSORY ABNORMALITY NOS, Number of times reported: 1

Sign: STILLBIRTH, Number of times reported: 1

Sign: TWITCHING, Number of times reported: 1

Sign: URINARY TRACT DISORDER NOS, Number of times reported: 1

Sign: URINE ABNORMALITIES NOS, Number of times reported: 1

Sign: WEAKNESS, Number of times reported: 1

Species: Human

Route of Administration: Ophthalmic

Sign: BURNING SENSATION OF EYE, Number of times reported: 1

Sign: TEAR FLOW INCREASED, Number of times reported: 1

Species: Human

Route of Administration: oral

Sign: BAD TASTE, Number of times reported: 4

Sign: ACCIDENTAL EXPOSURE, Number of times reported: 3

Sign: ABNORMAL BREATHING, Number of times reported: 1

Sign: DIARRHOEA, Number of times reported: 1

Sign: DIZZINESS, Number of times reported: 1

Sign: DRY MOUTH, Number of times reported: 1

Sign: ECZEMA, Number of times reported: 1

Sign: GENERALISED RASH, Number of times reported: 1

Sign: HOT FLUSH, Number of times reported: 1

Sign: INCREASED HEART RATE, Number of times reported: 1

Sign: MALAISE, Number of times reported: 1

Sign: NASAL BLEEDING, Number of times reported: 1

Sign: NUMBNESS, Number of times reported: 1

Sign: RESPIRATORY TRACT IRRITATION, Number of times reported: 1

Sign: SKIN INFLAMMATION NOS, Number of times reported: 1

Sign: URTICARIAL ERYTHEMA, Number of times reported: 1

Sign: VERTIGO, Number of times reported: 1

Sign: VOMITING, Number of times reported: 1

Species: Human

Route of Administration: other

Sign: APPLICATION SITE SKIN CHANGE NOS, Number of times reported: 2

Sign: BAD TASTE, Number of times reported: 2

Sign: COUGH, Number of times reported: 1

Sign: GENERALISED ITCHING, Number of times reported: 1

Sign: REDDENING OF THE SKIN, Number of times reported: 1

Sign: RESPIRATORY DISTRESS, Number of times reported: 1

Sign: SWOLLEN LIMB, Number of times reported: 1

Sign: THROAT IRRITATION, Number of times reported: 1

Species: Human

Route of Administration: Respiratory (inhalation)

Sign: HEADACHE, Number of times reported: 1

Species: Human

Route of Administration: Topical

Sign: APPLICATION SITE SKIN CHANGE NOS, Number of times reported: 168

Sign: FACIAL RASH, Number of times reported: 9

Sign: APPLICATION SITE REACTION NOS, Number of times reported: 6

Sign: REDDENING OF THE SKIN, Number of times reported: 6

Sign: APPLICATION SITE BURNING SENSATION, Number of times reported: 5

Sign: APPLICATION SITE REDDENING, Number of times reported: 5

Sign: BURNING SENSATION (SKIN), Number of times reported: 5

Sign: HEADACHE, Number of times reported: 5

Sign: HIVES, Number of times reported: 5

Sign: PRURITUS, Number of times reported: 5

Sign: SKIN DISORDERS NOS, Number of times reported: 5

Sign: SKIN IRRITATION, Number of times reported: 5

Sign: APPLICATION SITE SKIN DISCOLOURATION, Number of times reported: 4

Sign: BLISTERING, Number of times reported: 4

Sign: ITCHY SKIN, Number of times reported: 4

Sign: SWOLLEN LIP, Number of times reported: 4

Sign: TINGLING SENSATION, Number of times reported: 4

Sign: APPLICATION SITE TINGLING, Number of times reported: 3

Sign: PATIENT INSTRUCTIONS FOR USE ON LABEL CONFUSING, Number of times reported: 3

Sign: RED FACE, Number of times reported: 3

Sign: TINGLING SKIN, Number of times reported: 3

Sign: APPLICATION SITE ERYTHEMA, Number of times reported: 2

Sign: APPLICATION SITE IRRITATION, Number of times reported: 2

Sign: APPLICATION SITE ITCHING, Number of times reported: 2

Sign: APPLICATION SITE PAIN, Number of times reported: 2

Sign: APPLICATION SITE RESIDUE, Number of times reported: 2

Sign: APPLICATION SITE SWELLING, Number of times reported: 2

Sign: COUGH, Number of times reported: 2

Sign: DIZZINESS, Number of times reported: 2

Sign: EYE ITCHING, Number of times reported: 2

Sign: EYE PAIN, Number of times reported: 2

Sign: EYE REDNESS, Number of times reported: 2

Sign: LOCALISED RASH, Number of times reported: 2

Sign: MALAISE, Number of times reported: 2

Sign: MEDICATION ERROR, Number of times reported: 2

Sign: NUMBNESS, Number of times reported: 2

Sign: RASH, Number of times reported: 2

Sign: SHAKING, Number of times reported: 2

Sign: SKIN SWELLING, Number of times reported: 2

Sign: STOMACH UPSET, Number of times reported: 2

Sign: SWOLLEN EYE, Number of times reported: 2

Sign: SWOLLEN FACE, Number of times reported: 2

Sign: URTICARIAL RASH, Number of times reported: 2

Sign: ALLERGIC OEDEMA, Number of times reported: 1

Sign: ALLERGIC REACTION, Number of times reported: 1

Sign: ANAPHYLACTIC SHOCK, Number of times reported: 1

Sign: APPETITE LOSS, Number of times reported: 1

Sign: APPLICATION SITE DRY SKIN, Number of times reported: 1

Sign: APPLICATION SITE NUMBNESS, Number of times reported: 1

Sign: APPLICATION SITE RASH, Number of times reported: 1

Sign: BLOOD IN FAECES, Number of times reported: 1

Sign: BULLOUS DISORDER NOS, Number of times reported: 1

Sign: CHEMICAL BURN, Number of times reported: 1

Sign: DEAFNESS, Number of times reported: 1

Sign: DECREASED BODY TEMPERATURE, Number of times reported: 1

Sign: DERMATITIS, Number of times reported: 1

Sign: DIFFICULTY SLEEPING, Number of times reported: 1

Sign: DROWSINESS - SYSTEMIC DISORDER, Number of times reported: 1

Sign: DRUG ADMINISTRATION ERROR, Number of times reported: 1

Sign: EYE IRRITATION, Number of times reported: 1

Sign: FEELING ANXIOUS, Number of times reported: 1

Sign: FEELINGS OF WEAKNESS, Number of times reported: 1

Sign: GENERAL HAIR LOSS, Number of times reported: 1

Sign: GENERALISED ITCHING, Number of times reported: 1

Sign: GENERALISED RASH, Number of times reported: 1

Sign: HOT FLUSH, Number of times reported: 1

Sign: HYPERAESTHESIA, Number of times reported: 1

Sign: INCREASED HEART RATE, Number of times reported: 1

Sign: ITCHY RASH, Number of times reported: 1

Sign: LETHARGY, Number of times reported: 1

Sign: LOCALISED ITCHING, Number of times reported: 1

Sign: LOCALISED PAIN NOS, Number of times reported: 1

Sign: LOSS OF CONSCIOUSNESS, Number of times reported: 1

Sign: LOW BLOOD PRESSURE, Number of times reported: 1

Sign: NASAL CONGESTION, Number of times reported: 1

Sign: NAUSEA, Number of times reported: 1

Sign: PHOTOSENSITIVITY, Number of times reported: 1

Sign: PRODUCT PROBLEM, Number of times reported: 1

Sign: RESPIRATORY DISTRESS, Number of times reported: 1

Sign: RESPIRATORY TRACT IRRITATION, Number of times reported: 1

Sign: SEIZURE NOS, Number of times reported: 1

Sign: SKIN SLOUGH, Number of times reported: 1

Sign: STOMACH PAIN, Number of times reported: 1

Sign: SUDATION, Number of times reported: 1

Sign: SWOLLEN JOINT, Number of times reported: 1

Sign: TASTE ALTERATION, Number of times reported: 1

Sign: THROAT CONSTRICTION, Number of times reported: 1

Sign: TINNITUS, Number of times reported: 1

Sign: TREMOR, Number of times reported: 1

Sign: UNABLE TO STAND, Number of times reported: 1

Sign: UNCONSCIOUS, Number of times reported: 1

Sign: URTICARIAL ERYTHEMA, Number of times reported: 1

Species: Human

Route of Administration: unknown

Sign: HIVES, Number of times reported: 3

Sign: HEADACHE, Number of times reported: 2

Sign: ITCHING, Number of times reported: 2

Sign: NAUSEA, Number of times reported: 2

Sign: RASH, Number of times reported: 2

Sign: ALLERGY NOS, Number of times reported: 1

Sign: APPLICATION SITE SKIN CHANGE NOS, Number of times reported: 1

Sign: ASTHMA, Number of times reported: 1

Sign: BAD TASTE, Number of times reported: 1

Sign: BREATHING DIFFICULTY, Number of times reported: 1

Sign: COUGH, Number of times reported: 1

Sign: EYE DISORDER NOS, Number of times reported: 1

Sign: GENERALISED RASH, Number of times reported: 1

Sign: LOCALISED NUMBNESS, Number of times reported: 1

Sign: MALAISE, Number of times reported: 1

Sign: SNEEZING, Number of times reported: 1

Sign: STOMACH UPSET, Number of times reported: 1

Sign: SWOLLEN LIP, Number of times reported: 1

Sign: TASTE ALTERATION, Number of times reported: 1

Sign: THROAT IRRITATION, Number of times reported: 1

Sign: THROAT PAIN, Number of times reported: 1

Sign: TINGLING SENSATION, Number of times reported: 1

Sign: TINGLING SKIN, Number of times reported: 1

Species: Other

Route of Administration: oral

Sign: ABNORMAL NECROPSY FINDING, Number of times reported: 1

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 1

Sign: BLOATED, Number of times reported: 1

Sign: DEATH, Number of times reported: 1

Sign: DUODENAL ULCER, Number of times reported: 1

Sign: ELEVATED ALT, Number of times reported: 1

Sign: ELEVATED AST, Number of times reported: 1

Sign: ELEVATED TOTAL BILIRUBIN, Number of times reported: 1

Sign: HYPOGLYCAEMIA, Number of times reported: 1

Sign: INTESTINAL PERFORATION, Number of times reported: 1

Sign: PR-DUODENUM, LESION(S), Number of times reported: 1

Sign: SEPTICAEMIA, Number of times reported: 1

Species: Rabbit

Route of Administration: oral

Sign: VOMITING, Number of times reported: 1

Species: Tiger

Route of Administration: oral

Sign: AGGRESSION, Number of times reported: 1

Sign: ATAXIA, Number of times reported: 1

Sign: BEHAVIOURAL DISORDER NOS, Number of times reported: 1

Sign: HIDING, Number of times reported: 1

Sign: INAPPETENCE, Number of times reported: 1

Sign: VOCALISATION, Number of times reported: 1

Species: Tiger

Route of Administration: Topical

Sign: LACK OF EFFICACY (ECTOPARASITES), Number of times reported: 1

Species: Wolf

Route of Administration: oral

Sign: ANXIETY, Number of times reported: 1

Sign: INCREASED APPETITE, Number of times reported: 1

Sign: INEFFECTIVE, FLEAS, Number of times reported: 1

Sign: PRURITUS, Number of times reported: 1