

ADM Animal Nutrition®
MaxLean® GF Concentrate
12354AAA

A Supplement for Growing and Finishing Swine

GUARANTEED ANALYSIS

Crude Protein, Min.	35.0%
Lysine, Min.	3.3%
Crude Fat, Min.	1.5%
Crude Fiber, Max.	6.0%
Calcium (Ca), Min. 2.75% Max.	3.75%
Phosphorus (P), Min.	1.35%
Salt (NaCl), Min. 1.75% Max.	2.25%
Selenium (Se), Min.	1.0 ppm
Zinc (Zn), Min.	595 ppm

INGREDIENTS

Plant Protein Products, Processed Grain By-Products, Animal Protein Products, Calcium Carbonate, Salt, Monocalcium Phosphate, Dicalcium Phosphate, L-Lysine, Animal Fat, BHT (A Preservative), Roughage Products, Calcium Pantothenate, Vitamin E Supplement, Niacin Supplement, Menadione Dimethylpyrimidinol Bisulfite, Riboflavin Supplement, Vitamin A Supplement, Vitamin B₁₂ Supplement, Vitamin D₃ Supplement, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Mineral Oil, Calcium Iodate, L-Threonine, Dehydrated Pichia Pastoris Fermentation Extract, Sodium Selenite.

MIXING AND FEEDING DIRECTIONS

Pig Weight (lb)

Barrows or Mixed	50-80	80-110	110-140	140-170	170-200	200-240	240-270	Paylean
Com	1415	1480	1545	1610	1645	1680	1715	*1515
12354AAA	585	520	455	390	355	320	285	485
Total	2000	2000	2000	2000	2000	2000	2000	2000
Total lysine	1.15	1.05	0.95	0.85	0.80	0.75	0.70	1.00

The complete feed is to be fed continuously as the sole ration. Provide clean, fresh water at all times. For those producers desiring a four-phase feeding program, choose phase 1, 3, 5 and 7. For a tailored farm-specific grow/finish feeding program, contact your ADM sales representative or nutritionist.

Breeding Herd: For use of this product in rations for the breeding herd, refer to mixing instructions for Parity Plus® Sow Boost™ 25.

*Reduce amount of grain in ration with corresponding amount of Paylean pack. Paylean can be used for the last 45-90 lb of weight gain. Paylean is not a trademark of ADM.

CAUTION: Use this product as the sole source of selenium. Added selenium above 0.3 ppm in the final complete ration is not permitted.

00116

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced

MoorMan's®
ShowTec® Lo Fat 15 BMD
15350AGN

▶ MEDICATED ◀

For Growing Pigs Being Fed for Exhibition

For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate..... 30 gms/ton

GUARANTEED ANALYSIS

Crude Protein, Min. 15.00%
Lysine, Min. 0.80%
Crude Fat, Min. 3.50%
Crude Fiber, Max. 3.50%
Calcium (Ca), Min. 0.60% Max. 1.10%
Phosphorus (P), Min. 0.60%
Salt (NaCl), Min. 0.10% Max. 0.60%
Selenium (Se), Min. 0.3 ppm
Zinc (Zn), Min. 500.0 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Soybean Hulls, Dried Whey, Feeding Oat Meal, Lignin Sulfonate, Monocalcium Phosphate, Calcium Carbonate, Animal Fat, BHT (A Preservative), Sodium Bentonite, Salt, Porcine Red Blood Cells, Fish Meal, Maltodextrin, Sodium Propionate (A Preservative), Extracted Citric Acid Presscake, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Basic Copper Chloride, Calcium Iodate, Zinc Oxide, Selenium Yeast, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Natural and Artificial Flavors, DL Methionine, Dehydrated Pichia Pastoris Fermentation Extract, L-Lysine, L-Threonine.

FEEDING DIRECTIONS

ShowTec Lo Fat 15 is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

20421

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115

Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



MoorMan's® ShowTec® Hi Fat 16 BMD

16700AGN

▶ **MEDICATED** ◀

For Growing Pigs Being Fed for Exhibition

For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate..... 30 gms/ton

GUARANTEED ANALYSIS

Crude Protein, Min.	16.00%
Lysine, Min.	0.900%
Crude Fat, Min.	7.00%
Crude Fiber, Max.	4.00%
Calcium (Ca), Min. 0.60% Max.	1.10%
Phosphorus (P), Min.	0.65%
Salt (NaCl), Min. 0.10% Max.	0.60%
Selenium (Se), Min.	0.3 ppm
Zinc (Zn), Min.	800.0 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Maize Syrup Solids, Sucrose, Calcium Propionate (A Preservative), Zinc Methionine Complex, Extracted Citric Acid Presscake, Basic Copper Chloride, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (*Saccharomyces cerevisiae*), Diatomaceous Earth, Zinc Oxide, L-Lysine, DL-Methionine, Natural and Artificial Flavors, Biotin, d-alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B₁₂ Supplement, Vitamin D₃ Supplement, Selenium Yeast, Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

ShowTec Hi Fat 16 is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

21923

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115**

Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80225 1

MoorMan's®
ShowTec® Hi Fat 18 BMD
18007AGN

▶ **MEDICATED** ◀

For Growing Pigs Being Fed for Exhibition

For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate..... 30 gms/ton

GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Lysine, Min.	1.05%
Crude Fat, Min.	7.0%
Crude Fiber, Max.	4.0%
Calcium (Ca), Min. 0.6% Max.	1.1%
Phosphorus (P), Min.665%
Salt (NaCl), Min. 0.1% Max.	0.6%
Selenium (Se), Min.	0.3 ppm
Zinc (Zn), Min.	800 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Maize Syrup Solids, Sucrose, Calcium Propionate (A Preservative), Zinc Amino Acid Complex, Extracted Citric Acid Presscake, Basic Copper Chloride, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (*Saccharomyces cerevisiae*), Diatomaceous Earth, Zinc Oxide, L-Lysine, DL-Methionine, Natural and Artificial Flavors, Biotin, d-alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B₁₂ Supplement, Vitamin D₃ Supplement, Selenium Yeast, Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

ShowTec Hi Fat 18 BMD is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

22023

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115

Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80226 8

MoorMan's®
ShowTec® BB 18 BMD
18241AGN

▶ **MEDICATED** ◀

For Growing Pigs Being Fed for Exhibition

For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate..... 30 gms/ton

GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Lysine, Min.	1.05%
Crude Fat, Min.	3.75%
Crude Fiber, Max.	4.0%
Calcium (Ca), Min. 0.6% Max.	1.1%
Phosphorus (P), Min.	0.65%
Salt (NaCl), Min. 0.1% Max.	0.6%
Selenium (Se), Min.	0.3 ppm
Zinc (Zn), Min.	800 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Calcium Propionate (A Preservative), Zinc Amino Acid Complex, Extracted Citric Acid Presscake, Copper Sulfate, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (*Saccharomyces cerevisiae*), Diatomaceous Earth, Zinc Oxide, L-Lysine, Methionine, Natural and Artificial Flavors, Biotin, d-alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Selenium Yeast, Dried *Trichoderma reesei* fermentation product, Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

ShowTec BB 18 BMD is a complete feed specifically formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ADM Animal Nutrition product for the weight of the pigs being fed. Provide clean, fresh water at all times.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

26523

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115

Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 80227 5

MoorMan's®
ShowTec® BB 18 BMD/DBZ
18241PLM

▶ **MEDICATED** ◀

For Growing Pigs Being Fed for Exhibition

For increased rate of weight gain and improved feed efficiency.

ACTIVE DRUG INGREDIENT

Bacitracin Methylene Disalicylate 30 gms/ton

An insect growth regulator, which prevents the development of manure-breeding flies in the manure of treated swine (including nursery, gro-finish, and breeding stock).

ACTIVE INGREDIENT:

Diffubenzuron (CAS # 35367-38-5) 0.001%

OTHER INGREDIENTS: 99.999%

Contains 4.635 mg of diflubenzuron per lb. Total 100.000%

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 18.0%	Ground Corn, Dehulled Soybean Meal, Dried Whey, Soybean Hulls, Animal Fat, BHT (A Preservative), Feeding Oat Meal, Sodium Bentonite, Dicalcium Phosphate, Fish Meal, Calcium Carbonate, Lignin Sulfonate, Maltodextrin, Blood Meal, Salt, Calcium Propionate (A Preservative), Zinc Amino Acid Complex, Extracted Citric Acid Presscake, Copper Sulfate, Choline Chloride, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Calcium Iodate, Yeast Culture (<i>Saccharomyces cerevisiae</i>), Diatomaceous Earth, Zinc Oxide, L-Lysine, Methionine, Natural and Artificial Flavors, Biotin, d-alpha Tocopheryl Acetate (Source of Vitamin E), Calcium Pantothenate, Niacin Supplement, Vitamin A Supplement, Menadione Dimethylpyrimidinol Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B ₁₂ Supplement, Vitamin D ₃ Supplement, Selenium Yeast, Dried <i>Trichoderma reesei</i> fermentation product, Dehydrated <i>Pichia Pastoris</i> Fermentation Extract.
Lysine, Min. 1.05%	
Crude Fat, Min. 3.75%	
Crude Fiber, Max. 4.0%	
Calcium, Min. 0.6% Max. 1.1%	
Phosphorus, Min. 0.65%	
Salt, Min. 0.1% Max. 0.6%	
Selenium, Min. 0.3 ppm	
Zinc, Min. 800 ppm	

KEEP OUT OF REACH OF CHILDREN

CAUTION

USE AND MIXING DIRECTIONS

STORAGE AND DISPOSAL: Do not contaminate water or food by storage or disposal.

STORAGE: Store in a cool, dry place. Do not contaminate with pesticides or fertilizer.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

FEEDING DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product only prevents the development of house flies, stable flies, face flies, horn flies and manure breeding flies in the manure of treated swine, but is not effective against existing adult flies. Begin use early in the spring, 30 days before flies begin to appear, and continue feeding throughout the summer and into the fall until cold weather restricts fly activity. In some cases, supplemental fly control measure may be needed in and around pastures, barns, and feedlots to control adult house and stable flies which can breed in other decaying, organic matter or silage in the area, or that migrate in from other locations.

ShowTec BB 18 BMD/DBZ is a complete feed formulated for pigs fed for exhibition. Feed as the sole ration to growing pigs. Transition pigs to the appropriate ShowTec product for the weight of the pigs being fed. Feed at the rate of 5.0 lbs per head per day to animals weighing 250 lbs to provide 0.2 mg diflubenzuron per kg of body weight per day. The higher inclusion rate for diflubenzuron (0.2 to 0.3 mg/kg allowed) is to be used for lighter weight pigs. Provide clean, fresh water at all times.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

26523

ADM Animal Nutrition, a division of Archer Daniels Midland Company,
Quincy, IL 62305-3115 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 99393 00218 9

MoorMan's® ShowTec® Burst Starter™ w/DF CTC/DEN 24320AYW

▶ **MEDICATED** ◀

A Complete Feed for Starting/Growing Pigs Being Fed for Exhibition

CAUTION: Federal law restricts medicated feed containing this veterinary feed directive (VFD) drug to use by or on the order of a licensed veterinarian.

Treatment of bacterial enteritis caused by *Escherichia coli* and *Salmonella choleraesuis* and bacterial pneumonia caused by *Pasteurella multocida* susceptible to chlortetracycline. For control of swine dysentery associated with *Brachyspira* (formerly *Serpulina* or *Treponema*) *hyodysenteriae* susceptible to Tiamulin.

ACTIVE DRUG INGREDIENTS

Chlortetracycline (200 mg/lb) 400 gm/ton
Tiamulin (17.5 mg/lb) 35 gm/ton

GUARANTEED ANALYSIS

Crude Protein, Min. 21.5%
Lysine, Min 1.5%
Crude Fat, Min. 7.0%
Crude Fiber, Max. 3.5%
Calcium, Min. 0.5%
Calcium, Max. 1.0%
Phosphorus, Min. 0.6%
Salt, Min. 0.25%
Salt, Max. 0.75%
Selenium, Min 0.3 ppm
Zinc, Min 2,500 ppm

INGREDIENTS

Ground Corn, Dehulled Soybean Meal, Rolled Oats, Dried Whey Product, Animal Fat, BHT (A Preservative), Soybean Hulls, Fish Meal, Sodium Bentonite, Maltodextrin, Animal Plasma, Lignin Sulfonate, Monocalcium Phosphate, Porcine Red Blood Cells, Calcium Carbonate, Zinc Oxide, Hydrolyzed vegetable oil, Mono and diglycerides of edible fat-forming acids, Silicon dioxide, Glycerin, Ammonium formate, Formic acid, Propionic acid (preservative), Acetic acid, Benzoic acid, Sorbic acid (preservative), Citric acid, Propylene glycol, L-Lysine, Extracted Citric Acid Presscake, Corn Syrup Refinery Insolubles, Sucrose, Choline Chloride, Calcium Propionate (A Preservative), Salt, L-Threonine, DL-Methionine, Yeast Culture, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Basic Copper Chloride, Calcium Iodate, Dried *Trichoderma reesei* fermentation product, Dried *Bacillus Licheniformis* Fermentation Product, Dried *Bacillus Subtilis* Fermentation Product, Selenium Yeast, Chromium Propionate, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Natural and Artificial Flavors, Dehydrated *Pichia Pastoris* Fermentation Extract.

FEEDING DIRECTIONS

MoorMan's ShowTec Burst Starter w/DF is a complete feed specifically formulated for pigs weighing 15 to 50 pounds. Feed at the rate of 5% of body weight to provide 10 mgs of chlortetracycline per pound of body weight daily. For example, feed at the rate of 1.0 lb per head per day to pigs weighing 20 lbs. Feed continuously as the sole ration for 14 days. Then they should be changed to an approved ShowTec ration for pigs of this weight. Provide clean, fresh water at all times.

WARNING: Withdraw 2 days prior to slaughter.

CAUTION: Do not feed to animals other than swine. The effects of tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the only source of chlortetracycline and tiamulin. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g., monensin, lasalocid, semduramicin, narasin, and salinomycin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feed.

Protect from excessive temperatures that exceed 104°F (40°C). Do not store at warm temperatures, 104°F (40°C), for more than 7 days.

06724

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company**

Quincy, IL 62305-3115 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 99393 00207 3

MoorMan's® ShowTec® Burst Starter™ w/DF DEN 24320CVW

▶ **MEDICATED** ◀

A Complete Feed for Starting/Growing Pigs Being Fed for Exhibition

For control of swine dysentery associated with *Brachyspira* (formerly *Serpulina* or *Treponema*) *hyodysenteriae* susceptible to Tiamulin.

ACTIVE DRUG INGREDIENTS

Tiamulin (17.5 mg/lb)..... 35 gm/ton

GUARANTEED ANALYSIS	INGREDIENTS
Crude Protein, Min. 21.5%	Ground Corn, Dehulled Soybean Meal, Rolled Oats, Dried Whey Product, Animal Fat, BHT (A Preservative), Soybean Hulls, Fish Meal, Sodium Bentonite, Maltodextrin, Animal Plasma, Lignin Sulfonate, Monocalcium Phosphate, Porcine Red Blood Cells, Calcium Carbonate, Zinc Oxide, Hydrolyzed vegetable oil, Mono and diglycerides of edible fat-forming acids, Silicon dioxide, Glycerin, Ammonium formate, Formic acid, Propionic acid (preservative), Acetic acid, Benzoic acid, Sorbic acid (preservative), Citric acid, Propylene glycol, L-Lysine, Extracted Citric Acid Presscake, Corn Syrup Refinery Insolubles, Sucrose, Choline Chloride, Calcium Propionate (A Preservative), Salt, L-Threonine, DL-Methionine, Yeast Culture, Ferrous Sulfate, Zinc Sulfate, Manganese Sulfate, Basic Copper Chloride, Calcium Iodate, Dried Trichoderma reesei fermentation product, Dried Bacillus Licheniformis Fermentation Product, Dried Bacillus Subtilis Fermentation Product, Selenium Yeast, Chromium Propionate, Vitamin E Supplement, Calcium Pantothenate, Niacin Supplement, Biotin, Vitamin A Supplement, Menadione Nicotinamide Bisulfite, Pyridoxine Hydrochloride, Riboflavin Supplement, Folic Acid, Vitamin B12 Supplement, Vitamin D3 Supplement, Natural and Artificial Flavors, Dehydrated Pichia Pastoris Fermentation Extract.
Lysine, Min 1.5%	
Crude Fat, Min. 7.0%	
Crude Fiber, Max. 3.5%	
Calcium, Min 0.5%	
Calcium, Max. 1.0%	
Phosphorus, Min. 0.6%	
Salt, Min 0.25%	
Salt, Max 0.75%	
Selenium, Min 0.3 ppm	
Zinc, Min 2,500 ppm	

FEEDING DIRECTIONS

MoorMan's ShowTec Burst Starter w/DF is a complete feed specifically formulated for starting pigs. Feed continuously as the sole ration to pigs weighing 15 to 50 lbs with a history of swine dysentery but where signs of disease have not yet occurred, or following approved treatment of disease. Transition pigs to the appropriate MoorMan's ShowTec product for the weight of the pigs being fed. Provide clean, fresh water at all times.

WARNING: Withdraw 2 days prior to slaughter.

CAUTION: Do not feed to animals other than swine. The effects of tiamulin on swine reproductive performance, pregnancy and lactation have not been determined. Use as the only source of tiamulin. Swine being treated with tiamulin should not have access to feeds containing polyether ionophores (e.g., monensin, lasalocid, semduramicin, narasin, and salinomycin) as adverse reactions may occur. If signs of toxicity occur, discontinue use of medicated feed.

Protect from excessive temperatures that exceed 104°F (40°C). Do not store at warm temperatures, 104°F (40°C), for more than 7 days.

NOTICE: Do not use in any finished feed (supplement, concentrate or complete feed) containing in excess of 2% bentonite.

06724

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company**

Quincy, IL 62305-3115 Phone: 1-866-666-7626

Net Weight 50 lb (22.67 kg) Or As Invoiced



7 99393 00208 0

Pen Pals®

Chicken Starter-Grower

70009AAA

A Complete Feed for Starting and Growing Chickens
GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Lysine, Min.	0.9%
Methionine, Min.	0.3%
Crude Fat, Min.	3.0%
Crude Fiber, Max.	7.0%
Calcium (Ca), Min1.0% Max.	1.5%
Phosphorus (P), Min.	0.6%
Salt (NaCl), Min0.3% Max.	0.8%
Vitamin A, Min	4,100 IU per pound

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Roughage Products, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Lignin Sulfonate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B₁₂ Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, Dried Trichoderma reesei Fermentation Product, Methionine, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated Pichia Pastoris Fermentation Extract.

FEEDING DIRECTIONS

Feed continuously as the sole ration to replacement chickens. Provide clean, fresh water at all times.

27723

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 70012 0

Pen Pals® Chicken Starter-Grower 70009AAA

A Complete Feed for Starting and Growing Chickens

GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Lysine, Min.	0.9%
Methionine, Min.	0.3%
Crude Fat, Min.	3.0%
Crude Fiber, Max.	7.0%
Calcium (Ca), Min 1.0% Max.	1.5%
Phosphorus (P), Min.	0.6%
Salt (NaCl), Min 0.3% Max.	0.8%
Vitamin A, Min	4,100 IU per pound

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Roughage Products, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Lignin Sulfonate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B₁₂ Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, Dried Trichoderma reesei Fermentation Product, Methionine, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated Pichia Pastoris Fermentation Extract.

FEEDING DIRECTIONS

Feed continuously as the sole ration to replacement chickens. Provide clean, fresh water at all times.

27723-25

**ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 25 lb (11.34 kg) or As Invoiced**



7 88399 80191 9

Pen Pals®
EGG MAKER COMPLETE
70010AAA (Pellets)

A Complete Feed for Laying Hens

GUARANTEED ANALYSIS

Crude Protein, Min.	16.0%
Lysine, Min.	0.7%
Methionine, Min.	0.32%
Crude Fat, Min.	3.0%
Crude Fiber, Max.	6.0%
Calcium (Ca), Min 3.9% Max.	4.9%
Phosphorus (P), Min.	0.4%
Salt (NaCl), Min 0.2% Max.	0.7%
Vitamin A, Min 3,200 IU per pound	

INGREDIENTS

Grain Products, Processed Grain By-Products, Plant Protein Products, Calcium Carbonate, Forage Products, Roughage Products, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Vegetable Oil, Extracted Citric Acid Presscake, Manganous Oxide, Manganese Sulfate, Zinc Oxide, Zinc Sulfate, Copper Sulfate, Calcium Iodate, Ferrous Sulfate, Calcium Propionate (A Preservative), Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex, Riboflavin Supplement, Niacin Supplement, Calcium Pantothenate, Thiamine Mononitrate, Vitamin B₁₂ Supplement, Biotin, Pyridoxine Hydrochloride, Folic Acid, Sodium Selenite, Zinc Amino Acid Complex, Choline Chloride, L-Lysine, Methionine, Dried Trichoderma reesei Fermentation Product, Artificial and Natural Flavors, d-alpha Tocopheryl Acetate (Source of Vitamin E.), Dehydrated Pichia Pastoris Fermentation Extract.

FEEDING DIRECTIONS

Feed continuously as the sole ration to laying hens. Provide clean, fresh water at all times.
28323

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115
Net Weight 50 lb (22.67 kg) Or As Invoiced



7 88399 70010 6

Pen Pals®

PROFESSIONAL RABBIT 18

80033AAA

A Complete Feed For Growing and Breeding Rabbits
GUARANTEED ANALYSIS

Crude Protein, Min.	18.0%
Crude Fat, Min.	3.0%
Crude Fiber, Min. 14.0% Max.	19.0%
Calcium (Ca), Min. 0.7% Max.	1.2%
Phosphorus (P), Min.	0.5%
Salt (NaCl), Min. 0.2% Max.	0.7%
Vitamin A, Min.	3,200 IU/lb

INGREDIENTS

Dehydrated Alfalfa Meal, Wheat Middlings, Soybean Hulls, Feeding Oat Meal, Dehulled Soybean Meal, Cane Molasses, Lignin Sulfonate, Calcium Carbonate, Salt, Copper Sulfate, Zinc Amino Acid Complex, Yucca Shidigera Extract, Zinc Oxide, Vitamin E Supplement, Manganese Amino Acid Complex, Manganous Oxide, Ferrous Sulfate, Copper Amino Acid Complex, Mineral Oil, Iron Amino Acid Complex, Sodium Selenite, Vitamin A Supplement, Niacin Supplement, Vitamin B12 Supplement, Menadione Sodium Bisulfite Complex, Vitamin D3 Supplement, Biotin, Magnesium Amino Acid Chelate, Cobalt Glucoheptonate, Calcium Pantothenate, Riboflavin Supplement, Calcium Iodate, Thiamine Mononitrate, Pyridoxine Hydrochloride, Cobalt Carbonate, Folic Acid, Choline Chloride, Vegetable Oil, Monocalcium Phosphate, Brewers Dried Yeast, Extracted Citric Acid Presscake, Saccharin Sodium, Natural and Artificial Flavors, Calcium Propionate (A Preservative), Dried Lactobacillus acidophilus Fermentation Product, Dried Lactobacillus casei Fermentation Product, Dried Bifidobacterium thermophilum Fermentation Product, Dried Enterococcus faecium Fermentation Product, DL-Methionine, L-Lysine.

FEEDING DIRECTIONS

Feed to growing and breeding rabbits. Feed requirements depend on the size, breed, and stage of growth, use or production.

Type of Rabbit	Daily Feed Requirements
Bucks	3 to 5 oz
Resting Does	4 to 6 oz
Does During Gestation	5 to 7 oz
*Nursing Does – 1 st 3 weeks	0.5 to 0.75 lb
*Nursing Does – 3 weeks to weaning	1 to 1.5 lb
**Growing Rabbits	2 to 4 oz

*Self feed the doe during this period.

**For young rabbits we suggest self feeding for most economical gains. Provide clean, fresh water at all times.

WARNING: This product is not intended for laboratory or research animals. No expressed or implied guarantee as to suitability for that purpose is made.

REMINDER: Feed is perishable. Store this product in a cool, dry area away from insects.

28423

ADM Animal Nutrition, a division of
Archer Daniels Midland Company, Quincy, IL 62305-3115

Net Weight 50 lb (22.67 kg)



7 88399 80117 9