

CRSP Self-Swab Kit is for use under Emergency Use Authorization only. For people 18 years or older.

How to collect a nasal swab sample




Read instructions entirely. Failure to follow the instructions entirely may lead to false or incomplete results. Only collect the sample on the day you are scheduled to drop it off and only drop off your own sample.




Blow your nose.

Thoroughly blow and wipe your nose to clear thick mucus (snot).



Collect sample from other nostril.

Use the same soft tip to repeat the previous step in the second nostril 3 times.




Wash your hands.

Wash with soap and water for at least 20 seconds or use hand sanitizer and dry completely.




Put the swab in the collection tube.

The soft tip of the swab that went into your nose should go into the tube first.




Open the package with the swab.

Careful: Don't touch the soft tip with your hands. Peel open where indicated. Leave swab in the package for now.



Push cap down firmly.

Push the cap straight down onto the tube until it cannot go down any farther.



Pull up to remove the cap from the collection tube.

Place it on a clean surface where you can easily find it.



Wash your hands.

Wash with soap and water for at least 20 seconds or use hand sanitizer and dry completely.



Pick up the swab.

Pull swab out of its packaging, being careful not to touch the soft tip with your hands. Have the tube ready to put the swab in after collecting the sample.



Put the tube into the sealable bag.

Seal the bag and write your name on it.



Collect sample from nostril.

Insert the swab into one nostril just until the soft tip is no longer visible. Rotate it in a circle around the inside edge of your nostril 3 times.




Deliver to collection site *today*.

See instructions on the reverse side.

Questions? Call support line at (617) 714-7590 or e-mail crsp-careevolve@broadinstitute.org

This product has not been FDA cleared or approved, but has been authorized for emergency use by FDA under an EUA for use by authorized laboratories. This product has been authorized only for the detection of nucleic acid from SARS-CoV-2, not for any other viruses or pathogens. The emergency use of this product is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Federal, Food, Drug, and Cosmetic Act, 21 U.S.C. § 360bbb-3(b)(1), unless the declaration is terminated or authorization is revoked sooner.









and affix it to your tube.

the sample in a box rack. The technician will place You are done!


The technician will print you to confirm that the the barcode, show it to information is correct,



to the drop-off technician, Hand the bagged sample issue, you will step aside to a re-testing station. there is a noticeable who will inspect it. If

drop-off location, you will When you arrive at the

provide identification.







it off and only drop off your own sample.

Only collect the sample on the day you are scheduled to drop

entirely may lead to false or incomplete results

Read instructions entirely. Failure to follow the instructions

See reverse side for kit contents and open booklet for full

instructions.

IMPORTAN1

