

October 7, 2022

Katalyst Surgical, LLC Liz Morgan Quality and Regulatory Specialist 754 Goddard Ave Chesterfield, Missouri 63005

Re: K213610

Trade/Device Name: Kogent Disposable Copper Forceps, Kogent Disposable Irrigating Copper

Forceps, Kogent Disposable Illuminating Copper Forceps

Regulation Number: 21 CFR 878.4400

Regulation Name: Electrosurgical cutting and coagulation device and accessories

Regulatory Class: Class II

Product Code: GEI

Dated: September 6, 2022 Received: September 6, 2022

Dear Liz Morgan:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. Although this letter refers to your product as a device, please be aware that some cleared products may instead be combination products. The 510(k) Premarket Notification Database located at https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpmn/pmn.cfm identifies combination product submissions. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal

statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803) for devices or postmarketing safety reporting (21 CFR 4, Subpart B) for combination products (see https://www.fda.gov/combination-products/guidance-regulatory-information/postmarketing-safety-reporting-combination-products); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820) for devices or current good manufacturing practices (21 CFR 4, Subpart A) for combination products; and, if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to https://www.fda.gov/medical-device-problems.

For comprehensive regulatory information about medical devices and radiation-emitting products, including information about labeling regulations, please see Device Advice (https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance) and CDRH Learn (https://www.fda.gov/training-and-continuing-education/cdrh-learn). Additionally, you may contact the Division of Industry and Consumer Education (DICE) to ask a question about a specific regulatory topic. See the DICE website (https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/contact-us-division-industry-and-consumer-education-dice">https://www.fda.gov/medical-devices/device-advice-comprehensive-regulatory-assistance/contact-us-division-industry-and-consumer-education-dice) for more information or contact DICE by email (DICE@fda.hhs.gov) or phone (1-800-638-2041 or 301-796-7100).

Sincerely,

for

Long Chen, Ph.D.
Assistant Director
DHT4A: Division of General Surgery Devices
OHT4: Office of Surgical
and Infection Control Devices
Office of Product Evaluation and Quality
Center for Devices and Radiological Health

Enclosure

K213610 Page 1 of 1

DEPARTMENT OF HEALTH AND HUMAN SERVICES Food and Drug Administration

Indications for Use

Form Approved: OMB No. 0910-0120

Expiration Date: 06/30/2023
See PRA Statement below.

510(k) Number <i>(if known)</i> K213610	
Device Name Kogent Disposable Copper Bipolar Forceps Kogent Disposable Irrigating Copper Bipolar Forceps Kogent Disposable Illuminating Copper Bipolar Forceps	

Indications for Use (Describe)

The Kogent Disposable Copper Bipolar Forceps are a single use product sold sterile and are intended for use in electrosurgery for coagulation of tissue. The Kogent Disposable Copper Irrigating Bipolar Forceps are a single use product sold sterile and are intended for use in electrosurgery for coagulation and irrigation of tissue. The Kogent Disposable Copper Illuminating Bipolar Forceps are a single use product sold sterile and are intended for use in electrosurgery for coagulation and to supply light for surgical procedures.

Type of Use (Select one or both, as applicable)	
Prescription Use (Part 21 CFR 801 Subpart D)	Over-The-Counter Use (21 CFR 801 Subpart C)

CONTINUE ON A SEPARATE PAGE IF NEEDED.

This section applies only to requirements of the Paperwork Reduction Act of 1995.

DO NOT SEND YOUR COMPLETED FORM TO THE PRA STAFF EMAIL ADDRESS BELOW.

The burden time for this collection of information is estimated to average 79 hours per response, including the time to review instructions, search existing data sources, gather and maintain the data needed and complete and review the collection of information. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, to:

Department of Health and Human Services Food and Drug Administration Office of Chief Information Officer Paperwork Reduction Act (PRA) Staff PRAStaff@fda.hhs.gov

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB number."

K213610 Page 1 of 5

510(k) Summary

Manufacturer: Katalyst Surgical, LLC

754 Goddard Avenue Chesterfield, MO 63005 636-536-5950 (phone) 636-787-0603 (fax)

Contact: Liz Morgan

Katalyst Surgical, LLC 636-536-5950 (phone) 636-787-0603(fax)

e.morgan@katalystsurgical.com

Date Prepared: November 4, 2021

510(k) Number: K213610

Device Trade Name: Kogent Disposable Copper Bipolar Forceps

Kogent Disposable Irrigating Copper Bipolar Forceps Kogent Disposable Illuminating Copper Bipolar Forceps

Common Name: Bipolar Forceps

Classification: 21 CFR 878.4400

Classification Name: Electrosurgical cutting and coagulation device and accessories

Class:

Product Code: GEI

Indications for Use:

The Kogent Disposable Copper Bipolar Forceps are a single use product sold sterile and are intended for use in electrosurgery for coagulation of tissue. The Kogent Disposable Copper Irrigating Bipolar Forceps are a single use product sold sterile and are intended for use in electrosurgery for coagulation and irrigation of tissue. The Kogent Disposable Copper Illuminating Bipolar Forceps are a single use product sold sterile and are intended for use in electrosurgery for coagulation and to supply light for surgical procedures.

K213610 Page 2 of 5

Device Description:

These devices are disposable bipolar forceps, designed for single use in general surgical procedures. They require connection with a suitable bipolar cable to the bipolar output of an electrosurgical generator. These forceps are designed to grasp, manipulate, coagulate, irrigate and illuminate, when applicable, selected tissues. The irrigation tube is designed to carry sterile fluid to the tips of the instrument. The illumination style forceps contain illumination fibers on each tine to deliver light to the surgical site. Coagulation is achieved using electrosurgical energy generated by the electrosurgical generator and activated by a footswitch. The forceps are provided sterile by ethylene oxide and in sterile pouches.

Predicate Device:

The Kogent Disposable Copper Bipolar Forceps was shown to be substantially equivalent to the previously cleared devices: Synergetics Disposable Spetzler Malis Dual Irrigating Bipolar Forceps K110924, Synergetics Spetzler Malis Dual Illuminating Bipolar Forceps K160103, and Kogent Bipolar Forceps K123172.

Comparison of Technical Characteristics:

	Subject Device	Predicate Device
Device Name	Kogent Disposable Copper	Kogent Bipolar Forceps
	Bipolar Forceps	
Company	Katalyst Surgical, LLC	Katalyst Surgical, LLC
K Number	K213610	K123172
Classification	Class II	Class II
Product Code	GEI	GEI
Indications for Use	Single use product sold	Single use product sold
	sterile and are intended for	sterile and are intended for
	use in electrosurgery for	use in electrosurgery for
	coagulation of tissue	coagulation of tissue
Forceps Design	Bayonet Style	Bayonet Style
Patient Contact Material	Silver Plated copper base	Silver Plated aluminum base
	with PVDF insulation	with PVDF insulation
Electrical Safety Testing	IEC 60601-1	IEC 60601-1
	IEC 60601-1-6	IEC 60601-1-2
	IEC 60601-2-2	IEC 60601-2-2
Size Offerings Overall	6.25, 7, 8, and 9 inches	7, 8, and 9 inches
Length		
Size Offerings Distal Tip	0.5mm, 1.0mm, 1.5mm	0.5mm, 1.0mm, 1.5mm
Packaging Configuration	Double Tyvek/Poly pouches	Double Tyvek/Poly pouches
Biocompatibility	Biocompatible per test	Biocompatible per test
	reports	reports
Method of Sterilization	ETO	ETO
Sterility Assurance Level	10-6	10-6

K213610 Page 3 of 5

	Subject Device	Predicate Device
Device Name	Kogent Disposable Copper	Synergetics Disposable
	Irrigating Bipolar Forceps	Spetzler Malis Dual
		Irrigating Bipolar Forceps
Company	Katalyst Surgical, LLC	Synergetics, Inc
K Number	K213610	K110924
Classification	Class II	Class II
Product Code	GEI	GEI
Indications for Use	Single use product sold	Sterile single use, for use in
	sterile and are intended for	electrosurgery for
	use in electrosurgery for	coagulation and irrigation of
	coagulation and irrigation of	tissue
	tissue	
Forceps Design	Bayonet Style	Bayonet Style
Patient Contact Material	Silver Plated copper base	Silver Plated aluminum base
	with PVDF insulation	with PVDF insulation
Electrical Safety Testing	IEC 60601-1	IEC 60601-1
	IEC 60601-1-6	IEC 60601-1-2
	IEC 60601-2-2	IEC 60601-2-2
Size Offerings Overall	7,8 and 9 inch handles	7,8 and 9 inch handles
Length		
Size Offerings Distal Tip	0.5mm, 1.0mm, 1.5mm	0.5mm, 1.0mm, 1.5mm
Packaging Configuration	Double Tyvek/Poly pouches	Rigid PETG Tray with
		Tyvek 1073B Lid
Biocompatibility	Biocompatible per test	Biocompatible per test
	reports	reports
Method of Sterilization	ETO	ETO
Sterility Assurance Level	10 ⁻⁶	10-6

	Subject Device	Predicate Device
Device Name	Kogent Disposable Copper Illuminating Bipolar	Synergetics Spetzler Malis Dual Illuminating Bipolar
	Forceps	Forceps
Company	Katalyst Surgical, LLC	Synergetics, Inc
K Number	K213610	K160103
Classification	Class II	Class II
Product Code	GEI	GEI
Indications for Use	Single use product sold sterile and are intended for use in electrosurgery for coagulation and to provide light for surgical procedures	Single use devices sold sterile and are intended for use in electrosurgery for coagulation of tissue and to

K213610 Page 4 of 5

		supply light for surgical
		procedures
Forceps Design	Bayonet Style	Bayonet Style
Patient Contact Material	Silver Plated copper base	Silver Plated aluminum base
	with PVDF insulation	with PVDF insulation
Electrical Safety Testing	IEC 60601-1	IEC 60601-1
	IEC 60601-1-6	IEC 60601-1-2
	IEC 60601-2-2	IEC 60601-2-2
Size Offerings Overall	7,8 and 9 inch handles	8 and 9 inch handles
Length		
Size Offerings Distal Tip	0.5mm, 1.0mm, 1.5mm	0.5mm, 1.0mm, 1.5mm
Packaging Configuration	Double Tyvek/Poly pouches	Rigid PETG Tray with
		Tyvek 1073B Lid
Biocompatibility	Biocompatible per test	Biocompatible per test
	reports	reports
Method of Sterilization	ЕТО	ЕТО
Sterility Assurance Level	10 ⁻⁶	10 ⁻⁶

Performance Data:

Clinical Testing was not required to prove substantial equivalence. Bench testing performed between the candidate device and the predicate devices indicates that the Kogent Copper Bipolar Forceps are substantially equivalent to predicate devices.

The product required the following other tests which were completed successfully:

Medical Electrical Equipment:

IEC 60601-1:2005, IEC 60601-1:2005/AMD1:2012, IEC 60601-1:2005/AMD2:2020

IEC 60601-2-2: 2017 for use in conjunction with IEC 60601-1:2005, COR1:2006, COR 2:2007, AMD1:2012 or IEC 60601-1:2012

IEC 60601-1-6:2010, AMD1:2013 for use in conjunction with IEC 62366:2007, AMD1:2014 and IEC 60601-1:2005, COR1:2006, COR2:2007, AMD1:2012

Biocompatibility:

ISO 10993-5:2009 Biological Evaluation of Medical Devices – Part 5: Tests for In Vitro Cytotoxicity

ISO 10993-10:2010 Biological Evaluation of Medical Devices – Part 10: Tests for Irritation and Skin Sensitization

ISO 10993-11:2017 Biological Evaluation of Medical Devices – Part 11: Tests for Systemic Toxicity

Sterilization:

ISO 11135:2014 Sterilization of health-care products-Ethylene oxide-Requirements for the development, validation and routine control of a sterilization process for medical devices

Shelf Life:

K213610 Page 5 of 5

ASTM F1980 Standard Guide for Accelerated Aging of Sterile Barrier Systems for Medical Devices

Bench Testing

Thermal Conductivity
Non-Stick Ability
Average Flow Rate
Average Illumination Output
Average Temperature Rise due to Illumination Output
Thermal Effects on Tissue

Conclusion

The Kogent Disposable Copper Bipolar Forceps were shown to be substantially equivalent to previously cleared devices with respect to intended use, indications for use, technological characteristics, performance characteristics, and biocompatibility.